

# **Injury Prevention Activity Among Aboriginal and Torres Strait Islander Peoples Project Report**

## **Volume I: Current Status and Future Directions**



*Mr Jerry Moller  
Professor Neil Thomson  
Ms Janette Brooks*



**Australian Government**  

---

**Department of Health and Ageing**

---

# **Injury Prevention Activity Among Aboriginal and Torres Strait Islander Peoples**

## **Volume I: Programs, Projects and Actions**

---

Report to the Australian Government Department of Health and Ageing  
August 2003

*Mr Jerry Moller*

*Professor Neil Thomson*

*Ms Janette Brooks*

© Commonwealth of Australia 2004

ISBN:

This work is copyright. It may be reproduced in whole or part subject to the inclusion of an acknowledgment of the source and no commercial usage or sale. Reproduction for purposes other than those indicated above, require the written permission of the Commonwealth available through the Department of Communications, Information Technology and the Arts. Requests and inquiries should be directed to the Commonwealth Copyright Administration, Intellectual Property Branch, Department of Communications, Information Technology and the Arts, GPO Box 2154, Canberra ACT 2601 or posted at <http://www.dcita.gov.au/cca>.

**Publications approval number:**



by

Cooperative Research Centre for Aboriginal and Tropical Health

Yooroang Garang: School of Indigenous Health Studies, University of Sydney

Australian Indigenous Health *InfoNet*

New Directions in Health and Safety

*Photograph: 'Two boys from the Jigalong Community, Western Australia'*

## Contents

<b>ABBREVIATIONS</b> .....	<b>VI</b>
<b>LIST OF FIGURES</b> .....	<b>VIII</b>
<b>LIST OF TABLES</b> .....	<b>IX</b>
<b>EXECUTIVE SUMMARY</b> .....	<b>1</b>
<b>LIST OF RECOMMENDATIONS</b> .....	<b>5</b>
<b>PROJECT BRIEF</b> .....	<b>7</b>
<b>THE CONSULTANTS' APPROACH</b> .....	<b>8</b>
<b>UNDERLYING VALUES AND DEFINITIONS</b> .....	<b>9</b>
ABORIGINAL AND TORRES STRAIT ISLANDER CULTURAL VALUES .....	9
A COMMITMENT TO ACTION .....	10
THE SCOPE OF INJURY .....	10
<b>PATTERNS OF INJURY AMONG ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE</b> .....	<b>11</b>
OVERALL INCIDENCE .....	11
<i>Mass data systems consistently under-report injury to Aboriginal and Torres Strait Islander people</i> .....	11
<i>Aboriginal and Torres Strait Islander injury rates are higher</i> .....	11
<i>Summary</i> .....	17
<b>INFLUENCES ON THE RATE AND MIX OF INJURIES AMONG ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE</b> .....	<b>18</b>
INFLUENCES IDENTIFIED FROM AN INTERNATIONAL PERSPECTIVE .....	18
AN AUSTRALIAN PERSPECTIVE .....	19
<i>Poverty and social dislocation</i> .....	21
<i>Day-to-day stress</i> .....	22
<i>Alcohol use and misuse</i> .....	23
<i>Conclusion</i> .....	25
<b>IMPORTANT CHARACTERISTICS OF THE ABORIGINAL AND TORRES STRAIT ISLANDER POPULATION THAT INFLUENCE THE PLANNING AND IMPLEMENTATION OF INJURY PREVENTION AND SAFETY INITIATIVES</b> .....	<b>26</b>
HISTORY AND SOCIAL POSITION .....	26
DEMOGRAPHIC COMPOSITION .....	26
GEOGRAPHIC DISTRIBUTION.....	29
PARTICIPATION IN WORK .....	30
<b>MAJOR FEATURES OF THE THEORY THAT UNDERPINS POLICY AND PRACTICE IN THE HEALTH SECTOR</b> .....	<b>33</b>
AUSTRALIAN ABORIGINAL AND TORRES STRAIT ISLANDER HEALTH APPROACHES.....	33
THE WHO INITIATIVE ON VIOLENCE .....	36
COMMON ISSUES AND VIEWS IDENTIFIED IN UNDERPINNING THEORY .....	36

<b>KEY FEATURES OF THE POLICY ENVIRONMENT .....</b>	<b>37</b>
AUSTRALIAN GOVERNMENT DEPARTMENT OF HEALTH AND AGEING (FORMERLY HEALTH AND AGED CARE) .....	37
OTHER KEY STRATEGIES .....	38
<b>EXISTING PROGRAMS .....</b>	<b>40</b>
THE CURRENT MIX OF STRATEGIES.....	40
MAJOR STAKEHOLDERS .....	43
ABORIGINAL ORGANISATIONS .....	43
ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE .....	45
<b>FACTORS THAT MAKE INITIATIVES MORE LIKELY TO SUCCEED.....</b>	<b>46</b>
<b>FACTORS THAT IMPEDE SUCCESS .....</b>	<b>47</b>
<b>GAPS AND BARRIERS .....</b>	<b>48</b>
DATA.....	48
VIABLE TERMINOLOGY .....	49
<i>Limitations of International classifications .....</i>	<i>49</i>
<i>Lack of clear understanding of Aboriginal and Torres Strait Islander concepts of injury .....</i>	<i>49</i>
<i>The need to develop a working definition for future activities .....</i>	<i>50</i>
PRIORITY SETTING AND INTERVENTION PLANNING .....	50
EVIDENCE OF EFFECTIVENESS .....	50
INTERSECTORAL COOPERATION .....	50
HEALTH SECTOR ORIENTATIONS AND STAFF TRAINING .....	54
WORKPLACE SAFETY .....	54
MEN’S PROGRAMS.....	55
<b>DIRECTIONS FOR THE FUTURE .....</b>	<b>56</b>
THE IMPORTANCE OF A ABORIGINAL AND TORRES STRAIT ISLANDER INJURY PREVENTION PLAN .....	56
<i>Different needs.....</i>	<i>56</i>
<i>Different environments.....</i>	<i>56</i>
<i>Different networks.....</i>	<i>56</i>
SPECIFIC ACTIONS REQUIRED .....	56
<i>Develop the role of Aboriginal and Torres Strait Islander people and their organisations .....</i>	<i>56</i>
SPECIFIC ACTIONS REQUIRED.....	57
<i>Develop and adopt a model for action with a sound theoretical base .....</i>	<i>57</i>
<i>Develop the National Aboriginal and Torres Strait Islander Injury Prevention Plan as an Indigenous Safety Promotion initiative.....</i>	<i>58</i>
<i>Build a foundation of information and knowledge.....</i>	<i>58</i>
<i>Develop a workforce.....</i>	<i>60</i>
<i>Identify and allocate resources.....</i>	<i>62</i>
<i>Initiate a series of safety promotion strategies.....</i>	<i>63</i>
<i>Work across sectors .....</i>	<i>66</i>
<i>Workplace safety .....</i>	<i>68</i>
<b>REFERENCES .....</b>	<b>69</b>
<b>APPENDIX 1 TENDER BRIEF .....</b>	<b>80</b>
<b>APPENDIX 2 PROJECT TEAM AND REFERENCE GROUP.....</b>	<b>83</b>
<b>APPENDIX 3 CANBERRA DECLARATION.....</b>	<b>85</b>

**APPENDIX 4 A SUMMARY OF THE LITERATURE ON INJURY PREVENTION FOR ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLES.....87**

<i>Preface</i> .....	88
1 METHODOLOGY .....	89
2 THE NATURE OF INJURY .....	90
2.1 <i>Nature of injury</i> .....	90
2.2 <i>Issues in injury prevention</i> .....	91
3 INJURY AMONG ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE.....	92
3.1 <i>The assessment of injury among Aboriginal and Torres Strait Islander people (including coding issues)</i> .....	92
3.2 <i>Impact of injury among Aboriginal and Torres Strait Islander people</i> .....	93
3.3 <i>Factors contributing to injury among Aboriginal and Torres Strait Islander people</i> .....	96
4 GOVERNMENT RESPONSES TO INJURY AMONG ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE .....	103
4.1 <i>National initiatives</i> .....	103
4.2 <i>State and Territory initiatives</i> .....	109
5 COMMUNITY AND OTHER RESPONSES TO INJURY AMONG ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE .	115
5.1 <i>Aboriginal and Torres Strait Islander injury prevention programs</i> .....	115
5.2 <i>Alternative and multi-sector approaches to injury prevention programs</i> .....	115
5.3 <i>Assessment of prevention programs</i> .....	119
6 ADDRESSING INJURY AMONG OTHER INDIGENOUS PEOPLE .....	119
6.1 <i>Background: an international perspective</i> .....	119
6.2 <i>New Zealand</i> .....	121
6.3 <i>United States</i> .....	122
6.4 <i>Canada</i> .....	124
6.5 <i>Global Indigenous injury prevention</i> .....	127
7 LESSONS FROM THE LITERATURE .....	127
7.1 <i>The need for a holistic approach</i> .....	127
7.2 <i>The role of the Aboriginal and Torres Strait Islander community</i> .....	127
7.3 <i>The multiple ‘causes’ of Aboriginal and Torres Strait Islander injury</i> .....	129
7.4 <i>The knowledge base for injury prevention</i> .....	130
7.5 <i>Funding for injury prevention</i> .....	131
7.6 <i>Workforce implications</i> .....	132
7.7 <i>Administrative and reporting arrangements</i> .....	133

## Abbreviations

ABS	Australian Bureau of Statistics
ACCHS	Aboriginal Community-Controlled Health Service; see also AMS
ACICR	Alberta Centre for Injury Control and Research (Canada)
ACPH	Advisory Committee on Population Health (Canada)
ACT	Australian Capital Territory
AGPS	Australian Government Publishing Service
AHMAC	Australian Health Ministers' Advisory Council
AHMC	Australian Health Ministers' Conference
AHW	Aboriginal Health Worker
AI	American Indian
AIHW	Australian Institute of Health and Welfare
AIPN	Australian Injury Prevention Network
AMS	Aboriginal Medical Service; see also ACCHS
AN	Alaska Native
APAIS	Australian Public Affairs Information Service
ATSIC	Aboriginal and Torres Strait Islander Commission
ATSIPAC	Aboriginal and Torres Strait Islander Injury Prevention Action Committee
CARRS-Q	Centre for Accident Research and Road Safety, Queensland
CINAHL	Cumulative Index to Nursing and Allied Health Literature
COAG	Council of Australian Governments
CONROD	Centre of National Research on Disability and Rehabilitation Medicine, University of Queensland
CRCATH	Cooperative Research Centre for Aboriginal and Tropical Health
FURCIS	Flinders University Research Centre for Injury Studies
ICCWA	Injury Control Council of WA
ICD	International Classification of Disease
IHS	Indian Health Service (United States)
IPRU	Injury Prevention Research Unit (University of Otago, New Zealand)
LIFE	Living Is For Everyone
MNCAHP	Mid North Coast Aboriginal Health Partnership
NACCHO	National Aboriginal Community Controlled Health Organisation
NAHS	National Aboriginal Health Strategy
NATSIHC	National Aboriginal and Torres Strait Islander Health Council
NFNIIPWG	National First Nations and Inuit Injury Prevention Working Group (Canada)
NHMRC	National Health and Medical Research Council
NHPA	National Health Priority Area
NIPAC	National Injury Prevention Advisory Council
NISU	National Injury Surveillance Unit

NPHP	National Public Health Partnership
NSW	New South Wales
NT	Northern Territory
NYSPPS	National Youth Suicide Prevention Strategy
OATSIH	Office for Aboriginal and Torres Strait Islander Health
Qld	Queensland
RCIADIC	Royal Commission into Aboriginal Deaths in Custody
SA	South Australia
SCATSIH	Standing Committee on Aboriginal and Torres Strait Islander Health: a standing committee of AHMAC
SIPP	Strategic Injury Prevention Partnership
SMR	Standardised mortality ratio
SNAICC	Secretariat of the National Aboriginal and Islander Child Care
TSRA	Torres Strait Regional Authority
US, USA	United States of America
VIP	Department of Injuries and Violence Prevention (WHO)
WA	Western Australia
WCIPP	Waitakere Community Injury Prevention Project (New Zealand)
WHO	World Health Organization



## List of Figures

□ Figure 1 Deaths registered in Australia, 1997–2000 where the deceased person was recorded as being Aboriginal and/or Torres Strait Islander: column percentages	16
□ Figure 2 Episodes in hospital due to injury ending during financial year 2000–01 where the person was recorded as being Aboriginal and/or Torres Strait Islander: cases	16
□ Figure 3 Distribution of household weekly income by Aboriginal and Torres Strait Islander status	22
□ Figure 4 Age distribution pyramid of Aboriginal and Torres Strait Islander and non-Indigenous population of Australia	27
□ Figure 5 Discrete Aboriginal communities by usual population: Australia 2001	29
□ Figure 6 Health promotion approach to primary health care	33
□ Figure 7 Factors impacting on Aboriginal and Torres Strait Islander health status: interactions of social and physiological determinants of health	34
□ Figure 8 The close interrelationship between society, community and violence	36
□ Figure 9 Map of the match between cause of injury and identified program focus	41
□ Figure 10 Map of the local safety promotion strategy, showing roles of local communities and the Aboriginal Safety Unit	53

## List of Tables

□ Table 1 Cases of Aboriginal and Torres Strait Islander deaths from injury and SMRs, by sex: WA, SA and NT, 1997–2001	12
□ Table 2 Age-specific death rates for injury, by Aboriginal and Torres Strait Islander status and sex, and rate ratios: WA, SA and NT, 1997–2001	12
□ Table 3 Aboriginal and Torres Strait Islander hospitalisation for selected causes of injury/poisoning: numbers, age-standardised rates and rate ratios, by sex: Australia 1999–2000	13
□ Table 4 Cases of Aboriginal and Torres Strait Islander injury death in Australia	14
□ Table 5 Percentages of Aboriginal and Torres Strait Islander injury death in Australia	14
□ Table 6 Cases of Aboriginal and Torres Strait Islander injury hospitalisation in Australia	15
□ Table 7 Percentages of Aboriginal and Torres Strait Islander injury hospitalisation in Australia	15
□ Table 8 Estimated relative risk of injury among Aboriginal and Torres Strait Islander people (SA, NT, WA, Qld) in remote areas compared with other areas (other areas r=1.0)	17
□ Table 9 Distribution of household weekly income by Aboriginal and Torres Strait Islander status	21
□ Table 10 The Aboriginal and Torres Strait Islander population of Australia: 2001	28
□ Table 11 Reported usual population, all discrete communities: 2001	30
□ Table 12 Industry sector of employed Aboriginal and Torres Strait Islander persons: Australia 2001	31
□ Table 13 Occupations of Aboriginal and Torres Strait Islander persons: Australia 2001	32
□ Table 14 National responsibility for specific causes of injury: Australia, 1994	37
□ Table 15 Selected examples of strategies and initiatives relevant to Aboriginal and Torres Strait Islander injury prevention and safety	38
□ Table 16 Projects and programs identified: major external cause focus and State/Territory coverage	41
□ Table 17 Primary contributing factors addressed by projects	42
□ Table 18 Factors consistently identified as influencing the success of projects	46
□ Table 19 Factors consistently identified as impeding the success of projects	48
□ Table 20 Initiatives focusing on a single issue	64
□ Table 21 Initiatives developing a synergy between two or three issues	64
□ Table 22 Multi-issue initiatives	65
□ Table 23 Numbers of Aboriginal and Torres Strait Islander deaths from injury and SMRs, by sex: WA, SA and the NT, 1997–2001	94
□ Table 24 Age-specific death rates for injury, by Aboriginal and Torres Strait Islander status and sex, and rate ratios: WA, SA and NT, 1997–2001	95
□ Table 25 Aboriginal and Torres Strait Islander hospitalisation for selected causes of injury/poisoning: numbers, age-standardised rates and rate ratios, by sex: Australia 1999–2000	95

## Executive summary

This summary only provides a broad background, major findings and recommendations. It does not attempt to cover all of the complex range of issues discussed in this report.

Broadly speaking, injury is physical harm or damage to the body (Christoffel and Gallagher, 1999; Ozanne-Smith & Williams, 1995). It may be intentional or unintentional. If intentional, the injury may be self-inflicted (for example, suicide) or inflicted by another (for example, assault, homicide, etc.). The harm can be as a result of an external force (for example, collision with a moving object or a moving person colliding with a stationary object) or energy (such as heat and electricity); external or internal contact with a harmful substance (for example, poisoning); or absence of essential elements (such as oxygen and heat). Normally, only harmful effects occurring over a short period of time are classified as injuries. For example, the harmful effects of smoking or alcohol are not classified as injury, but overuse injuries (such as sport or work-related injuries) are.

Injury prevention is a comparatively new issue on the Aboriginal and Torres Strait Islander health agenda. It is not, however, a new experience for Aboriginal and Torres Strait Islander people. Injuries tend to be hidden among the wider health and social concerns confronting Aboriginal and Torres Strait Islander people.

There is an urgent need to address injury for Aboriginal and Torres Strait Islander people in all its manifestations, but in a way that acknowledges and takes account of Aboriginal and Torres Strait Islander people's lifestyle preferences. A National Aboriginal and Torres Strait Islander Injury Prevention Plan will create a platform from which to identify and integrate injury prevention into existing programs and structures.

At present there are few programs which specifically address injury prevention at a community level. Other programs, which may have an effect on injury rates, are not identified specifically as 'injury prevention'; rather they are targeted at particular risk factors and therefore not captured in databases or references under the heading of 'injury'.

State, Territory, and the Commonwealth governments already provide a range of social and environmental programs targeted at risk factors that contribute to the areas of substance misuse, violence, domestic violence, road safety, employment, environment and housing.

The challenge for a national plan for the prevention of injury is to integrate prevention approaches, monitoring and surveillance into those programs and to maximise the available resources to meet the broad health aims for Aboriginal and Torres Strait Islander people.

In August 2001 the Australian Health Ministers endorsed the *National Injury Prevention Plan: Priorities for 2001–2003* (Strategic Injury Prevention Partnership, 2001). That endorsement includes the requirement for a complementary National Aboriginal and Torres Strait Islander Injury Prevention Plan to be developed. This is in recognition of the high incidence of injury in Aboriginal and Torres Strait Islander communities and the special needs of those communities.

The Aboriginal and Torres Strait Islander Working Group of the National Public Health Partnership (NPHP) has accepted the responsibility of developing a National Aboriginal and Torres Strait Islander Injury Prevention Plan and established the Aboriginal and Torres Strait Islander Injury Prevention Action Committee (ATSIIPAC) for that purpose.

The purpose of a National Aboriginal and Torres Strait Islander Injury Prevention Plan is to:

- (a) assist and support Aboriginal and Torres Strait Islander people to identify the extent and nature of injury in their communities;
- (b) facilitate and support the development of the necessary infrastructure and inter-agency cooperation and collaboration to enable Aboriginal and Torres Strait Islander communities to address the identified injury issues; and
- (c) improve collaboration and cooperation of programs and services to reduce the severity and incidence of injury to Aboriginal and Torres Strait Islander people.

This project represents the first stage in the development of an Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan. The outcome of the project will inform the members of ATSIIPAC and assist in formulating their response.

This project identified more than three hundred prevention and intervention projects that had a direct bearing on injury and safety issues. Programs dealing with violence and alcohol issues predominated, and most of these were funded through the Justice and Welfare sectors (including programs targeting women, families and children). Health sector involvement was limited at both Commonwealth and State/Territory level. Only NSW had started to address the issue of Aboriginal and Torres Strait Islander Injury and Safety in a coordinated way from a health perspective.

The mix of programs identified did not seem to match the mix of injury issues identified by the available data. Many Aboriginal and Torres Strait Islander injury causes that occurred at high rates, and at a high differential to non-Indigenous rates, had not been matched by comprehensive prevention and intervention programs.

There is a need to develop terminology acceptable across sectors and among Aboriginal and Torres Strait Islander peoples. For some, the use of the term 'injury' is problematic. It also does not represent a uniform concept to different professions and sectors. To some sectors 'injury' represents 'health speak', and precludes maximum collaboration. There was more support for the use of the term 'safety promotion', combining the notions of the right to be safe and the responsibility to contribute to the safety of others. This requires further consideration, and care should be taken not to lose the freedom from stigma that the concept of 'preventing injury' has enjoyed.

Injury prevention and safety promotion will not be successfully implemented or planned by one sector. Nor will it only involve a single division within the health sector. Interviews with personnel from existing projects revealed a great deal of frustration with the complexities of dealing with multiple agencies and funding sources, and the need to meet a number of separate and different reporting requirements within a single project. There is a need to simplify and rationalise reporting and liaison without undermining standards of accountability. This is currently on the Council of Australian Governments (COAG) agenda with respect to a wider range of issues. Injury prevention and safety promotion link to many sectors and divisions across national, State/Territory and local government. This area may well provide a test case for the application of emerging COAG proposals.

Data about injury among Aboriginal and Torres Strait Islander people is poor. There are no systems for accurately identifying rates and trends, and there is insufficient detail to reliably set priorities unless specific local projects are set up to gather cross-sectoral data and supplement them through qualitative studies.

Those who are involved in existing activities see injury prevention and safety promotion as an important issue for Aboriginal and Torres Strait Islander people but are concerned about the lack of good information, the lack of support for projects in many injury cause areas, and the lack of skills and training. They welcome the interest of the Australian Government Department of Health and Ageing.

There is a need to establish a long-term focus on Aboriginal and Torres Strait Islander injury prevention and safety promotion.

A program is needed to:

- build capacity for and commitment to action through increasing knowledge of safety and the effectiveness of injury prevention, and developing the skills for prevention in both Aboriginal and Torres Strait Islander communities, and in the non-Indigenous workforce;
- encourage the setting of safety promotion and injury prevention priorities by Aboriginal and Torres Strait Islander leaders;
- support interventions targeted in three ways:
  - specific single issues
  - small numbers of related issues with close links where more than one sector is involved
  - multi-issue projects and programs covering the broad spectrum of safety and injury and involving multiple sectors;
- provide sufficient resources to make a difference and to build an evidence base;
- develop an accredited training scheme in safety promotion and injury prevention;
- support interventions that have a mix of environmental and behavioural interventions, and which provide a good example of dealing proactively with the underlying alienation and disadvantage of Aboriginal and Torres Strait Islander people;
- focus on improving surveillance systems and supplementing them with detailed qualitative data in areas where interventions are supported; and
- develop a knowledge base to promote active sharing among those who choose to work in this field.

Important factors for success in delivering injury prevention and safety promotion have been identified:

- adequate funding and resources;
- community control/respect for community protocols;
- community acceptability and involvement;
- partnerships;
- a functioning organisation, and good project management and good communication;
- skilled and committed personnel; and
- sound understanding of the underlying factors related to injury.

Most of the factors that will lead to successful injury prevention and safety promotion relate to a long-term process of good communication and management. The reason that there are relatively few injury prevention and safety promotion projects, excepting those related to a couple of dominant external causes, is that the information needed to set priorities, the support structures within government, and the skill base to deal with injury and safety issues are not adequate. Fragmented and siloed funding leads to competing interests, lack of continuity of projects and ultimately to wasting of precious resources.

Successful program and project design should focus on:

- a few good long-term projects across a range of settings and mixes of external causes that are supported adequately to produce sound evidence;
- setting up communication between supported initiatives, and between these and the wider community of interest — this will lead to adoption of promising practice, and development of skills and knowledge; and
- providing adequate training for project managers and staff on an ongoing basis, possibly through the use of problem-solving methods, and rewarding this training with fully accredited qualifications.

## List of recommendations

- **Recommendation 1:** That a National Aboriginal and Torres Strait Islander Injury Prevention Plan be developed within the health sector and fully encompass the varying needs of Aboriginal and Torres Strait Islander people living in all parts of Australia, according to their needs and environments, with respect and in partnership with Aboriginal and Torres Strait Islander networks and cultures. 56
- **Recommendation 2:** That the evidence of injury and safety issues and the possibilities for prevention be placed before Aboriginal and Torres Strait Islander people in their chosen forums and that priorities for action should flow from the decisions made by these forums at the national, state, regional and local levels. 57
- **Recommendation 3:** That injury prevention and safety strategies explore the potential for working with the large group of younger people in Aboriginal and Torres Strait Islander society through educational activities. 57
- **Recommendation 4:** That injury prevention and safety promotion projects be tailored to the specific need of communities in line with their demography, lifestyle and environmental conditions. 57
- **Recommendation 5:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan should be built around a clearly defined and explained public health model in order to complement the models used by other sectors in dealing with related issues. 58
- **Recommendation 6:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan lead to a set of concrete interventions based on sound information use, a wide mix of intervention types, high quality training and full partnership between Aboriginal and Torres Strait Islander people and other Australians. 58
- **Recommendation 7:** That urgent attention be paid to developing information collections that provide adequate trend data on incidence, clear evidence on causes and accurate region by region comparisons — in particular, the feasibility of a high quality longitudinal cohort study of Aboriginal and Torres Strait Islander people be assessed with a view to better understanding the causal factors and the lifecycle impacts of injury and disease, and a wide range of contributing factors. 59
- **Recommendation 8:** That full recognition be given in the National Aboriginal and Torres Strait Islander Injury Prevention Plan to the value of both qualitative and quantitative research paradigms and the development of evidence which is useful for the decisions that must be made at all levels — from local priority-setting to government policy. 59
- **Recommendation 9:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan include a comprehensive strategy be developed to facilitate the generation, systematic collection and dissemination of knowledge about programs, projects and activities that can enhance the effectiveness, efficiency and coverage of Aboriginal and Torres Strait Islander safety promotion. 60
- **Recommendation 10:** That intervention strategies utilise available data from a range of sectors, supplementing it with short-term studies, for setting of priorities and assessment of impact — the results of this process should be used to promote higher standards of health data collection. 60
- **Recommendation 11:** That any future Indigenous Health Training Package include competencies and qualifications on safety promotion and injury prevention. 62
- **Recommendation 12:** That the issue of Aboriginal and Torres Strait Islander injury and safety should be included in population and public health courses and in the training of non-Aboriginal and Torres Strait Islander health service staff at university, TAFE and in professional development. 62
- **Recommendation 13:** That Aboriginal and Torres Strait Islander leaders advise the Commonwealth on priorities for safety promotion and the mix of initiatives that they believe can be supported effectively. 63
- **Recommendation 14:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan initiatives should have a long-term approach and receive resources sufficient to produce high-quality outcomes and sound evaluations, and facilitate wide sharing of information about processes and outcomes. 63
- **Recommendation 15:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan utilise multiple approaches. A mix of single issue, two or three linked issues, and an overall safety approach will be required according to the needs and circumstances of the project and the partnerships possible with other sectors. 66

- **Recommendation 16:** That the Aboriginal and Torres Strait Islander Injury Prevention Action Committee assess the merit of changing the name ‘National Aboriginal and Torres Strait Islander Injury Prevention Plan’ to the ‘Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan” — safety is a positive term well accepted by Aboriginal and Torres Strait Islander Australians and more inclusive of the partners from the many sectors that will be involved in the plan. 66
- **Recommendation 17:** That the future work should operate as a full partnership with Aboriginal and Torres Strait Islander people from all sectors using identified leading edge practices. 66
- **Recommendation 18:** That intersectoral and inter-divisional arrangements are developed at the geographical level at which initiatives are implemented (i.e., local partnerships or regional partnerships), are kept simple and are viewed as contributing to the understanding of developing higher order partnership models. 68
- **Recommendation 19:** That the Australian Government Department of Health and Ageing and ATSIIPAC initiate discussions with the ATSIC to ascertain how they manage occupational health and safety so as to determine the possibilities for increasing safety training and generic safety promotion among people who are employed by CDEP schemes including routine reporting of occupational injury among CDEP employees and trainees. 68
- **Recommendation 20:** That the Australian Government Department of Health and Ageing initiate discussions with the National Occupational Health and Safety Commission to promote occupational health and safety data systems at the State/Territory and national levels that routinely report on injury among Aboriginal and Torres Strait Islander workers — these reports should provide rates per person hour worked so that comparisons may be made with other groups in the community. 68



## **Project brief**

The full tender brief for this project appears in Appendix 1. A summary of the major requirements appears below.

### **The objective of the project is:**

To examine and report on the current state of injury prevention activity for Aboriginal and Torres Strait Islander people.

### **The consultant will be required to:**

- Conduct an examination of the current state of injury prevention in Aboriginal and Torres Strait Islander communities through:
  - (a) an examination of existing literature including relevant international literature, particularly from north America and New Zealand;
  - (b) an examination of unpublished research and existing projects; and
  - (c) focused/limited consultation with Aboriginal and Torres Strait Islander organisations, communities and individuals, with experience in injury prevention or associated programs. These organisations will be identified by ATSIIPAC.

Consultations may be by means other than face to face and should identify:

- (a) the views of communities before the program of interventions;
  - (b) the views of communities after the program of interventions;
  - (c) their experiences, including problems and solutions;
  - (d) what they learnt, and
  - (e) what they need to do to sustain reduced injury rates.
- Provide a report to the Aboriginal and Torres Strait Islander Injury Prevention Action Committee. It is not required that a consultant will engage in any new research nor duplicate existing sources of information. The report will:
    - (a) discuss the findings of the consultation process and literature review;
    - (b) identify and collate existing information on the nature of the injury problem in Aboriginal and Torres Strait Islander communities;
    - (c) define the scope of injury, including the amount, circumstances, effects and relevant influencing factors;
    - (d) list existing injury prevention activities and programs (including those not identified as injury prevention but addressing factors such as substance misuse, environment, violence, etc); and
    - (e) identify and report on opportunities to enhance injury prevention activities for Aboriginal and Torres Strait Islander people.

## **The consultants' approach**

The brief identified the breadth of injury issues.

Early work on the project identified a very large number of initiatives that contributed to the reduction of injury among Aboriginal and Torres Strait Islander people. The Scope of injury, which includes both unintentional and intentional injury and self-harm in all settings added to the complexity.

The consultants identified that there were three major groups of people who would be interested in the findings:

1. Aboriginal and Torres Strait Islander people and other workers who require details of projects, methods and successes;
2. academics and managers interested in the main findings in the literature and the state-of-the-art evidence of needs and effectiveness of interventions; and
3. policy makers and planners requiring a synthesis of the information and evidence and an analysis of possible future directions.

This report is divided into parts — Volume I and Volume II — to meet the needs of these groups and to allow quick access to the information that is of most interest to each user.

The needs of the first group are met by a detailed analysis of interventions and their impact and strengths, contained in Volume II. The needs of the latter two groups are met by this volume (Volume I), which contains a synthesis of the program material and the literature and a detailed literature summary.

A detailed discussion of the literature is presented as a formal literature review in Appendix 4 A summary of the literature on injury prevention for Aboriginal and Torres Strait Islander **peoples**".

Details of the project team and advisory structure appear in Appendix 2 Project team and reference group".

## Underlying values and definitions

### Aboriginal and Torres Strait Islander cultural values

This analysis has been undertaken within the context of Aboriginal and Torres Strait Islander cultural values around health and wellbeing (National Aboriginal and Torres Strait Islander Health Council, *National Aboriginal Health Strategy Working Party Report*, 1989: 28)

‘health to Aboriginal peoples is a matter of determining all aspects of their life, including control over their physical environment, of dignity, of community self-esteem, and of justice ...’

The National Consultancy Report on Aboriginal and Torres Strait Islander Mental Health, ‘Ways Forward’ (Swan & Raphael 1995) set out a number of values and principles that have been summarised by the consultation paper for development of the *National strategic framework for Aboriginal and Torres Strait Islander Mental Health and Social and Emotional Well Being 2004–2009* (Australian Government Department of Health and Ageing, Mental Health Branch 2003). These are equally applicable to injury prevention and safety promotion, and endorsed as a value framework for this analysis by the consultants:

1. Aboriginal and Torres Strait Islander health is holistic, encompassing mental health and physical, cultural and spiritual health. Land is central to wellbeing. Crucially, it must be understood that when the harmony of these interrelations is disrupted, Aboriginal and Torres Strait Islander ill health will persist.
2. Self-determination is central to the provision of Aboriginal and Torres Strait Islander health services.
3. Culturally valid understandings must shape the provision of services and must guide assessment, care and management of Aboriginal and Torres Strait Islander people’s health problems
4. It must be recognised that the experiences of trauma and loss present since European invasion are a direct outcome of the disruption to cultural wellbeing. Trauma and loss of this magnitude continues to have inter-generational effects.
5. The human rights of Aboriginal and Torres Strait Islander peoples must be recognised and respected. Failure to respect these human rights constitutes continuous disruption to mental health. (vs mental ill health). Human rights relevant to mental illness must be specifically addressed.
6. Racism, stigma, environmental adversity and social disadvantage constitute ongoing stressors and have negative impacts on Aboriginal and Torres Strait Islander people’s health and wellbeing.
7. The centrality of Aboriginal and Torres Strait Islander family and kinship must be recognised as well as the broader concepts of family and the bonds of reciprocal affection, responsibility and sharing.
8. There is no single Aboriginal or Torres Strait Islander culture or group but numerous groupings, languages, kinships, and tribes, as well as ways of living. Furthermore, Aboriginal or and Torres Strait Islander peoples may currently live in urban, rural or remote settings, in urbanised, traditional or other lifestyles, and frequently move between these ways of living.
9. It must be recognised that Aboriginal and Torres Strait Islander peoples have great strengths, creativity and endurance and a deep understanding of the relationships between human beings and their environment.

*Adapted from Consultation paper for development of the National strategic framework for Aboriginal and Torres Strait Islander Mental Health and Social and Emotional Well Being 2004–2009, p. 13.*

## **A commitment to action**

The late National Aboriginal Community Controlled Health Organisation (NACCHO) Chair Dr Arnold Hunter said (July 2000):

‘These things have to be implemented and until they do it’s no good talking to us Aboriginals about another plan because they haven’t actually implemented all these things along the way (Royal Commission, NAHS, etc) These Reviews and projects have to lead to action — there is no point in just looking at what the problems are if nothing is done about them. It’s like a cancer patient — there’s no point in opening up the patient unless you’re going to remove the cancer.

The project team presents this report to generate positive action that will lead to reducing the incidence and severity of injury among Aboriginal and Torres Strait Islander people.

## **The scope of Injury**

Broadly speaking, injury is physical harm or damage to the body (Christoffel and Gallagher, 1999; Ozanne-Smith & Williams, 1995). It may be intentional or unintentional. If intentional, the injury may be self-inflicted (for example, suicide) or inflicted by another (for example, assault, homicide, etc.). The harm can be as a result of an external force (for example, collision with a moving object or a moving person colliding with a stationary object) or energy (such as heat and electricity); external or internal contact with a harmful substance (for example, poisoning); or absence of essential elements (such as oxygen and heat). Normally, only harmful effects occurring over a short period of time are classified as injuries. For example, the harmful effects of smoking or alcohol are not classified as injury, but overuse injuries (such as sport or work-related injuries) are.

There is a variety of categorisations of injury, according to particular needs, but the underlying classifications are those of the World Health Organization, which codes events in terms of the nature and the external cause of the injury (World Health Organization, 1996). Most reporting of injury is in terms of the environmental events and circumstances as external causes of injury, poisoning and other adverse effects, the broad groups of which are:

- accidents — transport accidents (including motor vehicle accidents); and other external causes of accidental injury (including falls, burns and accidental poisoning);
- intentional self-harm (including suicide);
- assault (including homicide);
- event of undetermined intent;
- legal interventions and operations of war;
- complications of medical and surgical care;
- sequelae of external causes of morbidity and mortality; and
- supplementary factors related to causes of morbidity and mortality classified elsewhere.

These broad groups provide a useful starting point, but close analysis of specific aspects of injury needs to aggregate information in other ways. Examples are work-related injuries, injuries in the home and violence (including at least ‘Intentional self-harm’ and ‘Assault’, and, sometimes ‘Legal interventions and operations of war’). Another typology groups injury according to the intention of the external cause: intentional (generally intentional self-harm and assault) and non-intentional.

## **Patterns of Injury among Aboriginal and Torres Strait Islander people**

### **Overall incidence**

The incidence of injury is commonly measured in terms of death and hospitalisation. This information is obtained through routine collections such as ABS deaths data and hospital separations collected at a State and Territory level. In some places emergency department attendance data are collected but are rarely suitable for incidence measurement due to inconsistent overall quality. Many injuries are not recorded in these formal data systems. The scope covered is also limited to certain types of physical injury, and there is no reliable data on the downstream impact of injury on Aboriginal and Torres Strait Islander individuals, families and communities. The broad social and spiritual injury that has occurred to Aboriginal and Torres Strait Islander people is not and possibly cannot be quantified.

### **Mass data systems consistently under-report injury to Aboriginal and Torres Strait Islander people**

The available absolute measures of injury incidence must be treated with caution. Under-identification of Aboriginal and Torres Strait Islander status in both numerator and denominator has been noted (Harrison et al., 2001). The numbers, rates and differential are in most cases likely to be higher than those reported by the methods currently available. Rectifying this is not a simple technical problem. It is especially difficult for data that are based on treatment episodes.

Mass data will systematically underestimate the size of the injury problem among Aboriginal and Torres Strait Islander people regardless of technical improvements for recording Aboriginal and Torres Strait Islander status while:

- some Aboriginal and Torres Strait Islander people continue to be reluctant to identify their status;
- some Aboriginal and Torres Strait Islander people are reluctant to seek treatment for injury because of fear of repercussions from both their own people and government agencies (Streeter et al., 2003; Heslop et al. 2001:1–53; Gladman et al., 1997; Commonwealth Department of Health and Aged Care, 2000e:p18); and
- access to treatment varies from place to place (Gladman et al., 1997).

Data quality will only improve when prevention and treatment services are trusted and accessible, and when staff are confident to ask if a person is Aboriginal and Torres Strait Islander, and the person is confident to answer.

Despite current limitations some useful estimates on injury incidence can be made and are discussed below.

### **Aboriginal and Torres Strait Islander injury rates are higher**

All estimates of Aboriginal and Torres Strait Islander overall injury rates show that Aboriginal and Torres Strait Islander people are more likely to die or be hospitalised due to injury than their non-Aboriginal and Torres Strait Islander counterparts. Table 1, Table 2 and Table 3 illustrate differentials between Aboriginal and Torres Strait Islander populations and non-Aboriginal populations.

• Table 1 Cases of Aboriginal and Torres Strait Islander deaths from injury and SMRs, by sex: WA, SA and NT, 1997–2001

	<b>Males</b>		<b>Females</b>	
	<i>Number</i>	<i>SMR</i>	<i>Number</i>	<i>SMR</i>
All injury (V01–Y98)	531	3.2	243	6.4
Land transport (V01–V89)	172	3.3	78	6.7
Motor vehicle accidents (V10–V79)	90	2.3	35	3.8
Pedestrians (V01–V09)	62	8.0	33	32.5
Other land transport (V80–V89)	20	4.4	10	0.1
Intentional self-harm (X60–X84)	140	2.2	32	2.5
Assault (X85–Y09)	48	8.5	48	22.3
Other external causes (remainder of V01–Y98)	171	3.5	85	7.5

Source: Derived from data provided from the AIHW mortality database

Notes: 1 The SMRs (standardised mortality ratio) have been calculated by dividing the numbers of Aboriginal and Torres Strait Islander deaths for each sex by the numbers expected from the rates for non-Indigenous people of the same sex in WA, SA and the NT.

• Table 2 Age-specific death rates for injury, by Aboriginal and Torres Strait Islander status and sex, and rate ratios: WA, SA and NT, 1997–2001

	<b>Indigenous</b>		<b>Non-Indigenous</b>		<b>Rate ratios</b>	
	<i>Males</i>	<i>Females</i>	<i>Males</i>	<i>Females</i>	<i>Males</i>	<i>Females</i>
0–4	50	58	18	9	2.8	6.5
5–14	25	23	7	3	3.8	6.7
15–24	213	75	75	21	2.8	3.5
25–34	295	83	90	21	3.3	3.9
35–44	260	129	72	22	3.6	5.8
45–54	155	104	53	16	3.0	6.5
55–64	178	45	44	19	4.1	2.3
65–74	187	85	63	31	3.0	2.8
75+	156	71	64	3	2.4	2.2

Source: Derived from data provided by the AIHW National Mortality Database and ABS low series population projections

Notes: 1 Rates are per 100,000 population

2 Rate ratios are the Indigenous rates divided by the same-sex non-Indigenous rates

- Table 3 Aboriginal and Torres Strait Islander hospitalisation for selected causes of injury/poisoning: numbers, age-standardised rates and rate ratios, by sex: Australia 1999–2000

Cause of injury/poisoning	Males			Females		
	<i>Number</i>	<i>Rate</i>	<i>Rate ratio</i>	<i>Number</i>	<i>Rate</i>	<i>Rate ratio</i>
Assault	1,949	10.7	7.9	2,103	10.5	36.5
Accidental falls	1,453	7.9	1.4	1,018	6.4	1.1
Exposure to inanimate mechanical forces	1,187	5.6	1.3	614	2.7	2.0
Transport accidents	858	4.0	1.1	394	1.8	1.0
Complications of medical/surgical care	635	5.0	1.4	844	6.2	2.0
Intentional self-harm	394	2.1	2.3	466	2.3	1.8
All causes	8,817	47.5	1.9	7,193	38.9	2.3

Source: Lehoczky et al., 2002

When Aboriginal and Torres Strait Islander injury rates are compared to other Australians:

- most estimates indicate two to three fold overall increases in injury mortality, with an even higher differential for hospitalisation in local areas once correction for under-identification is made;
- the differentials are higher for women than men;
- Aboriginal and Torres Strait Islander people have higher injury rates across most risk causes — these are much higher for some causes, with SMRs and hospital rate ratios of greater than thirty occurring for some cause, age and sex groups;
- the largest differentials occur in interpersonal violence-related injury to women;
- in the transport area, Aboriginal and Torres Strait Islander people are more likely to be injured or killed as passengers and pedestrians than as drivers; and
- among Aboriginal and Torres Strait Islander children, the distribution of injury causes across sex and age groups is quite different from that of non-Aboriginal and Torres Strait Islander children — this reflects different environments and different developmental patterns (Moller, Dolinis, & Cripps, 1996).

Analysis of the demography and geographical distribution of Aboriginal and Torres Strait Islander populations suggested that it may be important to consider differences between different types of area of usual residence.

Flinders University Research Centre for Injury Studies (FURCIS) has therefore prepared data drawn from states with the highest level of accuracy of identification of Aboriginal and Torres Strait Islander status (Harrison et al., 2001) and has considered the distribution of external causes in combined metropolitan and rural areas and compared them with remote areas (see Table 4 to Table 7, and Figure 1 and Figure 2). Medical misadventure causes have been excluded because there is considerable debate about the meaning of these data and their comparison with other external causes (Runciman & Moller, 2001:58).

While it is normal practice to present data as rates, there is some doubt about the accuracy of denominator populations (Australian Bureau of Statistics, 1998). In addition, one of the prime questions for this paper is the size of the problem, rather than the relative risk of different sub-segments such as sex or geographical area.

• Table 4 Cases of Aboriginal and Torres Strait Islander injury death in Australia

Deaths registered in Australia, 1997–2000 where the deceased person was recorded as being Aboriginal and/or Torres Strait Islander: SA, WA, NT, Qld

	Male <i>Metro &amp; Rural</i>	Male <i>Remote</i>	Female <i>Metro &amp; Rural</i>	Female <i>Remote</i>	Total ATSI <i>(includes RRMA not specified)</i>
Transportation	61	116	31	51	260
Drowning	11	14	2	14	42
Poisoning, pharmaceuticals	17	8	11	3	40
Poisoning, other substances	3	4	1	4	12
Falls	11	10	6	9	36
Fires/burns/scalds	3	5	2	8	20
Other unintentional	51	51	9	16	131
Intentional, self-inflicted	92	128	26	16	267
Intentional, inflicted by another	18	41	13	41	117
Undetermined intent	9	4	2	0	15
<b>All Ext cause (ex Med Misadv)</b>	<b>276</b>	<b>381</b>	<b>103</b>	<b>162</b>	<b>940</b>

- Notes:
- 1 Row categories are "Major group ICD-10" adjusted for lack of E887 equivalent (majgp10r)
  - 2 Source file: ATSI\_mort\_9700.sav which includes all cases in deaths\_97\_00.sav for which indig\_2=2
  - 3 These tables include cases where the item 'regions' = 2 (i.e. regstate=SA, WA, NT, Qld)
  - 4 Note that the tables contain cases registered during the four years 1997 to 2000.
  - 5 "Metro & rural" = RRMA 1 to 5; "Remote" = RRMA 6 and 7
  - 6 ATSI = Aboriginal and/or Torres Strait Islander

Source: James Harrison, NISU, 17 January 2003

• Table 5 Percentages of Aboriginal and Torres Strait Islander injury death in Australia

Deaths registered in Australia, 1997–2000 where the deceased person was recorded as being Aboriginal and/or Torres Strait Islander: SA, WA, NT, Qld

	Male <i>Metro &amp; Rural</i>	Male <i>Remote</i>	Female <i>Metro &amp; Rural</i>	Female <i>Remote</i>	Total ATSI <i>(includes RRMA not specified)</i>
Transportation	22%	30%	30%	31%	28%
Drowning	4%	4%	2%	9%	4%
Poisoning, pharmaceuticals	6%	2%	11%	2%	4%
Poisoning, other substances	1%	1%	1%	2%	1%
Falls	4%	3%	6%	6%	4%
Fires/burns/scalds	1%	1%	2%	5%	2%
Other unintentional	18%	13%	9%	10%	14%
Intentional, self-inflicted	33%	34%	25%	10%	28%
Intentional, inflicted by another	7%	11%	13%	25%	12%
Undetermined intent	3%	1%	2%	0%	2%
<b>All Ext cause (ex Med Misadv)</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>

Notes: See Table 4 Cases of Aboriginal and Torres Strait Islander injury death in Australia



• Table 6 Cases of Aboriginal and Torres Strait Islander injury hospitalisation in Australia

Episodes in hospital due to injury ending during financial year 2000–01 where the person was recorded as being Aboriginal and/or Torres Strait Islander: SA, WA, NT, Qld

	Male	Male	Female	Female	Total ATSI
	<i>Metro &amp; Rural</i>	<i>Remote</i>	<i>Metro &amp; Rural</i>	<i>Remote</i>	<i>(includes RRMA not specified)</i>
Transportation	320	414	171	178	1091
Drowning	6	6	7	3	22
Poisoning, pharmaceuticals	73	32	88	33	230
Poisoning, other substances	19	33	11	14	78
Falls	516	503	306	405	1741
Fires/burns/scalds	80	123	43	104	350
Other unintentional	804	983	346	657	2796
Intentional, self-inflicted	182	135	255	134	706
Intentional, inflicted by another	663	1211	619	1399	3910
Undetermined intent	29	54	19	33	136
All ext causes (ex Med Misadv)	2692	3494	1865	2960	11060

- Notes:
- 1 'Injury' defined as principal diagnosis = S00-T98 (ICD10AM)
  - 2 Row categories are "ICD-10-AM Major groups" (maj\_t\_gp)
  - 3 Source file: Hosp\_00-01\_13Sep02\_ATSI.sav which includes all cases in Hosp\_00-01\_13Sep02.sav for which indig=1, 2, 3, or 5
  - 4 These tables include cases where the item 'regions' = 2 (i.e. state=SA, WA, NT, Qld)
  - 5 "Metro & rural"= RRMA 1 to 5; "Remote" = RRMA 6 and 7

Source: James Harrison, NISU, 17 January 2003


• Table 7 Percentages of Aboriginal and Torres Strait Islander injury hospitalisation in Australia

Episodes in hospital due to injury ending during financial year 2000–01 where the person was recorded as being Aboriginal and/or Torres Strait Islander: SA, WA, NT, Qld

	Male	Male	Female	Female	Total ATSI
	<i>Metro &amp; rural</i>	<i>Remote</i>	<i>Metro &amp; rural</i>	<i>Remote</i>	<i>(includes RRMA not specified)</i>
Transportation	12%	12%	9%	6%	10%
Drowning	<1%	<1%	<1%	<1%	<1%
Poisoning, pharmaceuticals	3%	1%	5%	1%	2%
Poisoning, other substances	1%	1%	1%	0%	1%
Falls	19%	14%	16%	14%	16%
Fires/burns/scalds	3%	4%	2%	4%	3%
Other unintentional	30%	28%	19%	22%	25%
Intentional, self-inflicted	7%	4%	14%	5%	6%
Intentional, inflicted by another	25%	35%	33%	47%	35%
Undetermined intent	1%	2%	1%	1%	1%
All ext causes (ex Med Misadv)	100%	100%	100%	100%	100%


Notes: See Table 6 Cases of Aboriginal and Torres Strait Islander injury hospitalisation in Australia

• Figure 1 Deaths registered in Australia, 1997–2000 where the deceased person was recorded as being Aboriginal and/or Torres Strait Islander: column percentages



Source: James Harrison, NISU, 17 January 2003

• Figure 2 Episodes in hospital due to injury ending during financial year 2000–01 where the person was recorded as being Aboriginal and/or Torres Strait Islander: cases



Source: James Harrison, NISU, 17 January 2003

Comparison of rates is difficult due to the errors in the data, but it is useful to consider estimates of relative risk for urban and remote areas at a crude level. Crude relative risks have been estimated for the data above. The Atlas of Health Related Infrastructure in Discrete Indigenous Communities shows that in the states included in the injury incidence data, 40% of the Aboriginal and Torres Strait Islander population live in remote areas (Bailie et al., 2002:2). This population ratio has been used to generate the relative risk estimates in Table 8.

- Table 8 Estimated relative risk of injury among Aboriginal and Torres Strait Islander people (SA, NT, WA, Qld) in remote areas compared with other areas (other areas r=1.0)

	Deaths		Hospitalisation	
	Male	Female	Male	Female
Transportation	2.9	2.5	1.9	1.6
Drowning	1.9	10.5	1.5	1.3
Poisoning, pharmaceuticals	0.7	0.4	0.7	1.1
Poisoning, other substances	2.0	6.0	2.6	3.8
Falls	1.4	2.3	1.5	4.0
Fires/burns/scalds	2.5	6.0	2.3	7.3
Other unintentional	1.5	2.7	1.8	5.7
Intentional, self-inflicted	2.1	0.9	1.1	1.6
Intentional, inflicted by another	3.4	4.7	2.7	6.8
Undetermined intent	0.7	0.0	2.8	5.2
All Ext cause (excl. Medical Misadventure)	2.1	2.4	1.9	4.8

Source: Calculated from data in Table 6 and Bailie et al., 2002

Aboriginal and Torres Strait Islander people in remote areas have a much higher risk of death from injury and are more likely to be hospitalised. Female Aboriginal and Torres Strait Islander people have about a five times greater risk of being hospitalised in remote areas than Aboriginal and Torres Strait Islander females who live in other areas. A range of causes drives this. For example, assault death and hospitalisation are higher in remote areas for both men and women, with the hospitalisation of women being almost seven times as prevalent in these areas.<sup>1</sup>

## Summary

Despite the limitations of the data, the relative risk estimates provide a basis for considering possible priorities for action and demonstrate clearly the multiple-cause nature of Aboriginal and Torres Strait Islander injury.

The priorities will vary from locality to locality according to population shape, and environmental and lifestyle differences. There is need to assess local needs and risk patterns, and to provide a national Aboriginal and Torres Strait Islander Injury prevention approach that negotiates a balanced approach which ensures that all causes and contributing factors are considered.

<sup>1</sup> Care is needed in interpreting this information because a high relative risk can be based on relatively low risk and low numbers in non-remote areas. A notable case is fatal drowning where the relative risk for females in remote areas is greater than 10 but for males only about 2. When the incidence data are studied this can be seen to be based on equal number of male and female drowning cases in remote areas and a low number of drowning deaths among females in non-remote areas. In statistical terms the low numbers suggest that the difference is not statistically significant. However in practical terms, it suggests that the difference between remote and other areas is worthy of attention.

## **Influences on the rate and mix of injuries among Aboriginal and Torres Strait Islander people**

### **Influences identified from an international perspective**

The United Nations estimates there are more than 300 million Indigenous people living in over 70 countries. Among them are the estimated 600,000 Indigenous peoples of New Zealand and Australia and 3.5 million native peoples of North America (including tribes in the United States, the First Nations of Canada, and the Inuit peoples of the Arctic) (Berger, 2002).

There are numerous commonalities among Indigenous peoples including (Berger, 2002):

‘cultures extending for thousands of years; experiences of exploitation, attempts at forced assimilation, and large scale neglect of human rights, health problems, and social needs; deeply held spiritual beliefs and practices; and increasing efforts to obtain international recognition and protection for their peoples and cultures’.

Equally as important as the commonalities is the enormous diversity within individual countries, because there can be profound differences in lifestyle within individual groups. To address the rising motor vehicle injury rate among Aboriginal and Torres Strait Islander people in Western Australia, for example, we need to know much more about the varied lifestyles of both the urban and rural populations.

Intentional and unintentional injuries represent around 11% of the global mortality and 13% of all disability adjusted life years lost every year (Krug, Butchart, & Peden, 2001). Recognising the magnitude of the problem, the World Health Organization (WHO) has recently taken important steps to increase its injury prevention activities. In March 2000, a Department for Injuries and Violence Prevention was created.

For certain mechanisms of injury, Aboriginal and Torres Strait Islander peoples often have dramatically higher injury rates compared with the non-Indigenous population in their countries. New Zealand, North America, Canada and Australia are known to have some of the highest rates of injuries among their Indigenous peoples (Johnson, Sullivan, & Grossman, 1999).

The 1995 age-adjusted motor vehicle related death rate for the US Navajos was more than five times that of the white population in the United States (sited in Cercarelli, 1999). For Aboriginal and Torres Strait Islander people in Western Australia, the road injury hospitalisation rate was nearly twice that of the non-Aboriginal population (Cercarelli, 1999). In Northern Saskatchewan, Canada, where two-thirds of the population is Native (Woodland Cree, Dene, and Métis), suicide and homicide rates among 15- to 24-year-olds were three to five times greater than the remainder of the provincial population (Feather, Irvine, & Belanger, 1993). In the United States, the rate of fire-related deaths in one Indian Health Service (IHS) area was six times greater than the national average (Kuklinski, Berger, & Weaver, 1996). All of the above reports suggest that poverty is an important factor in the majority of reported injury statistics.

Indigenous peoples in Australia, New Zealand, and the United States each have a different heritage and culture, but they share common experiences in their history. They are ‘minority cultures in affluent nations dispossessed of their country and marginalised’ (Ring & Firman, 1998). Maoris and Native Americans have made rapid gains in health and life expectancy over the past two decades, but Australian Indigenous mortality shows little or no evidence of these gains for any of the major causes of excess deaths (including injury) (Ring & Firman, 1998).

Death rates for injury and poisoning among Native Americans and Alaskan Natives were one-and-a-half times the Australian Indigenous rates in the early 1970s, but US rates have now fallen to below the current Australian level (Ring & Firman, 1998). The decline in death rates from injury and poisoning in Native Americans has been attributed to changes in transport accidents and changes in homicide and suicide rates (Ring & Firman, 1998). For Australian Indigenous people in WA and the NT, there appear to have been some relatively small recent falls in homicides and transport accident deaths, but there is some evidence that suicide rates are rising (Ring & Firman, 1998).

The role of alcohol misuse as a contributing factor to high rates of injury among Indigenous peoples throughout the world is a complicated yet pervasive one. Among Navajo victims of pedestrian and hypothermia deaths, alcohol intoxication has been reported as frequent and severe (Gallaher, Fleming, & Berger, 1992). A national survey in Australia of Aboriginal peoples and Torres Strait Islanders found that over half identified alcohol abuse as the main health problem in their community (Condon & Cunningham, 1997).

Several of the challenges in conducting studies concerning Indigenous peoples worldwide are illustrated by the articles of Phelan and colleagues (Phelan et al., 2002) and by Cercarelli and Knuiman (2002) and by Berger (2002). One challenge is obtaining reliable numerator data by Indigenous status. Also, changes in access to medical care can alter hospitalisation rates:

‘members of the Navajo Nation can be treated not only at United States IHS facilities, but private, self pay, and governmental health insurance options allow many individuals access to health care facilities outside the IHS hospital discharge database’.

Another difficulty seen throughout the literature is obtaining accurate denominator data:

‘The Census Bureau in the United States has acknowledged that minority populations, including Native Americans, are routinely under-counted. It has proposed statistical corrections to make more accurate estimates, but political forces have prevented any such adjustment’.

### **An Australian perspective**

The international context shows that it is important to see Aboriginal and Torres Strait Islander injury as a function of the social disruption and cultural clashes that have occurred. The range of causes is complex and interacts, and there is a danger that single-cause race-specific analysis creates a climate where blame is placed on Aboriginal and Torres Strait Islander people.

The recent WHO report on Violence (Krug, E.G., Dahlberg, L.L., Mercy, J.A., Zwi, A.B., & Lozano, R., 2002:190) recognises the broad set of influences on violence injury and self-harm:

‘In Australia, aboriginal groups were the object of stringent racial laws and discrimination as late as the 1960s. When these laws, including the restrictions on alcohol sales, were lifted within a short period in the 1970s, the rapid social changes in the previously oppressed Indigenous peoples gave rise to instability in community and family life. This instability has continued ever since, with high rates of crime, delinquency and imprisonment, violence and accidents, alcohol dependence and substance abuse, and a homicide rate that is tenfold that among the general population.’

Krug et al argue that (2002:14):

‘Societies with already high levels of inequality, which experience a further widening of the gap between rich and poor as a result of globalisation, are likely to witness an increase in interpersonal violence’.

As with many other areas of epidemiology, injury epidemiology has started to realise that single-cause explanations of injury events are ‘incomplete and misleading’ (Christoffel & Gallagher, 1999:24), and that what is needed is a broader examination of the physical and social environment in which the injury occurred.

Despite the issues surrounding the identification of factors contributing to injury among Indigenous people, the available literature suggests an interrelationship of cultural, environmental and lifestyle variables as main causes for the high incidence of injury. The following factors, collectively or through a multiplicity of variables, appear from the literature to account for the higher incidence of injury:

- marginalisation and disruption to traditional values, kinship and culture;
- loss of self-esteem and purpose, leading to alcohol abuse/interpersonal violence;
- exposure to hazardous environment(s);
- at-risk home environment;
- risks associated with living in rural, remote or isolated communities;
- dependence on road transport for long distances;
- alcohol and substance abuse;
- violence;
- social and familial dysfunction;
- increased falls risks in the young and the elderly;
- risk behaviour, isolation and self-harm;
- low socioeconomic status;
- unemployment, poverty and dependence;
- inadequate equity and intervention levels; and
- reduced or limited access to health, community and social support services.

The Australian literature is generally weak on detailed discussion of the factors as they apply to injury and its prevention. Analyses are however starting to emerge. They often remain focused on a narrow range of issues rather than presenting a full systems analysis.

Most studies that have sought to identify risk factors have failed to explore the interplay of risk factors (for example, young males and alcohol, risk-taking, and exposures to hazardous environments). In order to explore how these factors influence each other, more longitudinal, in-depth multidisciplinary research is required. Such research, with greater collaboration between fields of study, should also shed light upon a point in the chain of events that can offer the greatest opportunity for intervention (Harrison et. al., 2001).

In view of the main thrusts of the literature, it is important to examine the major issues of poverty, social dislocation and alcohol misuse in more detail. This however should not be taken as inferring that these are the only important issues, but rather that these are areas where more complete information is available.

### Poverty and social dislocation

- Table 9 Distribution of household weekly income by Aboriginal and Torres Strait Islander status

#### WEEKLY HOUSEHOLD INCOME BY INDIGENOUS STATUS OF HOUSEHOLD(a)

##### Occupied private dwellings containing family or lone person households

	<i>Indigenous households</i>	<i>Other households(b)</i>	<i>Total households</i>
Negative/Nil income	715	44,923	45,638
\$1-\$119	1,142	34,918	36,060
\$120-\$199	6,703	230,992	237,695
\$200-\$299	7,101	498,527	505,628
\$300-\$399	13,328	565,282	578,610
\$400-\$499	9,807	471,253	481,060
\$500-\$599	8,331	344,167	352,498
\$600-\$699	8,278	392,556	400,834
\$700-\$799	6,741	302,071	308,812
\$800-\$999	10,806	590,206	601,012
\$1,000-\$1,199	7,808	516,167	523,975
\$1,200-\$1,499	7,853	505,060	512,913
\$1,500-\$1,999	6,798	639,905	646,703
\$2,000 or more	3,745	517,722	521,467
Partial income stated(c)	10,364	491,303	501,667
All incomes not stated(d)	5,839	221,833	227,672
<b>Total</b>	<b>115,359</b>	<b>6,366,885</b>	<b>6,482,244</b>

Notes: (a) Households where any family in the household is defined as an Indigenous family or a lone person household where the lone person is of Aboriginal/Torres Strait Islander origin.

(b) Includes households where the reference person and/or spouse/partner did not state their Indigenous status.


(c) Includes households where at least one, but not all, members aged 15 years and over did not state an income and/or at least one member of the household was temporarily absent.

(d) Includes households where no members present stated an income.

Source: Australian Bureau of Statistics 2001a Census of Population and Housing

The 2001 Census shows (see Table 9 and Figure 3) that Aboriginal and Torres Strait Islander households continue to be over-represented in the low income categories, with marked over-representation among households earning less than \$200 per week. Data showing the income distribution according to regional and remote classifications and local area are not yet available from the 2001 Census, so it is difficult to describe accurately the current distribution of income among Aboriginal households. Housing costs vary from region to region and the availability of Aboriginal housing also varies (Australian Bureau of Statistics 2002a:5–11). It is estimated that 13% of Aboriginal and Torres Strait Islander people living in remote communities live in temporary dwellings (Baillie et al., 2002:14). The reports cited above provide strong evidence that many Aboriginal and Torres Strait Islander people in discrete communities live under adverse conditions and in environments that increase the likelihood of injury and disease. Data about urban and rural-dwelling Aboriginal and Torres Strait Islander people are less readily accessible but the influence of poverty on safety choices has been noted in all of the local area studies in NSW and Queensland (Gladman et al., 1997; Royal, 2000; Heslop, 2002).

• Figure 3 Distribution of household weekly income by Aboriginal and Torres Strait Islander status



Source: Australian Bureau of Statistics 2001a Census of Population and Housing

### Day-to-day stress

The recent Western Sydney Area Study of Injury (Streeter et al., 2003) strongly identifies social disruption and dislocation as a primary underlying factor in many types of accidents, self-harm and violence. In particular they noted that many of the responses aimed at reducing the frequency and impact of safety problems were undermined by a continuous need to deal with problems of surviving from day to day, criminal justice systems that did not have a rehabilitative focus, and agencies and leaders overwhelmed by the inertia generated by poverty and racism.



Stressors include:

- chronic unemployment;
- poor housing;
- run-down neighbourhoods;
- physical harm suffered at the hands of law enforcement/corrections agencies; and
- fringe-dwelling in big cities.

### **Alcohol use and misuse**

Alcohol is widely accepted to be the key risk factor for many types of injury, including road injuries, falls, fire injuries, drowning, machine injuries, suicide, assault and child abuse (English et al., 1995; Steenkamp, Harrison, & Allsop, 2002). This phenomenon is repeated in all Indigenous societies that have been disrupted by the imposition of western economies and belief systems (Krug et al., 2002). The actual contribution of alcohol use to the various types of injuries varies, but the best international and national data suggests that unsafe alcohol use is responsible for: 37% of road injuries sustained by males and for 18% of those sustained by females; 34% of fall injuries; 44% of fire injuries; 34% of drownings; 7% of machine injuries; 12% of suicides among males and 8% among females; 47% of assaults; and 16% of cases of child abuse (English et al., 1995).

The likely theoretical contribution of alcohol to Aboriginal and Torres Strait Islander injury has not been quantified but, in view of the higher proportions of harmful and hazardous alcohol use among Aboriginal and Torres Strait Islander people (Australian Bureau of Statistics, 1999a; Australian Bureau of Statistics & Australian Institute of Health and Welfare, 1999; Commonwealth Department of Human Services and Health, 1996), these are likely to be conservative estimates of the actual contribution of unsafe alcohol use to injury.

Many reports have identified alcohol as a major contributor to Aboriginal and Torres Strait Islander injury. See, for example, the reports of the Royal Commission into Aboriginal Deaths in Custody (Royal Commission into Aboriginal Deaths in Custody, 1991) and the recent Gordon inquiry into family violence and child abuse in Aboriginal communities in Western Australia (Gordon, Hallahan, & Henry, 2002). However, few studies have attempted to focus on the actual impact.

Overall, the reliability of information on alcohol involvement in injury is uncertain, being complicated by numerous factors. These factors include lack of reliable and accurate measurement of alcohol in the system of the individual at the actual time of the injury, and the fact that the person injured due to the effects of alcohol may not be the person who actually consumed the alcohol (Harrison et al., 2001). Partly as a result of these problems, the major health-related data collections in Australia, death registrations and the hospital in-patient collections provide few insights into the role of alcohol in injury — for either the Aboriginal and Torres Strait Islander or non-Indigenous populations.

One study of injury in remote Aboriginal and Torres Strait Islander communities in far north Queensland found that, of injuries requiring attendance at the clinic in one community, 65% sustained by males and 35% sustained by females were associated with alcohol consumption (the person injured had consumed alcohol) (Gladman et al., 1997). The inclusion of injuries for which the alcohol use of another person contributed meant that 57% of injuries sustained by females were alcohol-related.

A comparison of this community (Community A, with legal alcohol access) with a community with no local canteen (Community D) found that alcohol-related injury rates were substantially higher in Community A, with rates higher for virtually all age-sex groups (the exception was males aged 50+ years) (Gladman et al., 1997).

An earlier survey of urban Aboriginal and Torres Strait Islander people found that almost two-thirds of respondents reported alcohol and alcohol-related violence as the most serious issue confronting the Aboriginal and Torres Strait Islander community (Commonwealth Department of Human Services and Health, 1996). More than 25% of respondents reported having been physically abused by someone who had consumed alcohol.

Despite the lack of comprehensive data, the impact of alcohol on Aboriginal and Torres Strait Islander injury has been recognised as substantial, and reducing this impact is seen as imperative to addressing the issue of injury prevention (Harrison et al., 2001).

The recently released second stage consultation draft of the *National Drug Strategy: Complementary Action Plan for Aboriginal and Torres Strait Islander Peoples* (National Drug Strategy Unit, 2003) proposes a comprehensive response to the impacts of alcohol and other substance misuse. The strategy clearly recognises the importance of alcohol and other drugs as contributing factors to accidental injury, violence and self-harm. The following selected excerpts show the clear linkages with this report.

#### Objective 1.4 (p10)

Support and resource communities to implement harm reduction as a strategy that aims to protect the health of communities, families and the user from the harms associated with alcohol, tobacco and other drug use. This includes injury prevention projects.

- expand alternatives to incarceration to deal with intoxication, such as sobering-up shelters, night patrols, and injury prevention projects;
- establish youth committees and councils to give young people a voice in community affairs and sharing resources; and
- alcohol and other drug service providers will develop strong working relationships with services that target domestic and sexual violence.

#### Objective 2.4 (p15)

Improve and establish linkages among agencies involved in reducing harm from use of alcohol, tobacco and other drugs and those involved with related strategies such as mental health, prevention of self-harm, suicide and injury, and sexual health.

Government and non-government sectors collaborate to provide a forum for young Aboriginal and Torres Strait Islander people to come together to discuss alcohol, tobacco and other drugs issues. This includes:

- collaboratively implement programs to support development of parenting and life skills programs for children and young people;
- ensure that out-stations developed to address petrol sniffing have community support, are resourced appropriately, have links with other relevant local services, and are of high quality; and
- build infrastructure support for youth workers dealing with young people at risk of inhalation of volatile substances.

Objective 4.3 (p28)

Ensure that measures that aim to reduce harm are included as part of a range of approaches to address the impact of the use of alcohol, tobacco and other drugs. This includes: promote injury, mental health and sexual health prevention projects relevant to regional and community locations that target alcohol-related harm.

The orientation of these strategies is entirely in harmony with those proposed in this report.

### **Conclusion**

The high injury rate experienced by Aboriginal and Torres Strait Islander people arises from a wide and complex range of causes. The experience of Indigenous people around the world suggests that the many individual factors identified in studies link back to the failure of western social and political systems to meet their responsibilities adequately (Krug et al 2002 :190). While the research has identified a number of contributing factors and possible points for intervention, these should not be pursued in isolation from each other and from the overall political and social context that has had such negative impact on the health and wellbeing of the Aboriginal and Torres Strait Islander peoples.

## **Important characteristics of the Aboriginal and Torres Strait Islander population that influence the planning and implementation of injury prevention and safety initiatives**

### **History and social position**

The impact of the last 200 years on Aboriginal health has been well-documented. The reports of the Royal Commission into Aboriginal Deaths in Custody (1991) and *Bringing them home* (National Inquiry into the Separation of Aboriginal and Torres Strait Islander Children from their Families Australia, 1997) identified the significance of the history of colonisation in explaining the high level of violence, drug and alcohol use and despair in Aboriginal and Torres Strait Islander communities. It identified a lack of appropriate housing, and discrimination in the health, legal and education systems as contributing to the high rate of incarceration and the poor state of health and wellbeing among Indigenous people in Australia.

Devaluation of Indigenous culture by European culture eroded society and language. Like other Indigenous peoples across the world, Aboriginal and Torres Strait Islander peoples suffered rapid population decline, leaving the markers of insensitive and sometimes brutal colonisation that have been noted in the literature. These markers include:

- loss of culture and language;
- poverty;
- alienation;
- marginalisation from the mainstream economy, with consequent lack of status;
- alcohol and substance misuse;
- violence;
- high rates of ‘lifestyle diseases’ such as cardiovascular disease and diabetes;
- high rates of accidental injury; and
- high rates of self-harm.

Most of the devastating changes occurred in the first 100 years following European settlement, but much has occurred since — even in the last 50 years — that has created a continuing negative impact on Aboriginal and Torres Strait Islander society.

### **Demographic composition**

In the 2001 Census, 410,003 persons were counted as being of Aboriginal and/or Torres Strait Islander descent.(Australian Bureau of Statistics 2001a) This is likely to be an underestimate, which will be corrected, once usual place-of-residence data are produced and under-enumeration factors have been applied. Based on the estimated resident Aboriginal and Torres Strait Islander population in 1996, the Australian Bureau of Statistics projected the total Aboriginal and Torres Strait Islander population to between 435,381 (low series projection) and 528,981 (high series projection) at 30 June 2002 (2.2–2.5% of the total Australian population).<sup>2</sup> Based on the low series


---

<sup>2</sup> The Australian Bureau of Statistics has not yet updated their estimates of the Indigenous population using the numbers of Indigenous people counted in the 2001 Australian Census of Population and Housing. Around 410,000 Indigenous people were counted in the 2001 Census, which is 16% more than counted in the 1996 Census. According to the 2001 Census, the population distribution by jurisdiction was virtually the same as in 1996. It is likely that each of the figures based on projections from the 1996 census will be increased by around 4% after adjustments are made for the under-count that occurs with Censuses.

projection (which assumes change only as a result of natural increase), New South Wales (NSW) has the largest Aboriginal and Torres Strait Islander population with 123,405, followed by Queensland with 121,601, Western Australia (WA) with 62,577, and the Northern Territory (NT) with 57,236. The NT has the highest proportion of Aboriginal and Torres Strait Islander people (29%) among its population, and Victoria the lowest (0.5%).

Figure 4 and Table 10 show that Aboriginal and Torres Strait Islander Australia has a comparatively high proportion of adolescents and young adults.

- Figure 4 Age distribution pyramid of Aboriginal and Torres Strait Islander and non-Indigenous population of Australia



Source: Australian Bureau of Statistics, 2001a

Almost one-quarter (114,000) of the population was currently attending an educational institution. Education networks may form an important vehicle for injury prevention and safety strategies. Overall, achieved levels of education among adults are low. Only 26% of Aboriginal and Torres Strait Islander people aged 15 years and over had completed Year 11, compared with 49% of the non-Indigenous population (Australian Bureau of Statistics, 2001a).

• Table 10 The Aboriginal and Torres Strait Islander population of Australia: 2001

	INDIGENOUS		
	<i>Males</i>	<i>Females</i>	<i>Persons</i>
Total persons	201,988	208,015	410,003
0-4 years	26,743	26,118	52,861
5-14 years	55,717	52,352	108,069
15-24 years	37,491	37,729	75,220
25-44 years	53,878	60,158	114,036
45-64 years	23,196	25,184	48,380
65 years and over	4,963	6,474	11,437
Speaks Australian Aboriginal or Torres Strait Islander language	24,420	25,344	49,764
Speaks English only	159,861	167,181	327,042
Australian Aboriginal Traditional Religion	2,619	2,374	4,993
Attending an educational institution:(a)			
Aged 5-14 years	48,574	45,784	94,358
Aged 15-19 years	9,357	10,137	19,494
Highest level of schooling completed:			
Year 10 or below	70,422	72,968	143,390
Year 11 to 12	28,875	35,885	64,760
Still at school	6,100	6,561	12,661
Never attended school	3,638	3,761	7,399
Enumerated in private dwellings:			
Separate house	164,851	172,312	337,163
Improvised home, sleepers out, tent(b)	1,358	1,081	2,439
Other private dwelling	26,153	27,927	54,080
<b>Total</b>	<b>192,362</b>	<b>201,320</b>	<b>393,682</b>
Enumerated in non-private dwellings	9,503	6,632	16,135

Notes: (a) Includes 'full-time student', 'part-time student' and persons who did not state their full-time/part-time status but did state the type of educational institution attending.

(b) Includes persons enumerated in tents, sheds, humpies, persons sleeping 'rough' and other improvised dwellings.

Source: Australian Bureau of Statistics, 2003<sup>3</sup>

<sup>3</sup> The Australian Bureau of Statistics has not yet updated their estimates of the Indigenous population using the numbers of Indigenous people counted in the 2001 Australian Census of Population and Housing. Around 410,000 Indigenous people were counted in the 2001 Census, which is 16% more than counted in the 1996 Census. According to the 2001 Census, the population distribution by jurisdiction was virtually the same as in 1996. It is likely that each of the figures based on projections from the 1996 census will be increased by around 4% after adjustments are made for the under count that occurs with censuses.

## Geographic distribution


The ABS Report on infrastructure and housing for discrete Aboriginal Communities (see Table 11) indicated that about one quarter (110,000) of Aboriginal and Torres Strait Islander people lived in discrete communities (Australian Bureau of Statistics, 2002a:4).

‘The Australian Indigenous population is becoming increasingly urbanised. (‘Urban’ is defined as a population centre of 1,000 or more people.) At the 1991 Census, 67.6% of Indigenous people lived in urban areas; by the time of the 1996 Census this had increased to 72.6%’.

This provides a very varied set of environments, and a need for wide distribution of preventive strategies.

Discrete Aboriginal and Torres Strait Islander communities are spread widely across Australia. Some are associated with large urban centres, while others consist of small communities of 50 or less people in the most remote regions of Australia. The mix of communities varies significantly from state to state, creating the need for flexibility in national programs. ( See Figure 5)

• Figure 5 Discrete Aboriginal communities by usual population: Australia 2001



Source: Australian Bureau of Statistics, 2002:95

Many Aboriginal people who do not live in identified discrete communities live in areas where housing costs are low. High concentrations of Aboriginal people can therefore be found in places like the western suburbs of Sydney, where the largest concentration of urban dwelling Aborigines may be found in parts of the Blacktown Shire. The mix of lifestyles and residential settings varies a great deal from state to state and region to region.

• Table 11 Reported usual population, all discrete communities: 2001

	Communities with a population of:					All communities
	Less than 20	20—49	50—99	100—199	200 or more	
New South Wales	4	7	18	13	18	60
Victoria			1		1	2
Queensland	79	19	6	5	33	142
South Australia	60	10	9	6	11	96
Western Australia	132	70	28	30	23	283
Tasmania			1			1
Northern Territory	341	167	39	26	59	632
Australian Capital Territory						
<b>Australia</b>	<b>616</b>	<b>273</b>	<b>102</b>	<b>80</b>	<b>145</b>	<b>1216</b>
Reported usual population	5682	8889	6765	12779	75879	109994

Source: Australian Bureau of Statistics, 2002:14

This distribution pattern must be considered when analysing injury data and in designing prevention and intervention strategies.

### Participation in work

Approximately one-quarter of the Aboriginal and Torres Strait Islander population is active in the work force (Table 11, Table 12). There is no systematic data on work-related injury among Aboriginal and Torres Strait Islander people, but some understanding of the risk of work-related injury can be made by considering work exposures. Table 12 shows that Aboriginal males tend to be employed in the highest risk industry sectors: agriculture, mining, manufacturing and transport. A similar pattern is seen in the distribution of occupations (Table 13). Occupations with higher than average work-related injury patterns are over-represented (Driscoll et al., 1998:24–30). As approximately 60% of employed Aboriginal males are in high-risk occupations such as labouring, trades, and production and transport workers, work-related injury patterns are therefore likely to be high. There is, however, no reliable data on Aboriginal and Torres Strait Islander work-related injury in Australia. Trompf (1995:250) argues cogently:

that the occupational health and safety of Aboriginal and Torres Strait Islanders is a case for special consideration on several grounds. The colonial experience has historically grounded Aboriginal workers in positions of powerlessness and disadvantage which, in many cases, has resulted in their working conditions being inferior to that of non-Indigenous workers. In addition, the poor health status in which many Aborigines enter the workforce needs to be considered, as well as the dominant culture's definition of 'employment' which is not necessarily the most appropriate to Aboriginal communities. There is also a lack of culturally specific education and training packages and programs. State and Federal governments have not been in the vanguard of Aboriginal health and safety issues, a fact highlighted by the 1994 draft report of the Industry Commission into Occupational Health and Safety in Australia which made no mention of Aboriginal workers. It appears that there are no studies dealing specifically with the issue of occupational health and safety and Aboriginal workers, though there are numerous texts and articles in the industrial relations and industrial sociological literature which occasionally touch on the subject.



*A review of 404 studies on Aboriginal health research from 1982–92 cited none on occupational health [emphasis added] (Lake, 1992) it is suggested here that an historical approach to the examination of health and safety in the Indigenous context will provide a better understanding of the needs of the communities and the better development of policies and practices to support the delivery of safer and healthier working environments.’*

• Table 12 Industry sector of employed Aboriginal and Torres Strait Islander persons: Australia 2001

	Employed persons		
	INDIGENOUS		
	Males	Females	Persons
Agriculture, Forestry and Fishing	3,249	944	4,193
Mining	1,234	156	1,390
Manufacturing	5,657	1,530	7,187
Electricity, Gas and Water Supply	385	92	477
Construction	4,949	510	5,459
Wholesale Trade	2,300	905	3,205
Retail Trade	4,061	5,082	9,143
Accommodation, Cafes and Restaurants	1,506	2,599	4,105
Transport and Storage	2,757	627	3,384
Communication Services	862	487	1,349
Finance and Insurance	294	697	991
Property and Business Services	3,027	3,544	6,571
Government Administration and Defence	11,248	8,615	19,863
Education	2,165	6,095	8,260
Health and Community Services:			
Health and Community Services, Undefined	288	571	859
Health Services	1,416	4,098	5,514
Community Services	1,707	3,625	5,332
<i>Total</i>	<i>3,411</i>	<i>8,294</i>	<i>11,705</i>
Cultural and Recreational Services	1,331	1,032	2,363
Personal and Other Services	3,567	2,357	5,924
Non-classifiable economic units	620	377	997
Not stated	2,127	1,700	3,827
<b>Total</b>	<b>54,750</b>	<b>45,643</b>	<b>100,393</b>

Source: Australian Bureau of Statistics, 2003

• Table 13 Occupations of Aboriginal and Torres Strait Islander persons: Australia 2001

	Employed persons (Includes CDEP employees)		
	<i>INDIGENOUS</i>		
	<i>Males</i>	<i>Females</i>	<i>Persons</i>
Managers and Administrators	2,431	1,375	3,806
Professionals	4,361	6,741	11,102
Associate Professionals	4,083	4,498	8,581
Tradespersons and Related Workers	8,829	1,372	10,201
Advanced Clerical and Service Workers	226	1,626	1,852
Intermediate Clerical, Sales and Service Workers	4,406	13,740	18,146
Intermediate Production and Transport Workers	8,421	1,235	9,656
Elementary Clerical, Sales and Service Workers	2,924	5,684	8,608
Labourers and Related Workers	16,166	7,445	23,611
Inadequately described	1,302	691	1,993
Not stated	1,601	1,236	2,837
<b>Total</b>	<b>54,750</b>	<b>45,643</b>	<b>100,393</b>

Source: Australian Bureau of Statistics, 2003

In addition to government and other sources of employment, the Community Development Employment Program (CDEP) schemes provide employment and training opportunities. There were 10,769 males and 7,036 females employed in these schemes at the 2001 Census. Community responses in the community injury prevention studies in Queensland and NSW have raised questions about the attention paid to workplace and worker safety on some of the CDEP programs (Royal, 2000). Occupational Health and Safety managers recognise that injury risks are very high when people are learning a new job and extra care is needed to prevent injury in the first months of undertaking a new task. While there is no reliable data on work-related injury occurring on CDEP schemes, sufficient concern has been expressed in the NSW and Queensland surveillance studies and consultations for the NSW Aboriginal Safety Strategy, about the circumstances of employment in CDEP schemes to suggest that increased attention to worker safety is likely to be needed.

## Major features of the theory that underpins policy and practice in the health sector

A number of different agencies and authors have developed theoretical approaches that are relevant to assessing what needs to be done and how to work effectively. Selective examples of these are presented below with a view to showing the complementary conceptualisation that can form a basis for future directions.

### Australian Aboriginal and Torres Strait Islander health approaches

A great deal of work has been undertaken to establish core theory and practice relating to Aboriginal and Torres Strait Islander Health. NACCHO, for example, has incorporated the Ottawa Charters' model of public health in the development of its approach to Aboriginal and Torres Strait Islander Health (NACCHO Submission to the National Strategic Plan for Injury Prevention and Control Strategic Framework, draft letter to National Injury Prevention Advisory Council Acting Chair, Mr Ian Scott, December 8<sup>th</sup> 1998).

A health promotion approach to primary health care distinguishes types or layers of intervention in terms of prevention, early intervention, treatment and continuing care. This is seen in the diagram below that describes mental health promotion.


• Figure 6 Health promotion approach to primary health care



Source: Commonwealth Department of Health and Aged Care, 2001a:7 adapted from Mrazek & Heggerty, 1994

The National Aboriginal and Torres Strait Islander Health Strategy consultation draft, (National Aboriginal and Torres Strait Islander Health Council, 2000: 24) presents a detailed model of causation of health status shown in Figure 7.

• Figure 7 Factors impacting on Aboriginal and Torres Strait Islander health status: interactions of social and physiological determinants of health



Source: National Aboriginal and Torres Strait Islander Health Council, 2000: 24

## **Australian Government Department of Health and Ageing**

This is in line with the approach taken by the Australian Government Department of Health and Ageing in the development of the population health approach in 1998 (Commonwealth Department of Health and Aged Care, 2001a: 3)<sup>4</sup>:

### **What is Population Health?**

Population Health is characterised by a focus on:

- the health of the population and groups within it, as opposed to the individual, as the starting point for planning and intervening;
- the determinants of health and causes of illness rather than symptoms;
- the promotion of health and prevention of illness rather than treatment;
- the public as an active partner in planning and action rather than the passive recipient of services; and
- the treatment and care of population groups who are already ill, but whose poor health represents a significant risk to other groups in the community.

### **The Case for Population Health**

Population Health is an important end in itself. People have a right to optimal health and wellbeing.

Population Health is also a means to an end. Effective Population Health strategies produce:

- social stability through the reduction of disparities;
- economic growth through a healthy workforce;
- safe and clean environments which promote investment and development;
- more appropriate and cost effective use of the health system as a result of reduced treatment; and
- episodes and admissions to hospital for otherwise preventable illness, injury and disability.

Source: Commonwealth Department of Health and Aged Care, 2001a: 3


---

<sup>4</sup> the WHO term used is generally 'public health'

## The WHO initiative on violence

The WHO has undertaken a major world wide analysis of violence. It proposes an ecological model for understanding violence (see Figure 8). This suggests that interlinked interventions need to occur at a number of different levels and in a number of different sectors.

- Figure 8 The close interrelationship between society, community and violence



Source: Krug et al., 2002:12

While the WHO analysis focuses solely on violence including self harm, the model is equally applicable to unintentional injury. The model sees a range of societal, community, relationships and individual factors underpinning the state of wellbeing of all people.

## Common issues and views identified in underpinning theory

While all of these models are different in their detail, they operate from a number of core values and approaches that could form the basis of the theoretical framework for the public health contribution to Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion.

Key features, adapted from the models cited above and the summary by Krug et al (2002:4), of this framework are:

- the right of the community to make informed choices in setting priorities for action;
- uncovering as much basic knowledge as possible about all the aspects of injury and safety through systematically collecting and sharing data on magnitude, scope, characteristics and consequences;
- determining the full range of causes, and the factors that increase and decrease risk;
- determining which factors may be modified by intervention and developing, testing and evaluating appropriate interventions;
- determining which approaches are suitable in different settings and providing support for the selection of these strategies and their implementation;
- providing rehabilitation of both those who suffer damage and of those who cause injury or erode safety; and
- providing resources so that interventions can be implemented at a level that makes a difference and so increases the viability and sustainability of the people and their communities.

## Key features of the policy environment

### Australian Government Department of Health and Ageing (formerly Health and Aged Care)

Injury was first recognised as a national health priority in 1986. Responsibilities for specific causes were acknowledged as being in the hands of a number of leading national agencies (see Table 14)

- Table 14 National responsibility for specific causes of injury: Australia, 1994

Transport	The Federal Office of Road Safety (now the Australian Transport Safety Board)
Occupational Injury	Worksafe Australia (now the National Occupational Health and Safety Commission)
Suicide and self-harm	Mental Health Division within the Department of Health (now the Mental Health Strategy under the Mental Health Branch of the Commonwealth Department of Health and Aging)
Adverse outcomes of medical treatment	The review of professional indemnity arrangement (now the Quality in Health Care initiatives of the Commonwealth Department of Health and Aged Care)

Source: Commonwealth Department of Human Services and Health (1994):172–175

Subsequent injury prevention planning within the public or population health divisions of the Australian Government Department of Health and Ageing, and the State and Territory health sector injury prevention units, has been shaped by these arrangements. The effect has been to limit initiatives within public health so that they focus mainly on unintentional injury and on settings other than roads and workplaces, because of the specialist infrastructure set up for each of these and the desire to avoid duplication.

AHMAC has agreed to a National Injury Prevention Plan: Priorities for 2001–2003 which sets as priorities:

- falls in older people;
- falls in children;
- drowning and near drowning; and
- poisoning among children.

The plan also notes the evidence of high injury rates among Aboriginal and Torres Strait Islander Australians and commits to the development of a complementary plan (Strategic Injury Prevention Partnership, 2001:3; Harrison et al., 2001). As a result, the Aboriginal and Torres Strait Islander Injury Prevention Action Committee (ATSIIPAC) was created by the National Public Health Partnership and linked to the Aboriginal and Torres Strait Islander initiatives of National Public Health Partnership.

ATSIIPAC felt that a broad perspective covering injury as a whole was appropriate for Aboriginal and Torres Strait Islander injury. It decided to pursue a holistic approach to injury in line with the Declaration on Indigenous injury that was made at the 2001 National Injury Prevention Conference in Canberra (see Appendix 3). All types of injury including accidents, intentional self-harm and violence in all settings will therefore be considered in this report.

In response to the focus on Aboriginal and Torres Strait Islander injury the Australian Government Department of Health and Ageing commissioned the Australian Institute of Health and Welfare National Injury Surveillance Unit to assess the available information on injury among Indigenous Australians. This provided a detailed assessment of the strengths and weaknesses of health and other data collections as a basis for improving injury prevention (Harrison et al., 2001).

### Other key strategies

In addition to the core injury prevention processes within the population health focus, a number of other key strategy level initiatives play an important role in Aboriginal and Torres Strait Islander injury prevention and safety promotion. The list in Table 15 is far from complete but is illustrative of the range of stakeholders and interests. No attempt has been made to identify the wide range of initiatives under the various departments in each State and Territory.

- Table 15 Selected examples of strategies and initiatives relevant to Aboriginal and Torres Strait Islander injury prevention and safety

Organisation	Selected example of strategies or initiatives	Brief description of identified examples
Australian Government Department of Health and Ageing: Mental Health Branch Initiatives	National Mental Health Strategy, Aboriginal and Torres Strait Islander component of the Community LIFE Promotion Project	Living is for Everyone (LIFE) is a framework for prevention of suicide and self-harm in Australia over the period 2001–2005 (Commonwealth Department of Health and Aged Care, 2000c). LIFE builds on the work of the NYSPPS and includes three companion documents: Areas for Action; Learnings about Suicide; and Building Partnerships.  The LIFE Program aims to: reduce suicides, suicidal thinking, suicidal behaviour, injury and self-harm; enhance resilience in individuals, families and communities; and increase support to those affected. In addition, the program hopes to extend and enhance community and scientific understanding of suicide and its prevention.
Australian Government Department of Health and Ageing: Alcohol and Drug initiatives	National Drug Strategy Complementary Action Plan for Aboriginal and Torres Strait Islander peoples	Detailed strategy on the reduction of substance abuse including alcohol, licit and illicit drugs and volatile substances among Aboriginal and Torres Strait Islander people
Australian Government Department of Health and Ageing:: AHMAC secretariat	National Committee on Health Data Standards	Define health data standards and increase the accuracy and coverage of health statistics relevant to Aboriginal and Torres Strait Islander populations
Department of Prime Minister and Cabinet Office of the Status of Women	Partnerships Against Domestic Violence	Funding of strategies to reduce domestic violence and in particular to protect women and children from domestic violence and its aftermath.
Australian Government Department of Health and Ageing: OATSIH	Aboriginal and Torres Strait Islander Health Worker Review; Aboriginal and Torres Strait Islander Health Workforce National Strategic Framework, Service Activity Reporting; and others	Coordination of responses to Aboriginal and Torres Strait Islander health issues; planning of Aboriginal health work force and training; ongoing review of primary health care services.
National Aboriginal and Torres Strait Islander Health Council	National Aboriginal and Torres Strait Islander Health Strategy	Consultation draft rationale for Aboriginal and Torres Strait Islander health



Table 16 cont.....

Organisation	Selected example of strategies or initiatives	Brief description of identified examples
Attorney-General's Department Commonwealth National Crime Prevention Program	Community night patrols	Funding of Night patrols in remote Aboriginal and Torres Strait Islander Communities
Australian Sports Commission	Indigenous 'STRONG' Safer Sport	Pilot program was initiated by Indigenous Sports Program (Australian Sports Commission) and Sports Medicine Australia (NT)
NHMRC	Aboriginal Health Research Strategy	<p>Guidelines on conducting research among Aboriginal and Torres Strait Islander populations in an ethical and relevant manner</p> <p>Assessment of priorities for health research among Aboriginal and Torres Strait Islander populations</p>
NACCHO	Aboriginal and Torres Strait Islander Health (Framework Agreements)	<p>Defines key result areas (KRAs) as a basis for action by governments. The KRAs are:</p> <ul style="list-style-type: none"> <li>• Towards a more effective and responsive health system</li> <li>• Influencing health impacts of the non health sector</li> <li>• Providing infrastructure to improve health status</li> </ul>

## **Existing programs**

Details of the activities discovered by this project are presented in Volume II: Programs, Projects and Actions by Dr Kathleen Clapham. As noted in this report, these are the projects that could be easily identified within the scope and time scale of this project. There are almost certainly many others that have not been identified in the time available. The material presented here shows only an overview of these projects, and the current mix of projects and strategies that could be identified.

### **The current mix of strategies**

A total of 314 projects or programs was identified by this project. Of those, 105 have a violence focus, 36 deal with suicide and self-harm, while 132 of the others do not have a specific 'external cause' focus. The remainder address key social or physical environmental factors, which contribute to injury and safety in Aboriginal and Torres Strait Islander communities.

By employing a broad definition of 'injury prevention', this project uncovered a large number of projects. The list is by no means exhaustive of all possible projects that could have been included, but rather a first attempt at compiling a list of Aboriginal and Torres Strait Islander Australian injury-related projects. The constantly changing nature of this field, and the short-term nature of many projects, mean that to develop and maintain a more accurate database would need separate funding as an ongoing project.

Recognising the importance of adopting long-term strategies to the widespread and serious injury and safety issues currently faced by Aboriginal and Torres Strait Islander communities, this project also identified a number of projects with a secondary or long-term safety outcome. These projects were unlikely to have a specific injury objective and were most likely to be funded under the headings of 'early intervention', 'capacity building' or 'social and emotional wellbeing' projects. Their contribution to injury reduction and safety promotion is often not specifically identified and may be under-realised.


A detailed analysis of projects and their coverage appears in Volume II. The analysis here is limited to the identification of broad strategic issues.

The mix of programs identified is detailed in Table 17. The most notable feature is the strong focus on violence and on alcohol and substance abuse. Most of the violence-related programs are funded by the Department of Prime Minister and Cabinet, ATSIC, and State/Territory Attorney-General's departments. Their primary focus is mostly on women and children. Few of the violence projects focus on violence among males. The majority of transport-related projects are in WA where a partnership involving health, transport, police and local government has undertaken a number of initiatives including the funding of a specialist unit.

• Table 17 Projects and programs identified: major external cause focus and State/Territory coverage

	State/Territory											Total
	ACT	AUS	Multi-State	NSW	NT	Qld	Qld/TSI	SA	Tas	Vic	WA	
Drowning and submersion											3	3
Fires/burns/scalds		2		1								3
Interpersonal violence			6	20	17	19	1	8	2	9	23	105
Multiple external causes				5	1	3		1				10
Self-harm	1			1	7	8		1		4	14	36
Transportation			3	2	1	2		1			16	25
Not specified		1	3	20	47	8	1	8		9	35	132
<b>Total</b>	<b>1</b>	<b>3</b>	<b>12</b>	<b>49</b>	<b>73</b>	<b>40</b>	<b>2</b>	<b>19</b>	<b>2</b>	<b>22</b>	<b>91</b>	<b>314</b>

• Figure 9 Map of the match between cause of injury and identified program focus



It is not strictly correct to compare numbers of programs with the distribution of injury causes, due to the different size of programs and difficulty of determining the foci of all the projects. There are, for example, no programs designated as dealing with poisoning but there are projects that deal with alcohol, poly-drug use and volatile substances that are often coded under the external cause poisoning. The data in Figure 9 should therefore be treated with care and should not be used to determine if there are enough projects for each cause. Using this measure does, however, suggest that the overall balance of projects identified does not match the distribution of external causes.

There are few initiatives that relate to unintentional injury causes other than transportation, and as noted above, the transport focus is not consistent between states. Indeed Aboriginal and Torres Strait Islander injury prevention is currently defined by violence and self-harm and the projects that exist are driven with a mental health or social justice orientation.

A public health model seeks to deal with broad causal factors, including poverty and physical environment, and to cover all causes. A broad public health focus and broad multi-injury prevention and safety promotion approaches could strengthen existing violence and self-harm strategies by demonstrating the reality of effective prevention for less stigmatised causes.

The majority of projects addressed a single injury or safety issue. Less than 20% of the projects clearly identified an external cause other than violence. A few projects linked across two or three issues but these were mainly links between a single external cause (violence) and contributing factors (alcohol and drugs). Table 18 shows the focus on substance abuse as a contributing factor. Broader environmental approaches to safety were rarely identified, suggesting that primary care approaches rather than injury prevention theory, forms the basis of information provided to this project. It is likely that the table underestimates environmental contributors as they were often secondary factors or bundled into the overall approach in projects such as the WA road safety work.

• Table 18 Primary contributing factors addressed by projects

	State/Territory											Total
	ACT	AUS	Multi-State	NSW	NT	Qld	Qld/TSI	SA	Tas	Vic	WA	
Alcohol				6	38	9	1	4		6	31	<b>95</b>
Alcohol and other drugs				4	1			3		2	1	<b>11</b>
Alcohol and volatile substance abuse				1	1	2					3	<b>7</b>
Volatile substance abuse				2	1						3	<b>6</b>
Not specified	1	3	12	36	32	29	1	12	2	14	53	<b>195</b>
<b>Total</b>	<b>1</b>	<b>3</b>	<b>12</b>	<b>49</b>	<b>73</b>	<b>40</b>	<b>2</b>	<b>19</b>	<b>2</b>	<b>22</b>	<b>91</b>	<b>314</b>

The projects and programs identified during this project are more likely to be:

- selective rather than universal — the focus is on people with the problem, the victims rather than the causes, the perpetrators rather than those who might become perpetrators;
- reactive rather than preventive — systematic longer-term primary preventive activity is relatively rare — only programs related to roads, housing and multi-factor programs have strong primary prevention elements focusing on environmental and passive interventions.
- The mix and scope of projects does little to offset criticism by those interviewed that there is little commitment by governments to deal systematically with the underlying issues. There may be other broader policy initiatives beyond the scope of this report that deal with these, but the informants involved in safety promotion and injury prevention did not see these as well-linked to their activities.

At present the health sector appears to play only a small role in the funding and planning of interventions.

Injury is a complex health problem. Unlike many other areas of health, it is not easy to define and clearly demarcate injury as a health issue. The prevention of injury is similarly complex. What emerges from the consultations is that current injury prevention activity concentrates its efforts on a few major areas of injury. There is little activity addressing the whole range of external causes of injury that have been identified as causes of morbidity and mortality in the Aboriginal and Torres Strait Islander population.

This project has identified a large number of current, recent or planned activities that may have an impact on reducing the high rates of injury prevalent in Aboriginal and Torres Strait Islander communities or preventing the occurrence of further injury. However, relatively few projects specifically set out to reduce or prevent injury, or identify the causes of the injury and develop strategies to address them. This project has also revealed some notable gaps in activity. Few services, for example, target those who have been identified as vulnerable groups at risk of injury such as the elderly, children, the disabled and those with serious mental health problems. Few projects address the underlying economic marginalisation faced by most Aboriginal and Torres Strait Islander people, particularly in rural and remote areas where opportunities for employment and education are extremely limited, even though the need to address such underlying issues is widely recognised as being fundamental to improvements in all other areas of health and safety.

There are few good evaluation studies. Evaluations are able to provide valuable and reliable information about the impact a project is making, and there is a strong recognition of the importance of evaluating projects. A number of project coordinators noted that organisations are never funded to actually evaluate their project work.

The value of sharing information should not be underestimated. The mapping out of information on the basis of current activity, organisations involved, successes and failures, and planned projects is important information of benefit to organisations, funding bodies and policy makers. The establishment of a communication, information-sharing and collaborative network among individuals and organisations has been identified as a crucial factor in the ongoing success of a project.

### **Major stakeholders**

Given the wide scope of injury and safety, it is virtually impossible to map all of the stakeholders. Aboriginal and Torres Strait Islander stakeholder organisations are discussed below. No attempt has been made to map all other stakeholders because they cover a wide range of sectors at national, State/Territory and local government level.

### **Aboriginal organisations**

It is widely acknowledged that the Aboriginal and Torres Strait Islander community must occupy a central role in all strategies and initiatives that address any aspect of Indigenous health, including injury. The importance of this role — at all levels, national, regional and local — is reflected in a number of recent developments, including the development of Agreements on Aboriginal and Torres Strait Islander Health (Framework Agreements), which facilitate joint planning between governments and Aboriginal and Torres Strait Islander organisations. The Framework Agreements — between the Commonwealth government, State and Territory governments, ATSIC (or the Torres Strait Regional Authority in the Torres Strait Agreement) and the NACCHO State or Territory affiliate body — commit signatories to four key areas:

- increasing the level of resources allocated to reflect the level of need;
- joint planning;
- improving access to both mainstream and Aboriginal and Torres Strait Islander-specific health and health-related services; and
- improving data collection and evaluation.

The Framework Agreements also established a number of formal structures and processes to enable action to be undertaken at the State/Territory and national levels. These include the National Aboriginal and Torres Strait Islander Health Council (NATSIHC) and planning forums (health forums) in each State and Territory.

The Framework Agreements have been acknowledged by NACCHO as enabling: improved intersectoral communication and collaboration in several States and Territories; joint Aboriginal and Torres Strait Islander health regional plans; and better resources for NACCHO and most of its State/Territory affiliates (Commonwealth Department of Health and Aged Care, 2000a). On the other hand, NACCHO noted also that (Commonwealth Department of Health and Aged Care, 2000a):

- the national and State/Territory forums are frequently presented with policy and program decisions (rather than being active participants in the decisions);
- the Aboriginal community-controlled sector is not an equal partner; and
- the agreements had not led to adequate, needs-based resources.

The important roles of the NATSIHC, established initially in 1996 and restructured in 1999, are to advise the Commonwealth Minister for Health on Aboriginal and Torres Strait Islander health policy and planning, and to monitor the national implementation of the Framework Agreements (Australian National Audit Office, 1998; Australian Government Department of Health and Ageing, 2002). The NATSIHC includes representatives from each of the Framework Agreement partners (the Commonwealth, States and Territories, ATSIC, the Torres Strait Regional Authority and NACCHO) and from the National Health and Medical Research Council (ex-officio), the Congress of Aboriginal and Torres Strait Islander Nurses, and the Australian Indigenous Doctors Association. The NATSIHC also has as members, appointed by the Minister in their own right, an expert on Aboriginal and Torres Strait Islander substance use issues and two other experts on Aboriginal and Torres Strait Islander health (Australian Government Department of Health and Ageing 2002).

In terms of national activities, NACCHO, as the national peak Aboriginal health body, also has an important role independent of its membership of NATSIHC. Having a membership of around 100 Aboriginal community-controlled health services throughout Australia (operating in urban, rural and remote areas), NACCHO also (NACCHO, 2002):

- promotes, increases, develops and expands the provision of medical and health services through local Aboriginal community-controlled primary health care services;
- liaises with governments, departments and organisations within both the Aboriginal and non-Aboriginal community on matters relating to the wellbeing and health of Aboriginal communities;
- represents and advocates for Aboriginal communities in matters relating to health services, health research, health programs, etc;

- assists member organisations to provide Aboriginal people with medical services and other health services; and
- assesses the health needs of Aboriginal communities (through research, data analysis, surveys, etc) and taking steps to meet these needs.

The NACCHO affiliates serve similar roles at State/Territory level.

The important role of these national and regional bodies in the development and consideration of broad injury prevention strategies and programs is complemented at community level by local Aboriginal and Torres Strait Islander bodies, such as local councils (see, for example, Blagg, Ray, Murray, & Macarthy, 2000; Chantrill, 1997; Hunter et al., 2001; McClure, Shannon, Young, & Craig, 2001; Memmott et al., 2001).

Of course, reflecting the various sectors with an interest in various aspects of injury, the Aboriginal and Torres Strait Islander involvement at national and regional level will need to be wider than just health-oriented bodies. For a start, ATSIC has confirmed recently the importance it attaches to addressing family violence among Aboriginal and Torres Strait Islander people (Aboriginal and Torres Strait Islander Commission, 2003). It is beyond the scope of this review to canvass all relevant bodies, but organisations like the Secretariat of the National Aboriginal and Islander Child Care (SNAICC) (Secretariat of the National Aboriginal and Islander Child Care, 1996) and the Aboriginal legal services would appear to have clear roles relating to injury prevention.

As well as the vital role that Aboriginal and Torres Strait Islander organisations and bodies have in the development of injury prevention policies and strategies at all levels — national, regional and local — it is important also that they are involved in the crucial advocacy function in the implementation of these policies and strategies (Christoffel & Gallagher, 1999).

In the above planning processes, injury and safety have not been included as a coherent issue. As with mainstream health policy, there has been a lack of a critical mass of people who are versed in injury and safety issues, and the dominant focus has been on disease and individual treatment.

### **Aboriginal and Torres Strait Islander People**

The reviews of existing initiatives undertaken for this project have demonstrated clearly the interest and commitment to safety promotion and injury prevention among Aboriginal and Torres Strait Islander people. There has been widespread interest in safety promotion and injury prevention among Aboriginal and Torres Strait Islander people whenever systematic attempts have been made to identify safety issues and possibilities for prevention, and to set up a structure for making a difference (Gladman et al., 1997; Royal & Westley-Wise, 2001; Heslop, 2002).

Gray et al. (2002:41) state:

‘The sheer number of projects indicates that Indigenous people are vitally concerned about problems of alcohol and other drug misuse within their communities. More importantly they are doing something about the problem – in some cases with no outside funding at all, and in most cases supplementing grant funding with voluntary community work’.

At the broad policy level, the lack of a homogenous view of the field, clear data and knowledge about possibilities for making a difference acts as a barrier to the allocation of a high priority status for both funding authorities and Aboriginal and Torres Strait Islander people.

On the other hand whenever systematic work has been undertaken on safety issues, (such in single issue prevention projects of injury surveillance and prevention projects) there is clear commitment to action, provided sufficient resources are available.

The wide range of health and social needs among Indigenous people already weighs heavily on resources. The qualitative data produced by the interviews for this report indicate that Aboriginal and Torres Strait Islander people are reluctant to dilute their efforts further by taking on more projects and programs unless agencies can guarantee long-term support and commitment to make a difference.

In areas where actions have been planned, the strategy of starting with safety promotion and injury prevention as a new entry point to old and difficult problems — such as alcohol misuse and men’s wellbeing — has been identified as promising. In Shoalhaven NSW, for example, men’s groups initiated with a focus on sports injury have since gone on to deal with a far wider range of issues including violence (Royal & Westley-Wise, 2001).

Safety promotion and injury prevention has the potential to become a high priority and is an area where success can be demonstrated, improving the self-esteem of Aboriginal and Torres Strait Islander people. In order to achieve positive outcomes, there is a need for sufficient resources, including expertise and training, and a commitment to long-term rather than short-term action.

Short-term action can be utilised to demonstrate success and to generate further commitment, but should always be linked to a long-term plan of action.

### **Factors that make initiatives more likely to succeed**

An analysis of the information gained on the existing projects has identified factors that may improve the acceptability, relevance, effectiveness and efficiency of injury prevention initiatives in Indigenous communities. Table 19 provides a summary of the main points raised during interviews. More detail can be found in Volume II.

• Table 19 Factors consistently identified as influencing the success of projects

Adequate funding and resources	Projects are more likely to be successful when they have security about the ongoing funding for the activities. There is a clear need for adequate ongoing funding to support projects that are demonstrating good qualitative and quantitative outcomes, and clear overall benefits for the community.
Community control/respect for community protocols	Having a steering group of stakeholders and/or a community reference group have been identified both in the literature (Shannon, 2001) and in the interviews as a key aspect of a successful project. The inclusion of the whole community, and not just dominant families, is clearly an ongoing challenge for many communities.
Community acceptability and involvement	<p>Most projects stressed the importance both of the acceptability of the project to the community, and their involvement in it. The community must first identify that injury is a priority for that community. Once identified, the community should be involved in identifying and assessing the risks, and managing the processes to rectify these. [Mid North Coast Injury Surveillance Project: Pride, Respect and Responsibility (MNCAHP 2001).]</p> <p>What is acceptable to an Aboriginal and Torres Strait Islander community, then, clearly depends on local needs and not on preconceived ideas of what is culturally appropriate for Aboriginal and Torres Strait Islander people. It is important to recognise the diversity of Aboriginal and Torres Strait Islander communities.</p> <p>Some factors, which appear to contribute to community acceptability across the board include:</p>



	<ul style="list-style-type: none"> <li>• good information and communication strategies and a highly flexible approach — information should be available and accessible in a way that fits in with the community’s style, needs and priorities;</li> <li>• a commitment to feed back the results of research or project outcomes to the community; and</li> <li>• time lines structured in accordance with community needs, not government or organisational deadlines — this is recognised by some highly successful projects.</li> </ul>
Partnerships	Partnerships are needed at many levels. Clearly partnerships with the community are an essential component but it is also important to generate genuine partnerships between government sectors and divisions — national, state and local. This is often best done at the local or regional level, with support in principle at central levels without the need to develop complex whole-of-government approaches.
A functioning organisation and good project management	Projects require a strong, stable and innovative organisational base. Leadership in Aboriginal and Torres Strait Islander organisations and in many of the non-Aboriginal and Torres Strait Islander organisations is over-stretched. Care is required to ensure that the structure of the project and the resources provided do not place excessive burden on the implementing organisation.
Skilled and committed personnel	Some of the skills identified as necessary in Aboriginal and Torres Strait Islander safety and injury prevention work were community development skills and, in family violence work, the need for an understanding of the inequalities of gender when dealing with family violence issues. Skills in planning, implementing and evaluating safe, effective and sustainable programs are needed. Among other things this means having project personnel who are able to build capacity as well as do the analysis, write-up and evaluation.
Understanding the underlying factors related to injury	The collection and availability of reliable data is an important first step for projects to develop strategies that are likely to be successful, acceptable and sustainable. In addition, access to specific skills in injury prevention and safety promotion are required to assist projects in selecting interventions and processes.

Most of the factors that will lead to successful injury prevention and safety promotion relate to a long-term process of good communication and management. The reason that there are relatively few injury prevention and safety promotion projects, except those related to a couple of dominant external causes, is that the information needed to set priorities, the support structures within government, and the skill base to deal with injury and safety issues are not yet adequate. Fragmented and siloed funding leads to competing interests, lack of continuity of projects and ultimately to the waste of precious resources.

Successful program and project design should focus on:

- ownership and priority-setting by Aboriginal and Torres Strait Islander people;
- continuity and sustainability of intervention — a few good long-term projects across a range of types of settings and mixes of external causes that are adequately supported to produce sound evidence;
- setting up communication between supported initiatives, and between these and the wider community of interest — this will lead to adoption of promising practice and development of skills and knowledge; and
- providing adequate training for project managers and staff on an ongoing basis, possibly through the use of problem-solving methods and rewarding this training with fully-accredited qualifications.

### **Factors that impede success**

Analysis of this project has identified factors that reduce the likelihood of a project being accepted or being successful. Table 20 provides a summary of the main points raised during interviews. More detail can be found in Volume II.

• Table 20 Factors consistently identified as impeding the success of projects

Lack of funding	The critical level of funding for a sufficient period is often not available. Evaluation and intervention budgets compete with each other. Funding periods are short and do not take into account the time needed to generate and lock in change.
Distance	The tyranny of distance in less densely-populated areas is often underestimated. Consulting and working over a wide area is often necessary, but is very expensive.
Organisational issues	Lack of organisational coherence, dominance of some families within key organisations and within communities, and personnel problems were identified by the minority of informants for this study. Some other interviewees did not want to provide information on these issues.
Problems with multiple projects in one community	The large number of specific and focused projects operating in communities at any one time can lead to competing interests and inhibit the communities' ability to work coherently towards addressing their problems. In addition the complexity of managing resources from different agencies tied to a specific purpose but delivered through a multifaceted, coordinated project can result in project failure.
Inability of projects to deal with the core issues	The view of many project workers is that the core issues of Aboriginal and Torres Strait Islander health and safety are not being addressed. They are only doing 'bandaid' work. The sheer scale of the problems of injury encountered in many Aboriginal and Torres Strait Islander communities made it difficult for project workers to see any improvement in the future.
Environment	Problems with availability and cost of food, lack of education for children, lack of employment and poor housing contribute directly to the rate of injury, but also erode the capacity of the community to invest in preventative activities.
No community involvement in political process.	Projects that are established as a good idea by a small group but which do not adequately consult with the community leadership and community members are most likely to fail.
Lack of commitment to change e.g. from Government and service organisations	Changing government priorities, managers and personnel leave community members confused and disillusioned.

Government directly or indirectly funds the vast majority of the projects identified. The inadequacy and short-term nature of funding is a serious problem for many community-based projects, and many projects fail because of problems at the local organisational level. At the same time, numerous reports and recommendations have emphasised the importance of community control, community acceptability and ongoing community involvement as key factors in any Aboriginal and Torres Strait Islander community project. The solution will not be to abandon a commitment to community involvement, but rather to assist communities to develop by supporting communication and organisational infrastructure necessary for project success, to support existing work where achievements are being made, and to recognise and address the issues of environment, nutrition, education, employment and housing underlying all aspects of the health and wellbeing of Aboriginal and Torres Strait Islander communities.

## Gaps and barriers

### Data

The level of detail and accuracy of available data is not adequate to permit high standard priority setting or the outcome evaluation of prevention programs. Under-identification of Aboriginal and Torres Strait Islander status in both numerator and denominator has been identified. It is not possible to produce reliable time series data. The structure and coding of data means that mass data must be supplemented with more detailed studies and in-depth research if systematic and effective prevention strategies are to be identified and evaluated.

## **Viable terminology**

### **Limitations of International classifications**

International data classifications are born out of the western medical tradition. The original focus on the physical nature of injury has been supplemented by the addition of external cause classifications that have been improved and better conceptualised over International Classification of Diseases (ICD) editions 8, 9 and 10. The underlying model behind these classifications still focuses on the damage done and the proximate cause. While attempts to broaden this have been made by including the place of occurrence and activity information in ICD-10, these are still poorly recorded and use of the data is difficult (Harrison et al., 2001).

The causal chain of injury is multifaceted. Routine mass surveillance systems based on current international systems can only provide a brief and disjointed view of these chains. Harrison et al (2001:70) point out that:

The literature indicates that injuries and their prevention in Australian Indigenous communities tend largely to be seen in terms of a series of discrete issues (alcohol and injury, road injury, etc.). An ‘injury prevention’ perspective in which commonality is seen between a range of ‘external causes’ exists, but is not widespread. Among these discrete topics, the greatest level of attention has been given to alcohol and its effects. While topic-specific approaches are useful, it may be that gains might be made by also considering risk factors and outcomes more broadly. It appears likely that the possible benefits of an injury prevention approach, targeting a broader range of risk factors and outcomes, have not yet been considered by many Aboriginal and Torres Strait Islander communities.

New terminologies and data definitions are therefore required to provide a sound basis for Aboriginal and Torres Strait Islander Injury prevention.

### **Lack of clear understanding of Aboriginal and Torres Strait Islander concepts of injury**

Aboriginal and Torres Strait Islander views of health are holistic. They focus on total process and are less likely to segment issues. Recent work in developing an Aboriginal Injury Prevention Strategy for New South Wales has found the western medical construction of injury and injury prevention to be problematic.<sup>5</sup> ‘Injury’ is not a concept that brings about a consistent and well-defined response (Streeter et al., 2003). The focus ranges from ‘cuts, bruises and fractures’ through ‘car crashes, punch-ups and poisoning’ to a focus on the injury suffered by Aboriginal people as a result of cultural and social dislocation.

The concept of safety, on the other hand, generates a clear and consistent although broad response, and has led the draft strategy to focus on the ‘right to be safe’ and ‘the responsibility to promote the safety of others’ (NSW Health, 2003: 5).

---

<sup>5</sup> Information obtained during consultations in Dubbo, Shoalhaven, Mid North Coast and Western Sydney areas involving Aboriginal health workers and administrators.

NSW state safety policy consultations, more detailed work undertaken in Western Sydney by the Western Sydney Area Health Service<sup>6</sup> and telephone discussions with project staff on the Tangentyere project in the Northern Territory make it clear that there is a need for projects that deal with injury and safety to actively address issues of inequality, alienation and the trans-generational effects of European settlement. Nevertheless, there is wide agreement that focusing specifically on reducing the impacts of injury in ways that bring about measurable benefits to Aboriginal and Torres Strait Islander people is also essential.

### **The need to develop a working definition for future activities**

By shifting the debate to a positive focus without the difficulty of having a health-based concept of physical injury as the core focus, the use of ‘safety promotion’ is likely to facilitate:

- use of techniques of management and implementation that demonstrate respect for Aboriginal and Torres Strait Islander people and their culture and deal positively and creatively with the long term hurt and injury that underlies the current high injury rates;
- setting of priorities according to the identified needs of Aboriginal and Torres Strait Islander people;
- work on mixes of issues that reinforce the development of increased capacity for safety utilising the most relevant local, regional and cultural structures; and
- increased preparedness to work across sectors and problem types including breaking down the delineation between intentional and unintentional injury.

### **Priority setting and intervention planning**

There is no systematic way of setting injury prevention and safety promotion priorities that meet the needs of the wide range of Aboriginal and Torres Strait Islander people across Australia. Interventions are often chosen because national or State/Territory funding is available rather than because they have been identified as the most important next step for the health of the community. Shannon et al. (2001a) warned that interventions are often not transferable from one setting to another, yet there is no systematic means of assessing which interventions are most likely to work or what combination of approaches will create a sustainable injury prevention or safety promotion program.

### **Evidence of effectiveness**

Few if any of the initiatives identified by this project have been evaluated to a level that constitutes a formal evidence base. Recommendations about strategies to be used in the future therefore cannot be based on scientific evidence or cost-effectiveness estimates related specifically to Aboriginal and Torres Strait Islander populations.

### **Intersectoral cooperation**

Despite the size and spread of safety problems for Aboriginal and Torres Strait Islander people, responses have been limited, poorly coordinated and far too short-term to produce measurable changes, or even to be confident about the evidence of effectiveness of interventions.

---

<sup>6</sup> A report on this work is under preparation and should be approved early in 2003.

The recent South Australian Coronial Inquest into Petrol Sniffing illustrates this sharply with respect to just one issue in the Anangu Pitjantjatjara lands (far northern South Australia). The inquiry brought together three cases of death from the acute effects of petrol sniffing (acute poisoning and chemical burns), and explored the broader issues of cause and chronic effects. The SA Coroner made the following recommendations:

1. That Commonwealth, State and Territory Governments recognise that petrol sniffing poses an urgent threat to the very substance of the Anangu communities on the Anangu Pitjantjatjara Lands. It threatens not only death and serious and permanent disability, but also the peace, order and security of communities, cultural and family structures, education, health and community development.
2. Socioeconomic factors such as poverty, hunger, illness, lack of education, unemployment, boredom, and general feelings of hopelessness must be addressed, as they provide the environment in which substance abuse will be resorted to, and any rehabilitation measures will be ineffective if the person returns to live in such conditions after treatment.
3. The fact that the wider Australian community has a responsibility to assist Anangu to address the problem of petrol sniffing, which has no precedent in traditional culture, is clear. Governments should not approach the task on the basis that the solutions must come from Anangu communities alone.
4. The Commonwealth Government, through the Central Australian Cross Border Reference Group, and the South Australian Government, through the Anangu Pitjantjatjara Lands Inter-Governmental Inter-Agency Collaboration Committee, should accelerate their efforts to find solutions to these issues and get beyond the 'information gathering' phase forthwith. They should use the extensive knowledge, published material and professional expertise that is already available.
5. It is particularly important that Inter-Governmental coordination of approach be a high priority in order to avoid the fragmentation of effort and confusion and alienation of service-providers which are features of current service delivery to Anangu communities.
6. Commonwealth and State Governments should establish a presence in the region, if not on the Anangu Pitjantjatjara Lands then at least in Alice Springs, of senior, trusted officials, in order to develop local knowledge, personal relationships with service providers and receivers, and some expertise and experience in cross-cultural issues, rather than relying on infrequent meetings with ever-changing officials in order to communicate with Anangu. Such officials should be invested with sufficient authority to manage and assess programs on an ongoing basis, so that service providers can have a line of communication with the funding body, and some certainty as to future arrangements.
7. Many of the strategies for combating petrol sniffing which have been tried in the past should not be discarded simply because they failed to achieve permanent improvements. Some of them might be regarded as having been successful for as long as they were extant. For any strategy to be successful will require broad Anangu support. Most strategies will fail unless they are supported by others as part of a multi-faceted approach. Strategies should be aimed at primary, secondary and tertiary levels, as I have outlined in these findings.

These findings refer to just one issue and one small region of Australia but show how policy and service delivery fragmentation can become entrenched. It is unlikely that this issue is confined to one problem or one geographic area. In each of the areas studied in detail so far (Gladman et al., 1997; Royal & Westley-Wise, 2001; Heslop, 2002; and Streeter et al., 2003) concerns about intersectoral and inter-governmental fragmentation have been raised to some degree.

The great diversity of injury — including, as it does, unintentional injuries, violence (both self-directed and interpersonal), and many settings and causes such as those related to work and road use — presents a complexity that requires a coordinated, holistic approach.

The case for such an approach in the area of violence has been made strongly by the World Health Organization (WHO) in what it calls a ‘public health’ approach (Krug, Dahlberg, Mercy, Zwi, & Lozano, 2002):

everything — from identifying the problem and its causes, to planning, testing and evaluating responses — must be based on sound research and informed by the best evidence.

Importantly, this approach (which is relevant to all injury, not just violence) is multidisciplinary, involving partnerships between a wide range of people and organisations, and making use of ‘a wide range of professional expertise, from medicine, epidemiology and psychology to sociology, criminology, education and economics’ (Krug et al., 2002). But the partnerships need to be more than just between individuals and organisations: there is a need also to ensure that all the relevant sectors are involved — justice, transportation, labour, education and social services, for example, as well as the health sector.

Measured against the goal of multiple partnerships — between individuals and organisations, between disciplines, and between sectors — much progress is required in Australia, particularly in regard to intersectoral collaboration. This is clearly evident from the relatively uncoordinated initiatives in the areas of community and family violence, and, to a lesser extent, road injuries.


The need for a holistic approach to injury among Aboriginal and Torres Strait Islander people is so great that, as well as considering Australian models, lessons should be drawn from the WHO violence report and from the history of injury prevention developments in the United States. The health sector in the US has been deeply involved in road injury prevention for many years in partnership with the National Highway Traffic Safety Authority, and in violence prevention for around 20 years. The importance of collaboration between the health and other relevant sectors is recognised in a number of recent national reviews in the US, including: injury generally (Reiss Jr & Roth, 1993); violence against women (Crowell & Burgess, 1996); and suicide prevention (Goldsmith, Pellmar, Kleinman, & Bunney, 2002).

Recognising the fact that injury is such an important contributor to the overall health burden experienced by Aboriginal and Torres Strait Islander people — and the great costs to the health sector of treating injuries to Aboriginal and Torres Strait Islander people — it is important that the health sector takes a leadership role in the development of a coordinated, holistic approach. As part of the health sector’s leadership role, it needs to ensure that ATSIIPAC’s agenda reaches AHMAC and AHMC.


- Figure 10 Map of the local safety promotion strategy, showing roles of local communities and the Aboriginal Safety Unit

## Aboriginal Health Local Safety Promotion

### Local Safety Group Functions



### Aboriginal Safety Unit Functions



Source: NSW Health 2003 :7

In addition clear support structures are needed for injury prevention and safety promotion strategies. This has been recognised within the Aboriginal Health Strategy in NSW (NSW Health, 2003) and progress is being made towards developing a state-wide Aboriginal Safety Promotion Strategy. The core of this initiative is a central support unit for the development of locally initiated multi-issue programs and the development of accredited training in safety promotion and injury prevention. The local program structure is shown below along with the relationships to, and functions of, the support unit, which will be similar to those already planned for Shoalhaven and the Mid North Coast (see Figure 10). The strategy also defines NSW health sector support for a whole-of-government approach to Aboriginal safety.

Complementary national approaches are needed to generate coordination between sectors according to local priorities.

## Health sector orientations and staff training

The health sector is primarily oriented towards the treatment and prevention of acute and chronic disease. Injury prevention, despite being named as a national health priority area, has struggled to generate sustainable commitment from national and State/Territory governments. Aboriginal and Torres Strait Islander health priorities have centred around infectious disease control, nutrition, cardiovascular disease and diabetes and more recently mental health. There are few staff with specific training in injury prevention, the use of injury data and injury program evaluation. There are few managers and team leaders with specific knowledge of injury issues, and the development and management of the sort of multi-sectoral programs that will form the basis of prevention. At the policy level, the orientation is around the mainstream activities of health service provision and disease prevention and it is difficult to get injury considered as an issue except as a sub-issue in other mainstream projects like alcohol and drug policy and mental health.

## Workplace safety

There are no reliable data on the injury of Aboriginal and Torres Strait Islander people at work. Worksafe Australia announced a research project, heralding some research into this area. (National Occupational Health and Safety Commission Press release August 28<sup>th</sup> 2003), The leader of the research gave a clear assessment of the problem:

Dr Mayhew describes the OHS status of Aboriginal and Torres Strait Islander workers as a neglected area of research.

"They are vulnerable to occupational injury and illness because of their race, and labour market position. And English may not be their first language," she says.

Dr Mayhew's pilot study will examine exposures to dangerous tasks, hazardous substances, patterns of work-related injury and illness, the provision of OHS information, and injury-reporting trends in Queensland.

"People in this position traditionally have weak bargaining power and either through coercion or choice do not report workplace injuries or illnesses," she says.

"Among reasons are a fear of losing their often hard-won — and, particularly, in remote areas — scarce jobs."

Dr Mayhew adds she has first-hand reports of "some horrendous stories" of what workers of Aboriginal and Torres Strait descent told her in earlier research into occupational injuries and illness patterns. This prompted her to undertake a comprehensive look at these problems and assess causes.

She suspects anecdotal evidence will be substantiated by the research.

"At present, no-one knows what the patterns of work-related injury and disease are for Aboriginal and Torres Strait Islander workers," Dr Mayhew comments.

Those most vulnerable were in remote areas, getting older, with less formal skills — and restricted alternative options for employment.



Spicer's (1997) review of CDEP schemes, a major employer of Aboriginal people, argued that a priority for ATSIC in managing the schemes should be:

'Providing funding to meet the costs associated with work activities including wages, materials and equipment and ensuring a healthy and safe working environment.'

The Cape York study (Gladman et al., 1997) noted problems with safety and Workers Compensation in local CDEP schemes and noted that under-reporting of injury was occurring due to the desire by local CDEP schemes to benefit from large no-claim bonuses (p74).

### **Men's programs**

While injuries to Aboriginal and Torres Strait Islander men are frequent, relatively few initiatives focus on men's safety. Local community studies (Gladman et al., 1997; Heslop & MNCAHP 2001; and Streeter et al., 2003) have all expressed concern of the under-attendance of men for treatment and the acceptance of injury from violence to men as the norm. The focus on domestic violence to women, without counterbalancing attention to violence among men and less often by women against men, tends to place men solely in the role of perpetrator. There is a need to address this. Aboriginal and Torres Strait islander men are less likely to be employed than women. If they are employed it is likely to be in high-risk jobs. They also have high rates of imprisonment, a situation where violence levels are high. Males are frequently exposed to the contributing factors for high rates of violence, accidental injury and self-harm — and programs are needed to address this.

## Directions for the future

### The importance of an Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan

The need for a National Aboriginal and Torres Strait Islander Injury Prevention Plan has been identified by ATSIIPAC. This report has described three aspects that underlie this need.

#### Different needs

This project's analysis, and associated literature and project reviews have demonstrated that the safety promotion and injury prevention needs of Aboriginal and Torres Strait Islander people have a pattern that is shaped by their cultural disruption, environments and lifestyles. The causal chain leading to increased injury and diminished safety among Aboriginal and Torres Strait Islander people differs significantly from non-Indigenous patterns.

#### Different environments

Risks occur in different ways and at different ages. Possibilities for interventions are culturally determined. Specific interventions that are relevant to the local cultural, social and physical environment are therefore needed to address Aboriginal and Torres Strait Islander safety issues.

#### Different networks

It is also clear that initiatives are more likely to succeed when they are conceptualised and driven by Aboriginal and Torres Strait Islander people supported by a wider range of information, resources and expertise. The networks by which information is passed and trust gained are an important part of Aboriginal and Torres Strait Islander societies, and these need to be respected and supported.

A National Aboriginal and Torres Strait Islander Injury Prevention Plan needs to be built around a firm understanding of these issues and focus on the effective linkage of the wide range of initiatives, the strong Aboriginal and Torres Strait Islander networks and national health infrastructure.

- **Recommendation 1:** That a National Aboriginal and Torres Strait Islander Injury Prevention Plan be developed within the health sector and fully encompass the varying needs of Aboriginal and Torres Strait Islander people living in all parts of Australia, according to their needs and environments, with respect and in partnership with Aboriginal and Torres Strait Islander networks and cultures.

### Specific Actions required

#### Develop the role of Aboriginal and Torres Strait Islander people and their organisations

The reports of existing initiatives, the interviews and the literature show that Aboriginal and Torres Strait Islander people seek to develop and implement safety initiatives in partnership with agencies, organisations and people that can make a difference. They seek the right to be safe and have stated a willingness to be responsible for contributing to the safety of others (NSW Health 2003).

Aboriginal and Torres Strait Islander people have expressed — through the Canberra Declaration, in policy consultations in NSW and during interviews for this report — the desire to develop safety promotion and injury prevention programs that dovetail with the many other tasks and priorities that face Aboriginal and Torres Strait Islander society. It is important that safety and injury initiatives are part of an overall program to increase Aboriginal and Torres Strait Islander health and wellbeing.

NACCHO's 1998 submission to NIPAC argued that:

'The emphasis on coordinating injury prevention should focus on supporting preventive primary health care activity, healthy public policy, and community and professional education and community action. These approaches are best integrated within existing holistic community-based services and Aboriginal community-controlled health structures which coordinate health activity'.

Our analysis supports this but suggests that future strategies for injury prevention and safety promotion should not just reside in the health sector. There is a need for wide involvement of Aboriginal and Torres Strait Islander people, and their organisations and agencies in all relevant sectors, in future planning.

Future priorities for action should be set by Aboriginal and Torres Strait Islander people in partnership with others who have complementary skills in using data and in safety promotion and injury prevention. It is not appropriate to set uniform national priority areas defined by cause or target group. It is more appropriate to provide information to Aboriginal and Torres Strait Islander people about the issues and provide support for them to set priorities according to what is possible and in line with overall priorities for health and wellbeing.

- **Recommendation 2:** That the evidence of injury and safety issues and the possibilities for prevention be placed before Aboriginal and Torres Strait Islander people in their chosen forums and that priorities for action should flow from the decisions made by these forums at the national, state, regional and local levels.

The analysis of Aboriginal and Torres Strait Islander demography earlier in this paper showed a that a large proportion of the Aboriginal and Torres Strait Islander population is young. It also showed the diversity of lifestyle and communities. An injury prevention and safety promotion plan will need to be responsive to this.

- **Recommendation 3:** That injury prevention and safety strategies explore the potential for working with the large group of younger people in Aboriginal and Torres Strait Islander society through educational activities.
- **Recommendation 4:** That injury prevention and safety promotion projects be tailored to the specific need of communities in line with their demography, lifestyle and environmental conditions.

## Specific actions required

### Develop and adopt a model for action with a sound theoretical base

The projects examined during this project are built on a number of theoretical models. These come from the core disciplines involved, and the policy and strategic framework of the wide range of departments and organisations involved. For the health sector to make an additional but unique contribution, its Aboriginal and Torres Strait Islander initiatives must also be built around a coherent theoretical model and this model shared with the full range of disciplines and sectors.

There is a need to present clearly a theoretical model that builds Aboriginal and Torres Strait Islander understandings of health and culture: on the public and population health and health promotion models, and on the theoretical underpinnings of injury prevention as they add to these. This will be a key task in the development and dissemination of an Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan. It is likely to contribute considerably to the development of effective linkages across the wide range of issues, places and peoples that must be served.

- **Recommendation 5:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan should be built around a clearly defined and explained public health model in order to complement the models used by other sectors in dealing with related issues.

### **Develop the National Aboriginal and Torres Strait Islander Injury Prevention Plan as an Indigenous Safety Promotion initiative**

From the complex set of ideas developed in this paper, the following is a brief blueprint for an Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan:

- build capacity and commitment to action through increasing knowledge of safety and the effectiveness of injury prevention, and of the skills for prevention in both the Aboriginal and Torres Strait Islander and non-Indigenous communities;
- encourage the setting of safety promotion and injury prevention priorities by Aboriginal and Torres Strait Islander leaders;
- support interventions targeted in three ways:
  - single issues;
  - small numbers of related issues with close links where more than one sector is involved; and
  - multi-issue projects and programs covering the broad spectrum of safety and injury;
- provide sufficient resources to make a difference and to build an evidence base;
- develop an accredited training scheme in safety promotion and injury prevention;
- support interventions that have a mix of environmental and behavioural interventions, and which provide a good example of dealing proactively with the underlying alienation and disadvantage of Aboriginal and Torres Strait Islander people;
- focus on improving surveillance systems and supplementing them with detailed qualitative data in areas where interventions are supported; and
- develop a knowledge base to promote active sharing among those who choose to work in this field.

- **Recommendation 6:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan lead to a set of concrete interventions based on sound information use, a wide mix of intervention types, high quality training and full partnership between Aboriginal and Torres Strait Islander people and other Australians.

### **Build a foundation of information and knowledge**

Effective and efficient Aboriginal and Torres Strait Islander injury prevention and safety promotion initiatives will need a comprehensive knowledge base. This would include the development of adequate data, sound qualitative and quantitative research and excellent sharing of information about existing programs and projects, particularly examples of ‘best practice’.

Our literature summary shows that, as with other areas in Aboriginal and Torres Strait Islander health, current data sources are generally inadequate for: assessment of trends; identification and quantification of most risk factors; evaluation of the efficacy and other properties of most interventions; and assessment and monitoring of the extent and distribution of these interventions.

It is beyond the scope of this report to make specific recommendations about national health data systems. This has already been done by Harrison et al (2001) and the National Health Data Management Committee through the Australian Health Ministers' Advisory Council.

This analysis suggests that, from the point of view of planning, initiating and evaluating safety initiatives, it is important to improve:

- identification of Aboriginal and Torres Strait Islander status;
- accurate identification of the contribution of violence to ATSI mortality and morbidity;
- our understanding of the biases in incidence estimates caused by different access to and use of treatment services; and
- the use of data from other sectors.

The local surveillance and prevention initiatives in NSW have shown that a focus on safety and injury prevention provides incentives for implementing better coding procedures (Royal & Westley-Wise, 2001; Heslop, 2002). These projects also show that the use of multiple local data sources and short-term data collection can improve the usefulness of mass data at the local and regional level.

The currently available data on Aboriginal and Torres Strait Islander injury and safety are not adequate to allow systematic setting of priorities. Trend data are not measured accurately enough to facilitate the measurement of the effect of interventions.

- **Recommendation 7:** That urgent attention be paid to developing information collections that provide adequate trend data on incidence, clear evidence on causes and accurate region by region comparisons — in particular, the feasibility of a high quality longitudinal cohort study of Aboriginal and Torres Strait Islander people be assessed with a view to better understanding the causal factors and the lifecycle impacts of injury and disease, and a wide range of contributing factors.
- **Recommendation 8:** That full recognition be given in the National Aboriginal and Torres Strait Islander Injury Prevention Plan to the value of both qualitative and quantitative research paradigms and the development of evidence which is useful for the decisions that must be made at all levels — from local priority-setting to government policy.

The introduction of a sustainable National Aboriginal and Torres Strait Islander Injury Prevention Plan has the potential to provide greater impetus to the technical improvements being planned for the hospital in-patient and deaths collections. Commitment to data quality is higher when the data are being used effectively in determining actions close to the level of data provision.

Harrison et al (2001) commented also on the difficulty in identifying local injury programs and projects. This difficulty was experienced also by this project, as information about the majority of programs and projects does not make its way into the academic literature. As noted in this project's literature summary, full documentation of programs and projects that address injury among Aboriginal and Torres Strait Islander people needs to go far beyond the literature easily accessible from the routine literature searches. There is a real need to identify, collect and make accessible the informal literature from all relevant networks.

Addressing the need to share information about local injury programs and projects, Harrison et al (2001) noted that the Australian Indigenous Health *InfoNet* could ‘facilitate identification and documentation of these types of activity’. That report identified the Health *InfoNet* also as a means of conveying ‘information effectively to particular audiences, particularly including information users in Indigenous communities’.

Harrison et al identified also the need for attention to be given to encourage ‘the spread of ‘good practice’ for injury prevention in Indigenous communities’. The Health *InfoNet* is already facilitating the active sharing of this type of information in some areas, and could well extend its work to include safety promotion and injury prevention.

As well as sharing information about local injury programs and projects, Aboriginal and Torres Strait Islander safety promotion and injury prevention would benefit by better access to the general evidence base relating to injury prevention. Such a component could be included as a part of a comprehensive knowledge base for Aboriginal and Torres Strait Islander safety promotion and injury prevention.

An extensive literature is developing around knowledge management and ‘communities of practice’ (CoP). Much of this has been in the business sector, but the lessons are applicable to the health sector, including the field of safety promotion and injury prevention. As well as its work on ‘good practice’, the Health *InfoNet* has also developed, for the Intergovernmental Committee on Injecting Drug Use and Blood-borne Viruses among Indigenous People, a prototype for a CoP in that area. It is possible that a similar approach could be used for an Aboriginal and Torres Strait Islander safety promotion and injury prevention CoP.

- **Recommendation 9:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan include a comprehensive Plan be developed to facilitate the generation, systematic collection and dissemination of knowledge about programs, projects and activities that can enhance the effectiveness, efficiency and coverage of Aboriginal and Torres Strait Islander safety promotion.
- **Recommendation 10:** that intervention strategies utilise available data from a range of sectors, supplementing it with short-term studies, for setting of priorities and assessment of impact — the results of this process should be used to promote higher standards of health data collection.

### **Develop a workforce**

In interviews conducted by Dr Clapham and detailed discussions held during the consultations for the NSW Aboriginal Injury Prevention and Safety Promotion Strategy developments<sup>7</sup>, a very strong plea was made by Aboriginal and Torres Strait Islander Health Workers that they not be asked to add another issue to their already crowded schedule without proper training and recognition. This requires both training of Aboriginal and Torres Strait Islander people in injury prevention and safety promotion, and training of other workers with expertise in these areas to work effectively in Aboriginal and Torres Strait Islander cultures and settings.

---

<sup>7</sup> Jerry Moller was present at all of these meetings and this finding was confirmed by participants in meeting notes provided to them as feedback of the consultations.

The public health model will form a sound basis for safety promotion and injury prevention, but there is a range of skills and knowledge that is needed among public health practitioners if they are to succeed in this area. The multi-sectoral nature of safety, the need for engineering and system knowledge in order to read the research, the broader legal and liability frameworks, and an understanding of the operational styles of the wide range of professions and organisations that need to be brought together — all require that specialist knowledge and skills must be taught and developed.

There is a shortage of positions and personnel with the safety promotion and injury prevention skills needed overall (Human Capital Alliance, 2002:70–72). Therefore, it is not likely to be easy to find a non-Indigenous workforce with both the necessary technical skills, and the training and orientation to work as partners with Aboriginal and Torres Strait Islander people.

A National Aboriginal and Torres Strait Islander Injury Prevention Plan will require a suitable work force. Table 16 shows that the entire Aboriginal and Torres Strait Islander workforce in Australia numbers are only slightly over 100,000. Of these less than 12,000 work in health and community services. The recent AIHW review on Aboriginal and Torres Strait Islander health (Aboriginal and Torres Strait Islander Health and Welfare Information Unit, 1997) details the size and complexity of Aboriginal and Torres Strait Islander health issues, suggesting that those who are working in core fields are already fully occupied. During consultations for this report it became clear that, while there is great support for safety promotion initiatives, there is a matching concern about how far the current skill pool can be stretched.

• Table 16 The Australian Aboriginal and Torres Strait Islander Workforce 2001

	Employed persons		
	INDIGENOUS		
	<i>Males</i>	<i>Females</i>	<i>Persons</i>
Health and Community Services:			
Health and Community Services, Undefined	288	571	859
Health Services	1,416	4,098	5,514
Community Services	1,707	3,625	5,332
<i>Total</i>	<i>3,411</i>	<i>8,294</i>	<i>11,705</i>
<b>Total ATSI in workforce</b>	<b>54,750</b>	<b>45,643</b>	<b>100,393</b>

Source: Australian Bureau of Statistics 2003

The entire safety promotion and injury prevention workforce does not need to be Indigenous. Our review of projects shows that partnerships between Indigenous and non-Indigenous workers have been identified as useful, if not essential, by many of the projects.

It should not be assumed that a person with public health or health promotion training can successfully design, develop and implement safety promotion or injury prevention initiatives. Effective safety program development requires a critical mass of technical knowledge in each project.

Training programs therefore will be necessary as part of any Aboriginal safety promotion initiative. The NSW Aboriginal Safety Strategy has recognised this need and included training and capacity-building as a core element of its local program approach. It should be noted however that during consultations, there was considerable concern among Aboriginal people that training and qualifications need to be properly recognised and transferable with the Australian workforce.

The AHMAC Aboriginal and Torres Strait Islander Health Workforce National Strategic Framework recognises the importance of structured training for Aboriginal Health Workers. It authorised the Commonwealth to commence negotiations on the development of national competency standards and qualifications for Aboriginal Health Workers, with a focus on portability and safety of work. To ensure that nationally recognised training is put in place, future training will be conducted through the National Industry Training Packages.

National Industry Training Packages set out national competency, assessment and qualifications that apply to areas of work within an industry such as the Aboriginal and Torres Strait Islander health sector. They provide an accurate map of the functions of job roles in all states and territories covered by the national qualifications. A National Industry Training Package will usually have the following features: including different qualification levels to reflect different work levels; compulsory units of competency for different work levels; and flexibility built into the qualifications structure to take account of differences between jobs. The quality of training is achieved by assessing all candidates against the standards set out in the training package.

While it is unclear at this point in time how the safety promotion and injury prevention sector will be incorporated into a National Industry Training Package, inclusion will assist in providing a framework for the development of Aboriginal and Torres Strait Islander safety promotion and injury prevention competencies and training pathways. It will also be important that any future initiative in the safety promotion and injury prevention area is closely linked to other forms of Aboriginal and Torres Strait Islander health work training. This will ensure consistency and portability, both geographically and across qualifications.

- **Recommendation 11:** That any future Indigenous Health Training Package include competencies and qualifications on safety promotion and injury prevention.
- **Recommendation 12:** That the issue of Aboriginal injury and safety should be included in population and public health courses and in the training of non-Aboriginal and Torres Strait Islander health service staff at university, TAFE and in professional development.

### **Identify and allocate resources**

Short-term demonstration or pilot project funding is not recommended. Most of the projects reviewed receive relatively short-term funding (less than three years) and are badly affected by the need to continually seek top-up or continuation funding.

Several high-level reviews (see for example, Fitzgerald, 2001) remarked on the lack of coordination and the short-term nature of the programs that deal with Aboriginal and Torres Strait Islander issues. Consultations with Aboriginal and Torres Strait Islander people for this report show that short-term interventions do little to create sustainable change (see Volume II: Programs, Projects and Actions). It is likely that longer-term, high quality initiatives in fewer places will provide the foundation of knowledge, skill and commitment needed to achieve significant injury reductions.



Projects such as those at Yarrabah (reviewed in Volume II), which has tackled difficult issues relating to self-harm and violence as well as other injury issues using a community development approach over more than seven years, have taken many years to generate a skill base and an accepted and effective way of dealing with changing issues. It is insufficient to focus on capacity-building in the short term and to expect change to occur. Longer-term projects with good evaluation and which have adequate resources are the preferred approach.

This analysis has shown that there are major differences in the mix of issues between states and regions and between local communities. It is important therefore to select intervention points strategically with a view to demonstrating the options and providing an evidence base in the longer term. The analysis shows that there are many possible priority areas that can be defined by state, region, injury cause, target group and even by immediately-accessible, opportune circumstances. The choice of the mix of strategies should rest with Aboriginal and Torres Strait Islander leaders, based on the information provided here, and with the assurance that what is started will be finished and the lessons learned will be shared.

- **Recommendation 13:** That Aboriginal and Torres Strait Islander leaders advise the Commonwealth on priorities for safety promotion and the mix of initiatives that they believe can be supported effectively.
- **Recommendation 14:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan initiatives should have a long-term approach and receive resources sufficient to produce high-quality outcomes and sound evaluations, and facilitate wide sharing of information about processes and outcomes.

#### **Initiate a series of safety promotion strategies**

The literature review and consultations have indicated that an injury prevention and safety Promotion Plan should use approaches that:

- are likely to lead to commitment to safety issues by Aboriginal and Torres Strait Islander people;
- are based on methods of managing and implementing programs that have resulted in stable long-term commitments;
- identify and change risk factors; and
- are based on sound safety promotion, injury prevention and public health principles.

In addition to these principles, there is a need to mix three different intervention classes according to the needs and opportunities available. The following section is derived from analysis of interview and case study data collected for this project. The tables below, (Table 20, Table 22 and Table 22) describes each strategy class, and details the criteria and essential conditions for its use.

• Table 21 Initiatives focusing on a single issue

<p><b>Description</b></p> <p>A single safety issue is chosen as a focus of attention without reference to wider issues or linking to other safety strategies</p>	<p><b>Examples</b></p> <p>Pedestrian safety</p> <p>Open vehicle safety</p> <p>Violence</p> <p>Housing safety</p> <p>Sports and leisure safety</p>
<p><b>Criteria for choosing this approach</b></p> <p><i>This approach will be chosen where:</i></p> <ul style="list-style-type: none"> <li>the safety issue can be clearly defined, and effective implementation does not require linkage to other issues;</li> <li>there is a specific opportunity for action; and</li> <li>other multi-issue initiatives are not in place or appropriate linkages cannot be made.</li> </ul>	<p><b>Essential conditions</b></p> <p>The issue is viewed by the relevant Aboriginal and Torres Strait Islander population(s) to be important, after the nature and scope of the issue has been defined and relevant information provided</p> <p>There is reasonable evidence that the intervention chosen is the most effective and efficient available, or such evidence will be generated during the implementation phase</p>

• Table 22 Initiatives developing a synergy between two or three issues

<p><b>Description</b></p> <p>A number of issues are targeted together. These issues may not all be directly related to safety — for example, diabetes management and fall injury among older people have common issues, and a linked intervention may be used.</p>	<p><b>Examples</b></p> <p>Alcohol and violence</p> <p>Poor literacy and road safety</p> <p>Multiple substance abuse (alcohol, illicit drugs, prescribed drugs)</p> <p>Family violence and unintentional injury to children</p> <p>Diabetes and fall injury</p>
<p><b>Criteria for choosing this approach</b></p> <p><i>This approach will be chosen where:</i></p> <ul style="list-style-type: none"> <li>the issues are closely linked;</li> <li>there are clear advantages in joining resources and operational models from multiple agencies, organisations and disciplines — advantages may include reduction of complexity of services and increased accessibility to Aboriginal and Torres Strait Islander people; multiplier effects of linked initiatives; or gains in efficiency resulting in better coverage and outcomes; and</li> <li>the value systems that form the basis of the interventions are compatible</li> </ul>	<p><b>Essential conditions</b></p> <p>The issue is viewed by the relevant Aboriginal and Torres Strait Islander population(s) to be important, after the nature and scope of the issue has been defined and relevant information provided</p> <p>Sufficient cohesion exists or can be generated</p> <p>A sense of relationship and obligation between both Indigenous and non-Indigenous workers associated with the program</p> <p>A sense of relationship and obligation between agencies and organisations from all relevant sectors at the local operational level</p> <p>A sustained and sustainable project</p>

• Table 23 Multi-issue initiatives

<p><b>Description</b></p> <p>Safety issues are often fruitfully dealt with together. Rather than a focus on one or two priority injuries or issues, programs that introduce the common principles of risk management and injury prevention can create a spectrum of effects. Equally, matters not usually seen as safety issues — especially those relating to health or reconciliation — can be accessed from a safety program, or may form a stepping-off point for dealing with safety issues.</p>	<p><b>Examples</b></p> <p>Generic local safety promotion/injury prevention programs</p> <p>Men’s programs</p> <p>Children’s safety programs</p>
<p><b>Criteria for choosing this approach</b></p> <p><i>This approach will be chosen where:</i></p> <ul style="list-style-type: none"> <li>• sufficient cohesion exists or can be generated between key individuals, communities and organisations; and</li> <li>• multiple safety issues are linked to common causes, risk factors or processes within the field of operation</li> </ul>	<p><b>Essential conditions</b></p> <p>Willingness to address underlying issues — each program must be accompanied by strategies to address socioeconomic issues such as poverty, hunger, health, education and employment</p> <p>A high degree of community support</p> <p>Operational level priority setting</p> <p>A sense of relationship and obligation between both Indigenous and non-Indigenous workers associated with the program</p> <p>A sense of relationship and obligation between agencies and organisations from all relevant sectors at the local operational level</p> <p>A sustained and sustainable project</p> <p>Support for multiple methods of intervention, e.g. education, environmental change, legislation and regulation</p>

The interventions should build on the principles and methods that have been shown to increase success (see Volume II for details). These include:

- adequate funding and resources;
- community control/respect for community protocols;
- community acceptability and involvement;
- partnerships;
- a functioning organisation and good project management;
- skilled and committed personnel;
- understanding the underlying factors related to injury;
- good communication; and
- adequate training for project managers and staff on an ongoing basis.

- **Recommendation 15:** That the National Aboriginal and Torres Strait Islander Injury Prevention Plan utilise multiple approaches. A mix of single issue, two or three linked issues, and an overall safety approach will be required according to the needs and circumstances of the project and the partnerships possible with other sectors.
- **Recommendation 16:** That the Aboriginal and Torres Strait Islander Injury Prevention Action Committee assess the merit of changing the name 'National Aboriginal and Torres Strait Islander Injury Prevention Plan' to the 'Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan' — safety is a positive term well accepted by Aboriginal and Torres Strait Islander Australians and more inclusive of the partners from the many sectors that will be involved in the plan
- **Recommendation 17:** That the future work should operate as a full partnership with Aboriginal and Torres Strait Islander people from all sectors using identified leading edge practices.

## Work across sectors

### *Government*

The Australian Government Department of Health and Ageing carries responsibilities for the health of Aboriginal and Torres Strait Islander people at a national level. Injury is a priority health issue and there is clear evidence that Aboriginal and Torres Strait Islander people sustain higher injury rates than their non-Indigenous counterparts. However, injury occurs as a result of a complex set of causes, many of which are not directly under the influence of the health sector. The public health model recognises this, and proposes that interventions should involve a web of agencies, organisations and people that can make a difference in safety promotion and injury prevention programs.

Aboriginal and Torres Strait Islander injury and safety issues cannot be neatly defined along departmental or sectoral lines. Issues of Aboriginal and Torres Strait Islander safety involve accidental injury prevention (the province of population health and a range of other sectors), self-harm (which, for the general population, has been defined as a mental health issue) and violence (which is seen as a mental health issue, with strong leadership taken by the Attorney General's department, the police and welfare sectors).

Whole-of-government approaches can operate at many levels — from top level, cabinet-led strategies to local intersectoral partnerships.

This presents a challenge for this report, which is a report for the Population Health Division of the Australian Government Department of Health and Ageing on behalf of ATSIIPAC and the National Public Health Partnership and the Australian Health Ministers Advisory Committee. It is a challenge that is echoed even more urgently among Aboriginal and Torres Strait Islander people. A small number of people, with diverse lifestyles, spread across a large country face dealing with the plethora of interests and departments and infrastructures that are duplicated at state level and often at local government level. In addition to dealing with the primary problem, they must also deal with a 'strife of interests'. The challenge for an injury prevention and safety strategy will be to create mechanisms that lead to positive change in the lives of Aboriginal and Torres Strait Islander people. This report can only identify the issue and make recommendations about how one part of the health sector can respond. The problem has been recognised by the Council of Australian Governments, and it is considering better methods of coordination and the simplification of relationships within multiple sectors.

The Australian Government Department of Health and Ageing has a clear mandate to work effectively with other Commonwealth, State/Territory and non-government sectors on the issue of safety promotion and injury prevention. It provides leadership by developing strategies to ensure that its own divisions can form effective and efficient partnerships when dealing with Aboriginal and Torres Strait Islander injury and safety issues. It is clear that Aboriginal and Torres Strait Islander people are not satisfied with a siloed approach to their wellbeing, and would appreciate a less complex and more cohesive approach to their needs.

With so many sectors, governments and agencies involved, it is hard to define the chain of responsibility. This has the danger of leading to a situation where no-one has the responsibility, or where the cost of determining responsibility cuts heavily into the delivery of much needed initiatives. The South Australian Coroner (2002) remarked critically on one example of the complexity of decision-making across the relevant sectors, its lack of timeliness and lack of capacity to deliver initiatives to Aboriginal and Torres Strait Islander people.

State and Territory governments have administrative and policy responsibilities for many of the major causes of injury. They deliver treatment and prevention services, and they develop the environments (physical and social) in which Aboriginal and Torres Strait Islander people live. State and Territory governments also influence the quality and range of responsibilities of local governments. State and Territory governments drive many of the interventions described in this paper, but it is clear that there is a need for greater coordination and cooperation between sectors and a clearer commitment to positive long-term outcomes.

Any Indigenous safety promotion and injury prevention initiative will require multi-sectoral cooperation at State/Territory level. The potential for local and regional levels of cooperation and partnership should be explored in parallel with higher-level agreements such as the Framework Agreements. Each will need to move at their own speed, and delaying one before commencing the other would result in unacceptable delays. On the other hand, parallel development will enrich actions and decisions at all levels.

Careful consideration must be given to the delegation of authority, moving decision-making closer to the point of delivery, and developing shared rather than multiple accountability mechanisms.

Making a difference is what is important. A National Aboriginal and Torres Strait Islander Injury Prevention Plan should:

- base initiatives on functional regions;
- develop a simple accountability mechanism that meets the needs of all participating and funding organisations;
- permit flexibility of arrangements in different places, but systematically implement accountability according to the pre-arranged terms for each project or program; and
- plan on at least a three-year basis, and base projects on agreements that require those who supply the funds to renegotiate and compensate projects for any change of direction that they require as a result of policy or personnel change.

Broad arrangements are needed at the State/Territory and national departmental level to remove as many as possible of the barriers to cross-jurisdictional and cross-departmental cooperation at the project level. Such arrangements should minimise the complexity and duplication of accountability mechanisms for the projects. This is currently being considered by COAG.

The health sector can make an immediate contribution to the process by considering ways in which cross-divisional and multi-state arrangements within the health sector can be developed to facilitate effective and efficient delivery of injury prevention and safety initiatives that make a difference for Aboriginal and Torres Strait Islander people. An example is cooperative funding, administrative and accountability mechanisms between population health, mental health and clinical services divisions in developing broad safety strategies for adolescent Aboriginal and Torres Strait Islander people in specific regions.

- **Recommendation 18:** That intersectoral and inter-divisional arrangements are developed at the geographical level at which initiatives are implemented (i.e., local partnerships or regional partnerships), are kept simple and are viewed as contributing to the understanding of developing higher order partnership models.

## **Workplace safety**

### *Utilise CDEP to promote safety*

In view of the lack of published data on Aboriginal and Torres Strait Islander work-related injury, and the evidence from the Census that many Aboriginal and Torres Strait Islander people work on high-risk tasks in high-risk industries, there is a need to improve our understanding of this issue. The Commonwealth through ATSIIC, operates CDEP schemes across Australia. Evidence from the NSW and Torres Strait injury surveillance and prevention studies (Gladman et al., 1997; Royal, 2000) suggests that safety promotion — including skills development, first aid training and occupational health and safety risk management — needs to be strengthened in these programs. Such action should not only better manage the risk of these programs but also provide important knowledge and skill bases among Aboriginal and Torres Strait Islander people, especially in rural and remote communities. These skills can contribute to effective injury prevention and safety promotion in all settings, not just the workplace.

- **Recommendation 19:** That the Australian Government Department of Health and Ageing and ATSIIPAC initiate discussions with the ATSIIC to ascertain how they manage occupational health and safety so as to determine the possibilities for increasing safety training and generic safety promotion among people who are employed by CDEP schemes including routine reporting of occupational injury among CDEP employees and trainees.
- **Recommendation 20:** That the Australian Government Department of Health and Ageing initiate discussions with the National Occupational Health and Safety Commission promote occupational health and safety data systems at the State/Territory and national levels that routinely report on injury among Aboriginal and Torres Strait Islander workers — these reports should provide rates per person hour worked so that comparisons may be made with other groups in the community.

## References

- Aboriginal and Torres Strait Islander Commission. (2003). *New ATSI Board takes lead on family violence*. Retrieved 4 April 2003 <[http://www.atsic.gov.au/news\\_room/media\\_releases/Default.asp?id=2632](http://www.atsic.gov.au/news_room/media_releases/Default.asp?id=2632)>.
- Aboriginal and Torres Strait Islander Health and Welfare Information Unit. (1997) *The Aboriginal and Torres Strait Islander information plan ... This time let's make it happen*. Canberra: AIHW and ABS.
- Advisory Committee on Population Health. (1999). *National Injury Prevention and Control Strategy: ACPH*. Canada: Health Canada.
- Apunipima Cape York Health Council. (2001). *Apunipima Cape York Council 2001 Annual Report*. Cairns: Apunipima Cape York Health Council.
- Ashwell, M., Pinder, T., & Thomson, N. (1996). *An overview of injury in Western Australia* (Occasional paper / 80). Perth: Epidemiology Branch, Health Information Centre & Injury Control Program, Public Health Service of the Health Department of Western Australia.
- Australian Bureau of Statistics. (1998). *Experimental projections of the Aboriginal and Torres Strait Islander Population June 1996 – June 2006*. Canberra: Australian Bureau of Statistics. ABS Catalogue 3231.0.
- Australian Bureau of Statistics. (1999). *Year Book Australia Special Article — Aboriginal and Torres Strait Islander Australians: A statistical profile from the 1996 Census*. Canberra: Australian Bureau of Statistics. ABS Catalogue No. 1301.0
- Australian Bureau of Statistics. (1999a). *National Health Survey: Aboriginal and Torres Strait Islander results* (Cat. no. 4806.0). Canberra: Australian Bureau of Statistics.
- Australian Bureau of Statistics. (2001). *National Health Survey: Aboriginal and Torres Strait Islander Results*. Canberra: Australian Bureau of Statistics. ABS Catalogue no. 4715.0
- Australian Bureau of Statistics. (2001a). *Census data*, Canberra: Australian Bureau of Statistics. ABS Catalogue no. 2002.0
- Australian Bureau of Statistics. (2002). *Deaths Australia, 2001* (Catalogue No. 3302.0 ). Canberra: Australian Bureau of Statistics.
- Australian Bureau of Statistics. (2002a). *Housing and infrastructure in Aboriginal and Torres Strait Islander Communities Australia 2001*. Canberra: Australian Bureau of Statistics. ABS Catalogue no. 4710.0
- Australian Bureau of Statistics. (2003). *Census of Population and Housing 2001 Electronic tables (IPP\_0)* Retrieved 20 December 2002, <<http://www.abs.gov.au>>.
- Australian Bureau of Statistics, & Australian Institute of Health and Welfare. (1999). *The health and welfare of Australia's Aboriginal and Torres Strait Islander peoples 1999* (ABS Catalogue No.4704.0, AIHW Catalogue No. IHW 3). Canberra: A joint program of the Australian Bureau of Statistics and the Australian Institute of Health and Welfare.
- Australian Bureau of Statistics, & Australian Institute of Health and Welfare. (2001). *The health and welfare of Australia's Aboriginal and Torres Strait Islander peoples 2001* (ABS Catalogue No.4704.0, AIHW Catalogue No. IHW 6). Canberra.
- Australian Institute of Health and Welfare. (2000). *Australia's health 2000. The seventh biennial health report of the Australian Institute of Health and Welfare* (AIHW Cat No. AUS-19). Canberra: Australian Institute of Health and Welfare.
- Australian Institute of Health and Welfare. (2002a). *Australian hospital statistics 2000–01* (Health Services Series AIHW cat. no. HSE 20). Canberra: Australian Institute of Health and Welfare.

- Australian Institute of Health and Welfare. (2002b). *Australia's health 2002. The eighth biennial report of the Australian Institute of Health and Welfare*. Canberra: Australian Institute of Health and Welfare.
- Australian National Audit Office. (1998). *The Aboriginal and Torres Strait Islander Health Program*. Department of Health and Aged Care (The Auditor-General Audit Report No. 13 Performance Audit). Canberra: Australian National Audit Office.
- Australian Transport Safety Bureau. (2001). *National Road Safety Strategy*. Australian Capital Territory: Commonwealth Department of Transport and Regional Services.
- Autosafe–Windscreens O'Brien. (1999). *Windscreens O'Brien Awards*. Retrieved 13 January 2003, <<http://www.autosafe.com.au/prevnom.cfm?cat=com&subcat=Remote%20Area%20Initiatives>>.
- Bailie, R. et al. (2002) *Atlas of Health Related infrastructure in discrete Indigenous communities*. Melbourne: ATSIC.
- Balmforth, D. (1998). *National Survey of Drinking and Driving Attitudes and Behavior: 1997*. Washington, DC: U.S. Department of Transportation.
- Barnett, K. (1999). *WorkCover Corporation's Access and Equity Aboriginal and Torres Strait Islander Focus Group Strategic Plan 1999–2001. Access & Equity Program*. WorkCover Australia.
- Bellottie, A., & Boas, K. (2000). Western Australian achievements in Aboriginal health. *Aboriginal and Islander Health Worker Journal*, 24(4), 33–36.
- Berger, L. (1999). A combination of traditional wisdom and public health could help. *Western Journal of Medicine*, 171(1), 14–15.
- Berger, L. (2002). Injury prevention and Indigenous peoples. *Injury Prevention*, 8(3), 175–176.
- Bill, N., Buonviri, G., & Bohan, P. (1992). Safety-belt use and motor-vehicle-related injuries — Navajo Nation, 1988–1991. *MMWR Morb Mortal Wkly Rep*, 41(38), 705–8.
- Blagg, H., Ray, D., Murray, R., & Macarthy, E. (2000). *Crisis intervention in Aboriginal family violence: strategies and models for Western Australia* (ISBN 0 642 47694 2). Perth: Crime Research Centre, University of Western Australia.
- Brice, G.A. (2000). *Australian Indigenous road safety: a critical review and research report, with special reference to South Australia, other Indigenous populations, and countermeasures to reduce road trauma*. Adelaide: Aboriginal Health Council of South Australia & Transport South Australia.
- Broughton, J. (1999). *Injury to Maori: Does it really have to be like this?* Otago: The Dunedin School of Medicine, University of Otago & The Ngai Tahu Maori Health Research Unit.
- Burns, J., Thomson, N., Brooks, J., Burrow, S., Kirov, E., McGougan, B., & Valenti, A. (2002). *Describing an iceberg from a glimpse of its tip: a summary of the literature on achievements in Aboriginal and Torres Strait Islander health*. Perth: Australian Indigenous HealthInfoNet.
- Canuto, C., Craig, D., McClure, R., Young, L., & Shannon, C. (2000). Woorabinda community-owned injury prevention project. *Aboriginal and Islander Health Worker Journal*, 24(4), 10–12.
- Capp, K., Deane, F.P., & Lambert, G. (2001). Suicide prevention in Aboriginal communities: application of community gatekeeper training. *The Australian and New Zealand Journal of Public Health*, 25(4), 315–321.
- Centre for Developmental Health TVW Telethon Institute for Child Health Research. (2002). CommunityLIFE. In K. Clapham (Ed.). Perth: TVW Telethon Institute for Child Health Research.
- Cercarelli, L. (1999). *Road crash hospitalisations and deaths in Western Australia involving Aboriginal and non-Aboriginal people, 1988 to 1996*. Perth: Department of Public Health, University of Western Australia.



- Cercarelli, L., & Cooper, L.M. (2000). *Process evaluation of the Open Load Space Project, July 1999 to March 2000*. Perth: Road Accident Prevention Research Unit, Department of Public Health, University of Western Australia.
- Cercarelli, L.R., & Knuiman, M.W. (2002). Trends in road injury hospitalisation rates for Aboriginal and non-Aboriginal people in Western Australia, 1971–97. *Injury Prevention*, 8, 211–215.
- Cercarelli, L.R., Ryan, A.G., Knuiman, M.W., & Donovan, R.J. (2000). Road safety issues in remote Aboriginal communities in Western Australia. *Accident Analysis And Prevention*, 32(6), 845–848.
- Chantrill, P. (1997). *The Kowanyama Justice Group: a study of the achievements and constraints on local justice administration in a remote Aboriginal community*. Seminar at the AIC, September 1997. Retrieved 2 April 2003, <<http://www.aic.gov.au/conferences/occasional/chantrill.html>>.
- Christoffel, T., & Gallagher, S.S. (1999). *Injury prevention and public health*. Gaithersburg, MD: Aspen.
- Coggan, C., Patterson, P., Brewin, M., Hooper, R., & Robinson, E. (2000). Evaluation of the Waitakere Community Injury Prevention Project. *Injury Prevention*, 6(2), 130–134.
- Commonwealth Attorney-General's Department. (2002). *National Crime Prevention Program: community night patrols*. Retrieved 15 January 2003, <<http://nationalecurity.ag.gov.au/www/ncpHome.nsf/Web+Pages/F39DF434605746AECA256B1300215528?OpenDocument>>.
- Commonwealth Attorney-General's Department. (n.d.). *About the National Crime Prevention Programme*. Retrieved 17 January 2003, <<http://www.ncp.gov.au/www/ncpHome.nsf/HeadingPagesDisplay/Overview?OpenDocument>>.
- Commonwealth Department of Family and Community Services. (2002a). *Strategic Outcome: Communities are Strong*. Retrieved 9 December 2002, <<http://www.facs.gov.au/internet/facsinternet.nsf/whatfacsdoes/communities-nav.htm>>.
- Commonwealth Department of Family and Community Services. (2002b). *Strategic Outcome: Families are Strong*. Retrieved 9 December 2002 from Commonwealth Department of Family and Community Services. <<http://www.facs.gov.au/internet/facsinternet.nsf/whatfacsdoes/families-nav.htm>>.
- Commonwealth Department of Health and Aged Care. (2000a). *Promotion, Prevention and Early Intervention for Mental Health—A Monograph*. Canberra: Mental Health and Special Programs Branch.
- Commonwealth Department of Health and Aged Care. (2000b). *General practice in Australia: 2000*. (1st edn.). Canberra: Commonwealth Department of Health and Aged Care.
- Commonwealth Department of Health and Aged Care. (2000c). *LIFE: Living Is For Everyone. A framework for prevention of suicide and self-harm in Australia*. Canberra: Publications Production Unit (Public Affairs, Parliamentary and Access Branch), Commonwealth Department of Health and Aged Care.
- Commonwealth Department of Health and Aged Care. (2000d). *National Youth Suicide Prevention Strategy*. Retrieved 17 January, 2003 from website: <http://www.mentalhealth.gov.au/sp/nysps/about.htm>.
- Commonwealth Department of Health and Aged Care. (2000e). *National Recommendations for the Clinical management of alcohol related problems in Indigenous Primary Care Settings*. Canberra: DHAC.
- Commonwealth Department of Health and Aged Care. (2001a). *Population Health Division Business Plan 1998–99*. Canberra: CDHAC.
- Commonwealth Department of Health and Aged Care. (2001b). *Evaluation of the emotional and social well being (mental health) action plan* (Government Report). Canberra: Commonwealth Department of Health and Aged Care.
- Australian Government Department of Health and Ageing. (2002). *Annual report, 2001-02*. Canberra: Australian Government Department of Health and Ageing.

- Commonwealth Department of Health and Family Services & Australian Institute of Health and Welfare. (1998). *National Health Priority Areas Report: Injury Prevention and Control 1997*. (AIHW Cat. No. PHE 3.). Canberra: DHFS and AIHW.
- Commonwealth Department of Health Mental Health Branch (2003) *National strategic framework for Aboriginal and Torres Strait Islander Mental Health and Social and Emotional Well Being 2004–2009*. Canberra Commonwealth Department of Health, p13.
- Commonwealth Department of Human Services and Health (1994) *Better Health Outcomes for Australians National goals and targets for better health outcomes into the next century* Commonwealth of Australia Canberra.
- Commonwealth Department of Human Services and Health. (1996). *National Drug Strategy household survey: urban Aboriginal and Torres Strait Islander peoples supplement 1994*. Canberra: Commonwealth Department of Human Services and Health.
- Condon, J., & Cunningham, J. (1997). Premature mortality in Aboriginal adults in the Northern Territory, 1979–1991. *Medical Journal of Australia*, 166, 278–70.
- Crowell, N.A., & Burgess, A.W. (Eds.). (1996). *Understanding violence against women*. Washington, D.C.: National Academy Press.
- Crundall, I., Richards, R., Measey, M.A., Townsend, J., Trevena-Vernon, M., & Neill, M. (2001). Substance misuse. In: J. Condon, G. Warman, & L. Arnold (Eds.), *The Health and Welfare of Territorians*. Darwin: Epidemiology Branch, Territory Health Services, pp.37–54.
- Curtin Indigenous Research Centre. (2003). *Training re-visions: a national review of Aboriginal and Torres Strait Islander Health Worker training*. Perth: Curtin Indigenous Research Centre.
- d'Abbs, P., & Maclean, S. (2000). *Petrol sniffing in Aboriginal communities: a review of interventions* (ISBN 1 876831 12X). Darwin: Cooperative Research Centre for Aboriginal and Tropical Health.
- d'Abbs, P., & Togni, S. (2001). Liquor licensing and community action in regional and remote Australia: A review of recent initiatives. *Aboriginal and Islander Health Worker Journal*, 25(2), 18–26.
- DeBruyn, L., Wilkins, B., Stetter-Burns, M., & Nelson, S. (1997). Violence and violence prevention. *IHS Primary Care Provider*, 22(4), 58–60.
- Dellapenna, A. (1999). Spotlight on Violence Prevention: The Phoenix Area Injury Prevention Program Approach. The IHS Provider, January 6–7.
- Department of Human Services. (2002). *Victorian Injury Prevention*. Retrieved 9 December 2002, <<http://www.dhs.vic.gov.au/injury/>>.
- Douglas, M. (1998). Restriction of the hours of sale of alcohol in a small community: a beneficial impact. *Australian and New Zealand Journal of Public Health*, 22(6), 714–719.
- Driscoll, T. et al. (1998). *Work related traumatic fatalities in Australia 1989–1992*. Canberra: National Occupational Health and Safety Commission, p24–30.
- Elkington J (1998) *Directions in Injury Prevention Report 1 Research Needs* Department of Health and Aged Care, Canberra.
- Ella, L. (1992). *Aboriginal Community Road Safety Project Report*. Rosebery: Road Safety Bureau Roads and Traffic Authority NSW and the NSW Better Health Program NSW Health Department.
- English, D., C., H., Milne, E., Winter, M., Hulse, G., Codde, J., Bower, C., Corti, B., de Klerk, N., Knuiman, M., Kurinczuk, J., Lewin, G., & Ryan, G. (1995). *The quantification of drug caused morbidity and mortality in Australia. Part 1* (0644 429 801). Canberra: Australian Government Publishing Service.

- Feather, J., Irvine, J., & Belanger, B. (1993). Promoting social health in Northern Saskatchewan. *Canadian Journal of Public Health, 84*, 250–3.
- First Nations and Inuit Health Branch. (1999). *A Second Diagnostic on the Health of First Nations and Inuit People in Canada*. Canada: Health Canada.
- First Nations and Inuit Health Branch. (2001). *Unintentional and Intentional Injury Profile for Aboriginal People in Canada*. Canada: Minister of Public Works and Government Services.
- Fitzgerald, T. (2001). *Cape York Justice Study Report*. Queensland Government Department of Premier and Cabinet. Retrieved May 2002 <<http://www.premiers.qld.gov.au/about/community/capeyorkreport.html>>.
- Franks, A. (2001). *Self-Determination Background Paper Aboriginal Health Promotion Project*. Health Promotion Unit, Division of Population Health, Northern Rivers Area Health Service.
- Gallaher, M., Fleming, D., & Berger, L. (1992). Pedestrian and hypothermia deaths among Native Americans in New Mexico: between bar and home. *The Journal of the American Medical Association, 267*, 1345–8.
- Gladman, D.J., Hunter, E.M.M., McDermott, R.A., Merritt, T.D., & Tulip, F.J. (1997). *Study of injury in five Cape York communities*. (AIHW Catalogue No. INJ12). Canberra: AIHW National Injury Surveillance Data and Queensland Health.
- Goldsmith, S.K., Pellmar, T.C., Kleinman, A.M., & Bunney, W.E. (Eds.). (2002). *Reducing suicide: a national imperative*. Washington, D.C.: The National Academies Press.
- Gordon, S., Hallahan, K., & Henry, D. (2002). *Putting the picture together, inquiry into response by government agencies to complaints of family violence and child abuse in Aboriginal communities*. Perth: Department of Premier and Cabinet.
- Gray, D., Siggers, S., Sputore, B., & Bourbon, D. (2000). What works? A review of evaluated alcohol misuse interventions among aboriginal Australians. *Addiction, 95*(1), 11–22.
- Gray, D., Sputore, B., Stearne, A., Bourbon, D., & Stempel, P. (2002). *Indigenous drug and alcohol projects 1999–2000*. Canberra: Australian National Council on Drugs.
- Harrison, J., Miller, E., Weeramanthri, T., Wakerman, J., & Barnes, T. (2001). *Information sources for injury prevention among Indigenous Australians: status and prospects for improvements*. Canberra: Australian Institute of Health and Welfare.
- Harrison, J., & Moller, J. (1994). Injury mortality amongst Aboriginal Australians. *Australian Injury Prevention Bulletin* (7), 1–8.
- Health Canada Expert Working Group. (1994). *Suicide in Canada: update of the Report of the Task Force on Suicide in Canada*. Canada: Health Canada.
- Heslop, J. (2002). Mid North Coast Aboriginal Injury Surveillance Project. *NSW Public Health Bulletin, 13*(4), 81–82.
- Heslop, J. & Mid North Coast Aboriginal Health Partnership. (2001). *Pride, respect and responsibility: Mid North Coast Aboriginal Injury Surveillance Project Report*. p1–53. Retrieved 11 December 2002, <<http://www.health.nsw.gov.au/public-health/health-promotion/improve/injuryprev/pdf/Aboriginal%20injury%20surveillance%20project%20report%20-%20Mid%20North%20Coast.pdf>>.
- Household Surveys Health and Welfare Canada. (1988). *National Survey on Drinking and Driving*. Canada: Health and Welfare Canada.
- Human Capital Alliance. (2002). *The injury prevention workforce — a discussion paper*. Sydney: Human Capital Alliance.

- Hunter, B. (1999). *Three nations, not one: Indigenous and other Australian poverty*. (CAEPR Working Paper No 1/1999 ). Canberra: Centre for Aboriginal Economic Policy Research, Australian National University.
- Hunter, E. (1990). Using a socio-historical frame to analyse Aboriginal self-destructive behaviour. *Australian and New Zealand Journal of Psychiatry*, 24, 191–198.
- Hunter, E. (1991a). Out of sight, out of mind — 1. Emergent patterns of self-harm among Aborigines of remote Australia. *Social Science and Medicine*, 33(6), 655–659.
- Hunter, E. (1991b). Out of sight, out of mind — 2. Social and historical contexts of self-harmful behaviour among Aborigines of remote Australia. *Social Science and Medicine*, 33(6), 661–671.
- Hunter, E. (1991c). The social and family context of Aboriginal self-harmful behaviour in remote Australia. *Australian and New Zealand Journal of Psychiatry*, 25, 203–209.
- Hunter, E. (1995). The social context of Aboriginal mental health. *Australian Psychiatry*, 3(6), 411–415.
- Hunter, E., Reser, J., Baird, M., & Reser, P. (2001). *An analysis of suicide in Indigenous communities of North Queensland: the historical, cultural and symbolic landscape*. Canberra: Commonwealth Department of Health and Aged Care.
- Indian Health Service. (1996). *Indian Health Service Injury Prevention Plan* (Agency Publication). Rockville, MD: Indian Health Service.
- Johnson, S., Sullivan, M., & Grossman, D. (1999). Injury hospitalisations among American Indian youth in Washington. *Injury Prevention*, 5(2), 119–123.
- Krug, E.G., Butchart, A., & Peden, M. (2001). A new department for injuries and violence prevention at the World Health Organization. *Injury Prevention*, 7(4), 331–333.
- Krug, E.G., Dahlberg, L.L., Mercy, J.A., Zwi, A.B., & Lozano, R. (Eds.). (2002). *World report on violence and health*. Geneva: World Health Organization.
- Kuklinski, D., Berger, L., & Weaver, J. (1996). Smoke detector nuisance alarms: a field study in a Native American community. *National Fire Protection Association Journal*, September/October, 65–72.
- Kunitz, S. (1996). The history and politics of US health care policy for American Indians and Alaskan Natives. *American Journal of Public Health*, 86, 1464–73.
- Kuran, H.J. (2002). Injury prevention. Retrieved 18 November, 2002 from The National Indian & Inuit Community Health Representatives Organization (NIICHO). <<http://www.niichro.com>>.
- Langley, J. (1998). Injury to Maori. *Injury Prevention*, 4(4), 322.
- Lehoczky, S., Isaacs, J., Grayson, N., & Hargreaves, J. (2002). *Occasional paper. Hospital statistics. Aboriginal and Torres Strait Islander Australians 1999–2000* (ABS Cat no. 4711.0). Canberra: Australian Bureau of Statistics.
- Lindqvist, K., Timpka, T., & Schelp, L. (1999). Evaluation of a home injury prevention program in a WHO safe community. *International Journal of Consumer Safety*, 6, 25–32.
- Lyford, M. (2001). *Drowning Prevention Program for Aboriginal Health Workers throughout Rural and Remote Western Australia — Executive Summary* (Executive Summary ). Perth: Rural Health Support, Education and Training (RHSET) Program.
- Marmot, M., & Wilkinson, R.G. (Eds.). (1999). *Social determinants of health*. Oxford: Oxford University Press.
- McClure, R., Shannon, C., Young, E., & Craig, D. (2001). Injury prevention in Indigenous communities: rationale for concentrating on community management. *Health Promotion Journal of Australia*, 12(2), 148–151.

- McDermott, R. (1999). Knowing in community: 10 critical success factors in building communities of practice. *Knowledge Management Review*, Fall, 1–9.
- McFadden, M., McKie, K., & Mwesigye, S. (2000). *Estimating road trauma in the Australian Indigenous population*. Canberra: Australian Transport Safety Bureau.
- Memmott, P., Stacy, R., Chambers, C., & Keys, C. (2001). *Violence in Indigenous communities: full report*. Canberra: Crime Prevention Branch, Commonwealth Attorney-General's Department.
- Mid North Coast Aboriginal Health Partnership. (2001). *Pride, respect and responsibility: Mid North Coast Aboriginal Injury Surveillance Project Report*. Retrieved 11 December 2002, <<http://www.health.nsw.gov.au/public-health/health-promotion/improve/injuryprev/pdf/Aboriginal%20injury%20surveillance%20project%20report%20-%20Mid%20North%20Coast.pdf>>.
- Mitchell, P. (2000a). *Building capacity for life promotion, Technical report volume 1: evaluation of the National Youth Suicide Prevention Strategy*. Melbourne: Australian Institute of Family Studies.
- Mitchell, P. (2000b). *Crisis intervention and primary care, Technical report volume 3: evaluation of the National Youth Suicide Prevention Strategy*. Melbourne: Australian Institute of Family Studies.
- Mitchell, P. (2000c). *Primary prevention and early intervention, Technical report Volume II: evaluation of the National Youth Suicide Prevention Strategy*. Melbourne: Australian Institute of Family Studies.
- Mitchell, P. (2000d). *Treatment and support, Technical report volume 4: evaluation of the National Youth Suicide Prevention Strategy*. Melbourne: Australian Institute of Family Studies.
- Mitchell, P. (2000e). *Valuing young lives: evaluation of the National Youth Suicide Prevention Strategy*. Melbourne: Australian Institute of Family Studies.
- Moller, J. (1996). Understanding national injury data regarding Aboriginal and Torres Strait Islander peoples. *Australian Injury Prevention Bulletin*, 14(December), 1–8.
- Moller, J. (2002). *Aboriginal Safety Promotion Strategy 2002, Final Draft*. South Australia.
- Moller, J., Dolinis, J., & Cripps, R. (1996). *Aboriginal and Torres Strait Islander Peoples: Injury-related hospitalisations 1991/92*. Canberra: Australian Institute of Health and Welfare, National Injury Surveillance Unit.
- Monash University National Centre for Coronial Information. (2002). *About the NCIS*. Retrieved 20 January 2003, <<http://www.vifp.monash.edu.au/ncis/index2.html>>.
- Monash University National Centre for Coronial Information. (2003). *National Coroners Information System*. Retrieved 2 April 2003, <<http://www.vifp.monash.edu.au/ncis/index2.html>>.
- Mugford, J., & Nelson, D. (1996). *Violence Prevention in Practice: Australian Award-winning Programs (3)*. Griffith, ACT: Australian Institute of Criminology.
- NACCHO. (2002). *About us*. Retrieved 26 March 2002<<http://www.naccho.org.au/>>.
- National Aboriginal and Torres Strait Islander Health Council, (1989) *National Aboriginal Health Strategy Working Party Report*, 28)
- National Aboriginal and Torres Strait Islander Health Council. (2000). *National Aboriginal and Torres Strait Islander Health Strategy, consultation draft*. Canberra: National Aboriginal and Torres Strait Islander Health Council.
- National Drug Strategy Unit. (2003). *National Drug Strategy: Complementary Action plan for Aboriginal and Torres Strait Islander Peoples (2<sup>nd</sup> stage consultation draft)*. Canberra: Australian Government Department of Health and Ageing.

- National First Nations and Inuit Injury Prevention Working Group. (2000). *National First Nations and Inuit Injury Prevention Working Group: Background Information*. Retrieved 12 November 2002, <[http://www.niichro.com/injury\\_b/injury\\_b9.html](http://www.niichro.com/injury_b/injury_b9.html)>.
- National Injury Prevention Advisory Council. (1999a). *Directions in injury prevention. Report 1: research needs*. Canberra: Commonwealth Department of Health and Aged Care, Population Health Division.
- National Injury Prevention Advisory Council. (1999b). *Directions in injury prevention. Report 2: Injury prevention interventions — good buys for the next decade*. Canberra: Commonwealth Department of Health and Aged Care, Population Health Division.
- National Inquiry into the Separation of Aboriginal and Torres Strait Islander Children from their Families Australia. (1997). *Bringing them home: report of the National Inquiry into the Separation of Aboriginal and Torres Strait Islander Children from their Families*. Sydney: Human Rights and Equal Opportunities Commission.
- National Public Health Partnership. (2000). *Strategic Injury Prevention Partnership*. Retrieved 15 November 2002, <<http://www.dhs.vic.gov.au/nphp/sipp/>>.
- New York Academy of Medicine. (2002a). *Grey Literature Report*. Retrieved 9 December 2002 from New York Academy of Medicine, <<http://www.nyam.org/library/greylit/glindex.shtml>>.
- New York Academy of Medicine. (2002b). *What is grey literature?* Retrieved 9 December 2002 from New York Academy of Medicine, <<http://www.nyam.org/library/greylit/whatis.shtml>>.
- Nolan, T. et al. (1999). *Independent Review of Public Health Research Program*. Canberra: Commonwealth Department of Health and Aged Care.
- North Queensland Indigenous Injury Prevention Partnership. (2002). *North Queensland Indigenous Injury Prevention Partnership information sheet* (Information sheet). Queensland: University of Queensland & Tropical Public Health Unit.
- NSW Health. (2003). *An Aboriginal Safety Promotion Strategy*. Sydney: Aboriginal Health Unit Monograph.
- Ozanne-Smith, J., & Williams, F. (Eds.). (1995). *Injury research and prevention: a text*. Melbourne: Monash University Accident Research Centre.
- Partnerships Against Domestic Violence. (2001a). *Helping adults to break the pattern of violence*. Retrieved 9 December 2002, <<http://www.padv.dpmc.gov.au/projects/themes/projtha2.htm#3>>.
- Partnerships Against Domestic Violence. (2001b). *Improving information and good practice*. Retrieved 9 December 2002, <<http://www.padv.dpmc.gov.au/projects/themes/projthg1.htm#5>>.
- Partnerships Against Domestic Violence. (2001c). *Indigenous Family Violence Grants Programme*. Retrieved 9 December 2002, <<http://www.padv.dpmc.gov.au/ifv/ifvvp.html>>.
- Partnerships Against Domestic Violence. (2001d). *Safe Living in Aboriginal Communities*. Retrieved 9 December 2002, <<http://www.padv.dpmc.gov.au/projects/states/projssau.htm>>.
- Partnerships Against Domestic Violence. (2002). *Partnerships Against Domestic Violence, annual report 2000–2001: A substantial beginning to a new commitment*. Canberra: Commonwealth Office of the Status of Women.
- Phelan, K.J., Khoury, J., Grossman, D.C., Hu, D., Wallace, L.J.D., Bill, N., & Kalkwarf, H. (2002). Pediatric motor vehicle related injuries in the Navajo Nation: the impact of the 1988 child occupant restraint laws. *Injury Prevention*, 8(3), 216–220.
- Powell, J., Odgaard, M., & Wright, S. (2001). Road safety in remote Aboriginal and Torres Strait Islander communities. Paper presented at the *Conference on Road Safety*, Perth, WA. 31st August, 2001.

Public Health Commission. (1993). *Our Future Our Health, Hauora Pakari, Koiora Roa. The State of Public Health in New Zealand*. Wellington: Public Health Commission.

Queensland Government. (2000). *Queensland government response to the Aboriginal and Torres Strait Islander women's task force on violence. The first step*. Brisbane: Queensland Government.

Queensland Health. (1999). *Queensland Health Strategic Plan 2000–2010*. Retrieved 7 December 2002, <<http://www.health.qld.gov.au/odg/strategicplan00/home.htm>>.

Queensland Health. (2000). *Health outcomes plan — Injury Prevention and Control 2000–2004: Background Paper*. Queensland: Queensland Government.

Queensland Health. (2001). *Health outcomes plan — Injury Prevention and Control 2000–2004 summary*. Retrieved 12 December 2001, <<http://www.health.qld.gov.au/hop/summaries/injury1.htm>>.

Radford, A., Harris, R., Brice, G., Van Der Byl, M., Monten, H., Neeson, M., & Hassan, R. (1991). Stress and suicide attempt: a cross-cultural study of Aboriginal and non-Aboriginal supporting mothers in Adelaide. [abstract]. Paper presented at the *Health of Indigenous Peoples Conference*. Public Health Association of Australia Twenty-Third Annual Conference, Alice Springs, 29 September to 2 October.

Radford, A.J., Brice, G.A., Harris, R., Byl, M.V., Monten, H., McNeece-Neeson, M., & Hassan, R. (1999). The 'easy street' myth: self harm among Aboriginal and non-Aboriginal female sole parents in urban state housing. *Australian and New Zealand Journal of Public Health*, 23(1), 77–85.

Reid, J., & Trompf, P. (Eds.). (1991). *The health of Aboriginal Australia*. Marrickville: Harcourt Brace Jovanovich Group [Australia].

Reiss Jr, A.J., & Roth, J.A. (Eds.). (1993). *Understanding and preventing violence*. Washington, D.C.: National Academy Press.

Ring, I., & Firman, D. (1998). Reducing Indigenous mortality in Australia: lessons from other countries. *Medical Journal of Australia*, 169, 528–533.

Road Safety Council Taskforce. (2000). *The way ahead: road safety directions for Aboriginal road users in Western Australia. An interim document for community discussion*. Perth: Road Safety Council Taskforce.

Roads and Traffic Authority. (2001). *Aboriginal Action Plan (Action Plan)*. NSW: Roads and Traffic Authority.

Robertson, L. (1986). Community injury-control programs of the Indian Health Service: an early assessment. *Public Health Rep*, 101, 632–7.

Royal Commission into Aboriginal Deaths in Custody. (1991). *Royal Commission into Aboriginal Deaths in Custody. Final report*. Canberra: Australian Government Publishing Service.

Royal Commission on Aboriginal Peoples. (1996). *People to people, nation to nation: Highlights from the report of the Royal Commission on Aboriginal Peoples*. Canada: Minister of Supply and Services Canada.

Royal, T. (2000). *Shoalhaven Injury Surveillance and Prevention Strategy: Stage 1*. Nowra: NSW Health Monograph.

Royal, T., & Westley-Wise, V. (2001). *Shoalhaven Aboriginal Injury Surveillance and Prevention Project: phase 1 report*. Wollongong, NSW: Illawarra Area Health Service.

Runciman, W. & Moller, J. (2001). *Iatrogenic Injury in Australia*. Adelaide: Australian Patient Safety Foundation Monograph.

Secretariat of the National Aboriginal and Islander Child Care. (1996). *Proposed plan of action for the prevention of child abuse and neglect in Aboriginal communities*. Canberra: Commonwealth Department of Health and Family Services.

- Shannon, C., Canuto, C., Young, E., Craig, D., Schluter, P., Kenny, G., & McClure, R. (2001a). Injury prevention in Indigenous communities: results of a two-year community development project. *Health Promotion Journal of Australia*, 12(3), 233–237.
- Shannon, C., Young, E., Haswell-Elkins, M., Hutchins, C., Craig, D., Canuto, C., Kenny, G., & McClure, R. (2001b). Injury prevention in Indigenous communities: policy to practice. *Health Promotion Journal of Australia*, 11(1), 61–66.
- Spicer, I. (1997) *Independent review of the community development employment projects (CDEP) scheme report to Mr Gatjil Djerrkura Chairperson Aboriginal and Torres Strait Islander Commission.*
- Standing Committee on Aboriginal and Torres Strait Islander Health. (2002). *Aboriginal and Torres Strait Islander health workforce, national strategic framework.* Canberra: Australian Health Ministers' Advisory Council.
- South Australian Coroner (2002) Inquest into Petrol Sniffing, Retrieved February 2003, <[http://www.courts.sa.gov.au/courts/coroner/findings/findings\\_2002/kunmanara\\_hunt.finding.htm](http://www.courts.sa.gov.au/courts/coroner/findings/findings_2002/kunmanara_hunt.finding.htm)>.
- Steenkamp, M., Harrison, J., & Allsop, S. (2002). *Alcohol-related injury and young males* (AIHW cat. no. Injcat 42). Canberra: Australian institute of Health and Welfare.
- Stockwell, T., Chikritzhs, T., Hendrie, D., Fordham, R., Ying, F., Phillips, M., Cronin, J., & O'Reilly, B. (2001). The public health and safety benefits of the Northern Territory's Living with Alcohol Programme. *Drug And Alcohol Review*, 20(2), 167–180.
- Strategic Injury Prevention Partnership. (2001). *National Injury Prevention Plan: Priorities for 2001–2003.* (2918). Canberra: Department of Health and Aged Care.
- Strategic Research Development Committee of the National Health and Medical Research Council. (1999). *Paradigm shift. Injury: from problem to solution — new research directions.* Canberra: National Health and Medical Research Council.
- Streeter et al. (2003). *Blacktown Local Government Area injury surveillance and prevention study United we win.* Western Sydney Area Health Service Monograph. In Press.
- Swan, P. & Raphael, B. (1995) *Ways Forward: National Consultancy report on Aboriginal and Torres Strait Islander Mental Health*, National Mental Health strategy, AGPS, Canberra.
- Tatz, C. (2001). *Aboriginal suicide is different: a portrait of life and self-destruction.* Canberra: Aboriginal Studies Press.
- The Aboriginal and Torres Strait Islander Women's Task Force on Violence. (2000). *The Aboriginal and Torres Strait Islander Women's Task Force on Violence report.* Brisbane: Department of Aboriginal and Torres Strait Islander Policy and Development, Queensland Government.
- Thompson, S., Dempsey, K., & Pearce, M. (2001). Injury and violence. In: J. Condon, G. Warman, & L. Arnold (Eds.), *The Health and Welfare of Territorians.* Darwin: Epidemiology Branch, Territory Health Services, pp.87–96.
- Tomoye. (2002). *What are Communities of Practice?* Retrieved August 2002 <[http://www.tomoye.com/ev.php?URL\\_ID=1019&URL\\_DO=DO\\_TOPIC&URL\\_SECTION=201&reload=1037158310](http://www.tomoye.com/ev.php?URL_ID=1019&URL_DO=DO_TOPIC&URL_SECTION=201&reload=1037158310)>.
- Towner, E. (1999). Book Review: Injury Prevention: An International Perspective. *Epidemiology, Surveillance and Policy. Injury Prevention*, 5(2), 158–159.
- Treacy, P.J., Jones, K., & Mansfield, C. (2002). Flipped out of control: single-vehicle rollover accidents in the Northern Territory. *Medical Journal of Australia*, 176(6), 260–263.
- Trompf, P. (1995). The health and safety experience of Aboriginal and Torres Strait Islander Workers. In Robinson G *Centre for Social Research and the Faculty of Torres Strait Islander Studies Aboriginal social and cultural transitions: Proceedings of a conference.* Darwin: Northern Territory University, p250–254.



- Tsey, K., & Every, A. (2000). *Evaluation of an Aboriginal Empowerment Program* (Occasional Paper Series, Issue 1.). Darwin: Cooperative Research Centre for Aboriginal & Tropical Health.
- Wallace, D., Sleet, D.A., & James, S.P. (1997). Injuries and the Ten Leading Causes of Death for Native Americans in the US: Opportunities for Prevention. *The IHS Provider*, September, 140–145.
- Waller, J.A. (1994). Reflections on a half century of injury control. *American Journal of Public Health*, 84(4), 664–670.
- Weeramanthri, T.S., & Plummer, C. (1994). Land, body and spirit — talking about adult mortality in an Aboriginal community. *Australian Journal of Public Health*, 18(2), 197–200.
- Wenger, E., McDermott, R., & Snyder, W.M. (2002). *Cultivating communities of practice: a guide to managing knowledge*. Boston, MA: Harvard Business School Press.
- Wenger, E., & Snyder, W.M. (2000). Communities of practice: the organizational frontier. *Harvard Business Review*, January–February, 139–145.
- Wood, B., & Thomson, N. (1987). The impact of injury among Aborigines: a priority for surveillance and prevention. Paper presented at the *National Injury Surveillance and Prevention Project, National Review and Future Directions Conference*, Adelaide, South Australia.
- World Health Organization. (1996). *International statistical classification of diseases and related health problems: tenth revision. Volume 1*. Geneva: World Health Organization.
- World Health Organization. (2000). *The world health report — Health systems: improving performance*. Geneva: World Health Organization.

## **Appendix 1 Tender brief**

Department of Health and Ageing      RFT 129/01 02

### **PART B — STATEMENT OF REQUIREMENT**

#### **1. INTRODUCTION**

The Department of Health and Ageing is seeking proposals from suitably qualified organisations to undertake a project to conduct an examination and report on the current state of injury prevention activity for Aboriginal and Torres Strait Islander people.

The report will inform the Aboriginal and Torres Strait Islander Injury Prevention Action Committee in the development of a National Aboriginal and Torres Strait Islander Injury Prevention Plan.

#### *Background*

Injury prevention is a comparatively new issue on the Aboriginal and Torres Strait Islander health agenda. It is not however a new experience for Aboriginal and Torres Strait Islander people. Injuries tend to be hidden among the wider health and social concerns confronting Aboriginal and Torres Strait Islander people.

Injury deaths from transport-related causes in middle age, drowning in adulthood, poisoning with non-pharmaceutical substances (particularly petroleum products and solvents) in early childhood, effects of fire in later adulthood, suicide in early adulthood and (particularly) interpersonal violence throughout adulthood are particularly prominent compared with the mortality experience of non-Aboriginal and Torres Strait Islander Australians (Harrison & Moller, 1994).

More specifically Australian Aboriginal and Torres Strait Islander people overall suffer 2.8 times the rate of fatal injuries of non-Aboriginal and Torres Strait Islander Australians with much higher differentials related to interpersonal violence (11 times the rate for non-Aboriginal and Torres Strait Islander people, poisoning by substances other than medications (17 fold higher) and burns and scalds.

For Aboriginal and Torres Strait Islander Australians the rate for hospitalisations, due to injuries, is threefold the rate of non-Aboriginal and Torres Strait Islander people. The greatest differentials are for injuries resulting from interpersonal violence (estimated to be 17 times higher) and burns and scalds (estimated to be five times higher) (Moller, 1996 cited in Elkington, 1998).

Patterns of injury are also quite different, due to the proportion of Aboriginal and Torres Strait Islander people living in rural and remote areas, as are the risks associated with living in these environments. The differentials observed are similar to those seen in other Indigenous populations, such as Navajo Indians, but are more marked, possibly due to the interaction of Aboriginal and Torres Strait Islander status and poverty in Australia (Elkington, 1998).

A recent study of five small Aboriginal and Torres Strait Islander communities in Cape York Queensland (Gladman et al., 1997) has confirmed that official statistics under-represent the size of the differentials due to different patterns of treatment and different access to workers and motor vehicle compensation. This study has led to the development of local intervention strategies but these have yet to be formally evaluated. Alcohol has been identified as a key factor in injury among Aboriginal and Torres Strait Islander people. The report clearly provides evidence for the need for intervention, but provides only limited evidence of what works.

There is an urgent need to address injury to all Aboriginal and Torres Strait Islander people in all its manifestations, but in a way that acknowledges and takes account of Aboriginal and Torres Strait Islander peoples lifestyle preferences. A National Aboriginal and Torres Strait Islander Injury Prevention Plan will create a platform from which to identify and integrate injury prevention into existing programs and structures.

At present there are few programs which specifically address injury prevention at a community level. Other programs, which may have effect on injury rates, are not identified specifically as 'injury prevention', rather they are targeted at particular risk factors and therefore not captured in data bases or references to 'injury'. State and Territory, and the Commonwealth Government already provide a range of social and environmental programs targeted at risk factors that contribute to. Governments are conducting programs in the areas of substance misuse, violence, domestic violence, road safety, employment, environment and housing.

The challenge for a national plan for the prevention of injury will be to integrate prevention approaches, monitoring and surveillance into those programs and to maximise the available resources to meet the broad health aims for Aboriginal and Torres Strait Islander people.

## **2. CONTEXT**

The National Injury Prevention Plan: Priorities for Action 2001–2003 was endorsed by Australian Health Ministers in August 2001. That endorsement includes the requirement for a complementary Aboriginal and Torres Strait Islander Injury Prevention Plan to be developed. This is in recognition of the high incidence of injury in Aboriginal and Torres Strait Islander communities and the special needs of those communities.

The Aboriginal and Torres Strait Islander Working Group of the National Public Health Partnership (NPHP) has accepted the responsibility of developing an Aboriginal and Torres Strait Islander Injury Prevention Plan and has established the Aboriginal and Torres Strait Islander Injury Prevention Action Committee for that purpose.

The purpose of an Aboriginal and Torres Strait Islander Injury Prevention Plan will be to:

- (a) assist and support Aboriginal and Torres Strait Islander people to identify the extent and nature of injury in their communities;
- (b) facilitate and support the development of the necessary infrastructure and inter-agency cooperation and collaboration to enable Aboriginal and Torres Strait Islander communities to address the identified injury issues; and
- (c) improve collaboration and cooperation of programs and services to reduce the severity and incidence Of injury to Aboriginal and Torres Strait Islander people.

This project represents the first stage in the development of an Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan. The outcome of the project will inform the members of ATSIIPAC and assist in formulating their response.

### **3. OBJECTIVE**

The objective of the project is to examine and report on the current state of injury prevention activity for Aboriginal and Torres Strait Islander people.

### **4. REQUIREMENT**

It is expected that this project will be completed within three months of commencement. The project consists of two tasks. The consultant will be required to:

- conduct an examination of the current state of injury prevention in Aboriginal and Torres Strait Islander communities through:
  - (a) an examination of existing literature including relevant international literature, particularly from North America and New Zealand;
  - (b) an examination of unpublished research and existing projects; and
  - (c) focused/limited consultation with Aboriginal and Torres Strait Islander organisations, communities and individuals, with experience in injury prevention or associated programs. These organisations will be identified by ATSIIPAC.

Consultations may be by means other than face to face and should identify:

- (a) the views of communities before the program of interventions,
  - (b) the views of communities after the programs of intervention,
  - (c) their experiences, including problems and solutions,
  - (d) what they learnt, and
  - (e) what they need to do to sustain reduced injury rates.
- Provide a report to the Aboriginal and Torres Strait Islander Injury Prevention Action Committee. It is not required that a consultant will engage in any new research nor duplicate existing sources of information. The report will:
    - (a) discuss the findings of the consultation process and literature review;
    - (b) identify and collate existing information on the nature of the injury problem in Aboriginal and Torres Strait Islander communities;
    - (c) define the scope of injury, including the amount, circumstances, effects and relevant influencing factors;
    - (d) list existing injury prevention activities and programs (including those not identified as injury prevention but addressing factors such as substance misuse, environment, violence, etc); and
    - (e) identify and report on opportunities to enhance injury prevention activities for Aboriginal and Torres Strait Islander people.

## Appendix 2 Project team and reference group

The Aboriginal and Torres Strait Islander Injury Prevention Activity Project — commissioned by the Australian Government Department of Health and Ageing on behalf of ATSIIPAC— is being undertaken by four organisations:

- Yooroang Garang, School of Indigenous Health Studies, University of Sydney;
- Australian Indigenous Health *InfoNet*;
- New Directions in Health and Safety; and
- Cooperative Research Centre for Aboriginal and Tropical Health.

The four organisations have determined to work collaboratively, each designated particular areas of primary responsibility. The aim of the project is to examine and report on the current state of injury prevention activity in Aboriginal and Torres Strait Islander communities. The Australian Indigenous Health *InfoNet* has conducted the literature review. The literature summary has focused upon the scope of injury (including epidemiology) and injury prevention activity (including policy and programs) — both in Australia and internationally — to complement the consultations being concurrently conducted with selected Aboriginal and Torres Strait Islander organisations, communities and individuals by Yooroang Garang. The project report presented here presents existing information, the findings of the consultation process, literature review and information about ‘promising practices’ in the field. The knowledge gained during the project is intended to inform the forthcoming Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan, which will accompany the National Injury Prevention Plan: Priorities for 2001–2003.

The Cooperative Research Centre for Aboriginal and Tropical Health (CRCATH) is managing the project, the team for which comprises:

- Dr Emma Kowal and Professor Tony Barnes, CRCATH — responsible for coordination and management of the project and reference group, editing and proofreading of the report;
- Professor Neil Thomson, Director, and Janette Brooks, Research Officer, Australian Indigenous Health *InfoNet* — responsible for the literature summary and the ‘promising practices’ database;
- Dr Kathleen Clapham and research assistants, Yooroang Garang, School of Indigenous Health Studies — responsible for the consultation process; and
- Mr Jerry Moller – analysis of literature summary and consultations, and compilation/writing of final future directions.

A reference group of eight members was formed to support the project team by providing expert guidance and contributions to the critical analysis:

- Ms Kerry Smith, Australian Government Department of Health and Ageing;
- Ms Robyn Martin, Area Director of Aboriginal Health, Mid North Coast, NSW Health Department;
- Ms Marilyn Lyford, Royal Life Saving Society, WA;
- Ms Pam Albany, Manager, Injury Prevention Policy Unit, NSW Health;

- Mr Richard Franklin, President, Australian Injury Prevention Network and Royal Life Saving Society, Australia;
- Associate Professor James Harrison, Director, AIHW National Injury Surveillance Unit;
- Dr Tarun Weeramanthri, Community Physician, Centre for Disease Control, NT Department of Health and Community Services;
- Ms Angela Clarke, Community Development Officer, VicHealth Koori Health Research and Community Development Unit, University of Melbourne; and
- Mr Condy Canuto, Indigenous Primary Health Care Unit, University of Queensland.

The project benefited greatly from the vast experience and expertise of the reference group members.

## Appendix 3 Canberra Declaration

Injury 2000 NCIPC Declaration on Indigenous Injury Prevention November 2000 at the Injury 2000 Conference, Canberra.

Injury to Indigenous people in Australia has been shown to be three to ten times as common as to non-Indigenous people. Inadequate identification of Indigenous status in the major mortality and hospital collection and in road trauma statistics means that the published data severely underestimates the extent and nature of the problem.

Despite the significance of the problem there is no coherent and strategic approach to Indigenous injury prevention in Australia. Where injury has been clearly identified in Indigenous communities and information about the types of injury that occur, Indigenous peoples place injury as a high priority for prevention. Indigenous participants at the 4th National Injury prevention Conference and the Australian Injury prevention Network are committed to injury prevention being given the same status as the current health and social priorities for Indigenous people.

The causes of Indigenous injury vary markedly from place to place and show different age distributions compared with non-Indigenous injuries. Programs targeted at non-Indigenous injury are likely to have a limited impact and benefit to Indigenous peoples.

This conference recognises:

- that injury to Indigenous people is an important issue that has not received the attention and support it deserves; and
- Indigenous people must be given a real opportunity to assess the importance of injury and injury prevention as a priority.

This will require:

- the development of a strategic approach to the alarming rate of injury in the Indigenous Community.
- support for the proposed development of a Aboriginal and Torres Strait Islander Injury Prevention and Safety Promotion Plan, which should include:
  - readily accessible local data on Indigenous injury and its causes; and
  - practical information on possibilities for injury prevention and control; and
- where injury is agreed to be a priority, support to develop injury prevention approaches that are integrated with overall health and wellbeing programs.

Programs focusing on Indigenous injury prevention should be based on genuine partnerships with Indigenous peoples, the development of trust among all participants and the development of injury prevention skills among Indigenous people.

Resources for injury prevention must be allocated in a way that permits the priorities for intervention to be set locally rather than being targeted by uniform national programs that may not meet the needs of many areas.

There is a great need for improvement in the quality and relevance of Indigenous injury data. Nevertheless, the data that are available must form the basis for immediate action and developments of better data should not delay the commencement of intervention programs.

However, concurrent with intervention development, data on Indigenous injury should be improved to a standard that permits:

- an accurate picture of injury among Indigenous peoples to be readily available in all States and territories;
- Indigenous representation on the Executive of the Australian Injury Prevention Network; and
- Commonwealth support for Indigenous representation on the Strategic Injury Prevention Partnership.

That this declaration be forwarded by the president of the AIPN to the Chair of the National Public Health Partnership, Dr Andrew Wilson, cc Mr Brian Corcoran, Department of Health and Ageing. The purpose of this communication will be to request the matter of the development of a National Aboriginal and Torres Strait Injury Prevention Strategy (NA&TSIIPS) be tabled at the next meeting of the Public Health Partnership, and that a Working Group of the Public Health Partnership Indigenous Sub Committee be established to develop the NA&TSIIPS. Representation on this group should also be inclusive of Indigenous Injury Prevention Program workers with expertise in this field, the SIPP Indigenous representative and persons who have expertise in the area of injury prevention.

That the NA&TSIIPS be developed by September 2001 to ensure the agreed National Performance Indicator with regard to Injury Prevention is achieved.

That a commitment is clearly stated in the Public Health Partnership National Injury Prevention Strategy which ensures the development of the NA&TSIIPS by September 2001 which also clearly identifies resources to ensure the implementation of its strategies, and presents the AMHAC with the strategy in 2001.

That Injury Prevention is linked to the development of the Revised National Aboriginal Health Strategy.



## Appendix 4 A summary of the literature on injury prevention for Aboriginal and Torres Strait Islander peoples<sup>8</sup>

Janette Brooks

Neil Thomson

April 2003

Australian Indigenous Health*InfoNet*

Perth

---

<sup>8</sup> This summary provided the basis for some of the material included in the body of the main report, so there will be some inevitable duplication of text.

## Preface

The recent major review of information sources for injury prevention among Aboriginal and Torres Strait Islander Australians noted the small number of published reports about local injury prevention projects, and the difficulties in identifying relevant current projects (Harrison, Miller, Weeramanthri, Wakerman, & Barnes, 2001).

These issues are similar to those encountered also in attempting to document achievements in Aboriginal and Torres Strait Islander health, which was likened to describing an iceberg from a glimpse of its tip (Burns et al., 2002). As was noted in the preface to that report, many practitioners have implemented successful strategies based on well-established principles without considering the need to publish the results — at least in formal publications. Thus, the published literature is a bit like the tip of the iceberg. Of course, for a ‘new’ area like injury, it is true also that there may not have been a large number of projects implemented.

Full documentation of programs and projects that address injury among Aboriginal and Torres Strait Islander people — or even achievements in Aboriginal and Torres Strait Islander health — thus needs to go far beyond the literature easily accessible from routine literature searches. There is a real need to identify and collect the so-called ‘grey literature’ (New York Academy of Medicine, 2002b):

‘that which is produced on all levels of government, academics, business and industry in print and electronic formats, but which is not controlled by commercial publishers’.

Based on the observations of Harrison and colleagues (Harrison et al, 2001), it was recognised that this literature review would need to focus mainly on the grey, rather than the mainstream, literature. But, the nature of grey literature means that librarians, and others, have had difficulty acquiring grey literature and making it accessible. It is difficult not only to identify relevant materials, but also to collect them. In short, the current literature review does not benefit from the full extent of the grey literature, as further work would need to be undertaken to identify and collect other relevant materials.

More generally, the demand from US public health and other practitioners and policy makers for the relevant grey literature has prompted libraries as prestigious as that of the New York Academy of Medicine to make special efforts to acquire and catalogue these materials from various organisations (New York Academy of Medicine, 2002b). That library produces also a quarterly *Grey Literature Report* to assist other librarians with their collections (New York Academy of Medicine, 2002a).

In the absence of a similar system for acquiring and cataloguing the relevant grey literature in Australia — for injury and any other public health issue — public health and other practitioners will be restricted in their capacity to plan adequately and evaluate interventions.

## 1 Methodology

The Australian Indigenous Health*InfoNet* Bibliography was the initial source of information about injury among Aboriginal and Torres Strait Islander peoples. The Bibliography includes details of around 6,800 items, including journal articles, books and book chapters, government and other reports, and theses. Searches of Science Direct, HealthSTAR, Australian Public Affairs Information Service (APAIS), Cumulative Index to Nursing and Allied Health Literature (CINAHL) and Medline were used to check the completeness of this bibliography.

The literature collected was separated into nine sections based upon project objectives, and categories of injury from Harrison and colleagues (Harrison, Miller, Weeramanthri, Wakerman, & Barnes, 2001) were utilised throughout the remainder of the literature collection until writing up of the literature review, when final headings were decided upon.

The identification and collection of further materials from the grey literature<sup>9</sup> was initiated also.<sup>10,11</sup> The use of Internet search engines, particularly Google (<http://www.google.com.au/>), was an important component of the strategy to identify and collect grey literature materials. As well, a database of relevant organisations and individuals was constructed, and emails were sent notifying them of the project and requesting assistance/input (particularly with the grey literature). Organisations contacted included: State and Territory government injury prevention units; the Australian Injury Prevention Network (AIPN); National Injury Research Unit, Flinders University of South Australia; Injury Research Centre, University of WA; Injury Control Council of WA (ICCWA); Centre of National Research on Disability and Rehabilitation Medicine, University of Queensland (CONROD); and the Centre for Accident Research and Road Safety Queensland (CARRS-Q) Queensland University of Technology. Members of the project reference group also assisted in the identification and collection of grey literature materials.

The Australian Indigenous Health*InfoNet* liaised closely with Yooroang Garang, School of Indigenous Health (the project member responsible for the consultations with selected Aboriginal and Torres Strait Islander organisations, communities and individuals) to ensure exchange of relevant information (particularly grey literature materials).

Details of relevant documents — both mainstream and grey literature — were recorded in a separate EndNote library.<sup>12</sup>

---

<sup>9</sup> Grey literature was defined at the Fourth International Conference on Grey Literature as 'that which is produced on all levels of government, academics, business and industry in print and electronic formats, but which is not controlled by commercial publishers' (New York Academy of Medicine, 2002b). The grey literature may include: reports (progress and advanced reports, technical reports, statistical reports, etc.), theses, conference proceedings, technical specifications and standards, non-commercial translations, bibliographies, technical and commercial documentation, and official documents not published commercially (primarily government reports and documents).

<sup>10</sup> As a part of its operation, the Australian Indigenous Health*InfoNet* attempts to identify and collect grey literature materials, so it held already some materials related to injury.

<sup>11</sup> In view of the fact that only a small number of reports of local intervention programs are known to have been published, and that it is difficult to identify relevant projects in progress (Harrison et al., 2001), this project decided to initiate further identification and collection of the grey literature — even though it was recognised that the process could not be completed within the restricted time frame of the project.

<sup>12</sup> Being a summary of the literature, this report does not include details of all materials identified and collected as a part of this project.

## **2 The nature of injury**

### **2.1 Nature of injury**

Injury affects everyone at some time in their lives and is a major health problem in Australia, accounting for 6% of all deaths, 47% of deaths in the 0 to 44 years age group, and 70% of deaths in young males (National Injury Prevention Advisory Council, 1999a). It is responsible for 400,000 hospital admissions and estimated direct medical costs of \$2,600 million a year. Accordingly, injury prevention and control is a National Health Priority Area (NHPA).

Broadly speaking, injury is physical harm or damage to the body (Ashwell, Pinder, & Thomson, 1996; Ozanne-Smith & Williams, 1995). It may be intentional or unintentional. If intentional, the injury may be self-inflicted (for example, suicide) or inflicted by another (for example, assault, homicide, etc.). The harm can be as a result of an external force (for example, collision with a moving object or a moving person colliding with a stationary object) or energy (such as heat and electricity); external or internal contact with a harmful substance (for example, poisoning); or absence of essential elements (such as oxygen and heat). Normally, only harmful effects occurring over a short period of time are classified as injuries. For example, the harmful effects of smoking or alcohol are not classified as injury, but overuse injuries (such as sport or work-related injuries) are.

There is a variety of categorisations of injury, according to particular needs, but the underlying classifications are those of the World Health Organization, which codes events in terms of the nature and the external cause of the injury (World Health Organization, 1996). Most reporting of injury is in terms of the environmental events and circumstances as external causes of injury, poisoning and other adverse effects, the broad groups of which are:

1. Accidents: transport accidents (including motor vehicle accidents); and other external causes of accidental injury (including falls, burns and accidental poisoning);
2. Intentional self-harm (including suicide);
3. Assault (including homicide);
4. Event of undetermined intent;
5. Legal interventions and operations of war;
6. Complications of medical and surgical care;
7. Sequelae of external causes of morbidity and mortality; and
8. Supplementary factors related to causes of morbidity and mortality classified elsewhere.

These broad groups provide a useful starting point, but close analysis of specific aspects of injury needs to aggregate information in other ways. Examples are work-related injuries, injuries in the home and violence (including at least 'Intentional self-harm' and 'Assault', and, sometimes 'Legal interventions and operations of war'). Another typology groups injury according to the intention of the external cause: intentional (generally intentional self-harm and assault) and non-intentional.

## 2.2 Issues in injury prevention

In view of the enormous scope of injury, it is not surprising that there are problems in developing unified and coordinated approaches to injury prevention. Many injuries involve the health sector, at least in terms of medical and/or hospital care, but responsibility for the factors contributing to the injury often lies with a sector other than health. The assessment and prevention of road injury, for example, is generally the responsibility of the transportation sector; that of workplace injuries, the labour sector; and that of assault-related injury, the justice sector.

The extent of involvement of the health sector has varied over time and between countries. The health sector in the United States, the leader in injury prevention, has had a long-term involvement in the prevention of road injury,<sup>13</sup> but it is only in the last twenty years that it has started to become more involved in assault-related injury, now viewed generally as one type of interpersonal violence (Christoffel & Gallagher, 1999; Waller, 1994). In the US, the National Center for Injury Prevention and Control (NCIPC) — a part of the Centers for Disease Control and Prevention (CDC) — now makes a major contribution in the areas of intimate partner violence, sexual violence and child maltreatment, but the justice sector still has prime responsibility for the overall assessment and prevention of interpersonal violence. Similarly, the CDC has a major involvement in work-related injury through its National Institute for Occupational Safety and Health, but prime responsibility for workforce issues generally lies with the Occupational Safety and Health Administration (OSHA).<sup>14</sup>

Generally, the involvement of the health sector in Australia in injury is less inclusive than in the US. Responsibility for the assessment and prevention of workplace injuries, for example, is almost entirely outside the health sector.<sup>15</sup> Similarly, the involvement of the Australian health sector in the assessment and prevention of road injuries is much less developed than it is in the US, even though a number of research bodies in Australia are major contributors to the area. The Australian health sector does have some involvement in some areas of interpersonal violence (such as domestic violence), but recent Commonwealth initiatives have had little, if any, health sector involvement. This appears to be the case also for recent Commonwealth initiatives in crime prevention, which have emanated from the Attorney-General's Department.

With such a variety of government sectors having responsibility for different areas of injury, it is hardly surprising that approaches to injury prevention are neither unified nor coordinated.

---

<sup>13</sup> The National Highway Traffic Safety Administration (NHTSA), administratively within the transportation portfolio, is the Federal agency with principal responsibility for road safety activities in the US.

<sup>14</sup> OSHA, the equivalent of Australia's Department of Employment and Workplace Relations (DEWR), is the Federal agency with responsibility for the regulation and enforcement of occupational safety and health in the US.

<sup>15</sup> An exception is farm-related injury, largely because much of work in this area is not covered by organised unions.

### 3 Injury among Aboriginal and Torres Strait Islander people

#### 3.1 The assessment of injury among Aboriginal and Torres Strait Islander people (including coding issues)

*Main sources of information about injury, and identification of Aboriginal and Torres Strait Islander people in these sources*<sup>16</sup>

The main sources of information about injury are the deaths registration systems — maintained by State and Territory registrars of births, deaths and marriages, with the data collated, coded and reported by the Australian Bureau of Statistics (ABS) — and the hospital in-patient collections — maintained by the State and Territory health authorities, with the data collated, coded and reported by the Australian Institute of Health and Welfare (AIHW) (Harrison et al., 2001). More details about deaths attributed to injury are collected as part of coronial inquiries, and the developing National Coronial Information System is potentially a very valuable source of information about fatal injuries among Aboriginal and Torres Strait Islander people (Monash University National Centre for Coronial Information, 2002).<sup>17</sup> The other important data — required for the estimation of rates of injury deaths and episodes of hospitalisation — are those on the population.

The deaths and hospital in-patient collections reflect episodes of serious injury, but a large proportion of the total numbers of injuries is not covered by these collections. The recently developed BEACH collection — a survey of medical general practitioners — has the potential to document at least some of the less serious injuries.<sup>18</sup> As well as these current and potential sources, ad hoc studies focusing on injury will continue to provide in-depth information about injury in specific regions/communities.<sup>19</sup>

Each of these sources has the potential to provide useful information about injury among Aboriginal and Torres Strait Islander people — provided they are identified as such. Unfortunately, the levels of Aboriginal and Torres Strait Islander identification vary considerably, meaning that the estimation of national levels is not possible (Harrison et al., 2001).<sup>20</sup> For example, the ABS assessed the overall coverage of Aboriginal and Torres Strait Islander identification in the deaths registrations in 2001 as only 59%, with only the Northern Territory, South Australian and Western Australia having levels above the national average (Australian Bureau of Statistics, 2002).

In relation to the hospital in-patient collections, levels of Aboriginal and Torres Strait Islander identification were viewed as ‘acceptable’ only by the Northern Territory and South Australian health authorities (Australian Institute of Health and Welfare, 2002a). Slightly more than 1% of encounters in the first year of the BEACH survey were identified as Aboriginal and Torres Strait Islander, but the overall accuracy of identification is not known and the reasons for the identified Aboriginal and Torres Strait Islander encounters was not reported (Harrison et al, 2001).

In terms of population figures, the ABS has made substantial efforts in recent years to develop estimates of the Aboriginal and Torres Strait Islander population, but still acknowledges that the process is ‘problematic and prone to uncertainty’ (Australian Bureau of Statistics & Australian Institute of Health and Welfare, 2001). The ABS identifies the current estimates and projections as

---

<sup>16</sup> This brief summary has been updated from Harrison et al. (2001), to which readers should refer for more details.

<sup>17</sup> The National Coronial Information System records contain information derived from police investigation reports; autopsy reports; supporting forensic medical reports (such as toxicology); and the Coroner’s findings.

<sup>18</sup> A more targeted survey — of Indigenous community-controlled health services — would have the potential to produce even more useful information about injuries among Indigenous people not requiring hospitalisation.

<sup>19</sup> An example is the study of injury in remote Indigenous communities on Cape York (Gladman et al., 1997).

<sup>20</sup> Of course, much more is needed than national estimates, as important as they are for some purposes.

‘experimental’, and these are probably reasonable overall for national, State and Territory purposes. They are likely, however, to be less reliable for specific population sub-groups (such as young males) and for regional and local populations (Harrison et al, 2001).

Overall, the inadequate identification of Aboriginal and Torres Strait Islander status in the deaths registration systems and in the hospital in-patient collections means that the published data severely underestimates the burden of injury among Aboriginal and Torres Strait Islander people (Harrison et al., 2001). Relatively little is known about the overall prevalence, nature and cause of injury experienced by Aboriginal and Torres Strait Islander people, nor the impact injury has on the individual, family and community (Harrison et al., 2001).

#### *Coding of injury*

The 10<sup>th</sup> revision of the International Classification of Diseases (ICD-10) is now applied in Australia to code deaths and hospitalisation<sup>21</sup> (Harrison et al., 2001).

Despite its usefulness for broad epidemiological studies, the ICD categories have a limited capacity for describing the injury event. Many injuries in the Aboriginal and Torres Strait Islander population belong to categories where there is little detail (for example, falls). In addition, it is apparent that cultural aspects influence the way in which information about an injury-causing event is presented to investigators and/or clinicians, and the way this is coded (Moller, Dolinis, & Cripps, 1996). An example is a lack of clarity over how traditional Aboriginal and Torres Strait Islander punishment practices should be coded (that is, they could be coded as an accident, legal intervention or interpersonal violence, depending upon the perspective taken).

The overall size of the problem may be assessed, but a detailed understanding of the causes cannot be obtained by the use of the ICD system (Moller et al., 1996). Attempting to address these issues, Weeramanthri and Plummer (Weeramanthri & Plummer, 1994) proposed an alternative system to the ICD for the classification of cause of death. Their system emphasised the underlying — rather than the direct — causes of death. The ICD-9 classifications<sup>22</sup> were re-categorised to: land (diseases of the physical environment), body (so-called lifestyle diseases), spirit (diseases of poverty and cultural dislocation, including injury deaths), and smoking-related. The authors calculated proportional mortality ratios and fed back the results of this mortality analysis at feedback sessions and a workshop. No formal evaluation of this process was conducted, but informal feedback suggested that health information presented in this way was relevant and useful to the participating communities, and more closely resonated with the participants’ world views (Weeramanthri & Plummer, 1994).

### **3.2 Impact of injury among Aboriginal and Torres Strait Islander people<sup>23</sup>**

Historically, few studies have been undertaken or data gathered specific to injury causation and impact among Aboriginal and Torres Strait Islander populations Australia-wide. Until a decade ago, there was also little attention directed to the prevention of injuries among Aboriginal and Torres Strait Islander people, despite the fact that injuries were known to contribute disproportionately to many of the health disadvantages they experienced (Reid & Trompf, 1991).

---

<sup>21</sup> The 'Australian Modification' provides for more extensive coding on hospitalisation episodes.

<sup>22</sup> The ICD-9 was the classification version current at the time of this proposal.

<sup>23</sup> This section provides a brief summary of the current burden of injury among Indigenous people, but does not attempt a comprehensive historical review of the increasing awareness and evidence.

Largely due to the ground-breaking work of the National Injury Surveillance Unit (Harrison & Moller, 1994; Moller, 1996; Moller et al., 1996), there is little doubt now that the impact of injury is far greater among Aboriginal and Torres Strait Islander people than it is among non-Indigenous people.

For Aboriginal and Torres Strait Islander people living in Western Australia, South Australia and the Northern Territory in 1997–2001,<sup>24</sup> for example, injury was responsible for 531 male deaths and 243 female deaths (see Table 24). Compared with their non-Indigenous counterparts, these numbers of deaths were around three times the number expected for males and more than six times for females. Intentional self-harm was the leading specific cause of injury death among Aboriginal and Torres Strait Islander males (responsible for 26% of injury deaths), followed by motor vehicle accidents (17%) and deaths of pedestrians (12%). Among Aboriginal and Torres Strait Islander females, one-fifth of all injury deaths was the result of assault, with the major causes being motor vehicle accidents and deaths of pedestrians (each 14%) and intentional self-harm (13%). The numbers of deaths were much higher than the numbers expected from non-Indigenous rates for all injury categories and both sexes, but particularly high for pedestrian deaths (8 times higher for males and 33 times higher for females) and for assault (9 times higher for males and 22 times higher for females). It is noteworthy also that the numbers of deaths from intentional self-harm were higher than the numbers expected by similar ratios for Aboriginal and Torres Strait Islander males (2.2) and Aboriginal and Torres Strait Islander females (2.5).

Death rates from injury for Aboriginal and Torres Strait Islander males and females were higher than those for their non-Indigenous counterparts in every age group (see Table 25, over). An expression of the enormous impact of injury on Aboriginal and Torres Strait Islander females is the fact that their age-specific rates were higher generally than those for non-Indigenous males.

- Table 24 Numbers of Aboriginal and Torres Strait Islander deaths from injury and SMRs, by sex: WA, SA and the NT, 1997–2001

	Males		Females	
	<i>Number</i>	<i>SMR</i>	<i>Number</i>	<i>SMR</i>
All injury (V01–Y98)	531	3.2	243	6.4
Land transport (V01–V89)	172	3.3	78	6.7
Motor vehicle accidents (V10–V79)	90	2.3	35	3.8
Pedestrians (V01–V09)	62	8.0	33	32.5
Other land transport (V80–V89)	20	4.4	10	0.1
Intentional self-harm (X60–X84)	140	2.2	32	2.5
Assault (X85–Y09)	48	8.5	48	22.3
Other external causes (remainder of V01–Y98)	171	3.5	85	7.5

Source: Derived from data provided from the AIHW mortality database

Notes: 1 The SMRs (standardised mortality ratio) have been calculated by dividing the numbers of Aboriginal and Torres Strait Islander deaths for each sex by the numbers expected from the rates for non-Indigenous people of the same sex in WA, SA and the NT.

<sup>24</sup> These are the only jurisdictions with levels of Indigenous identification sufficiently high in the deaths registration systems to permit separate analysis. It should be recognised, however, that the levels and patterns of injury may be different for other jurisdictions, particularly those with different proportions of urban/rural/remote living Indigenous people.



• Table 25 Age-specific death rates for injury, by Aboriginal and Torres Strait Islander status and sex, and rate ratios: WA, SA and NT, 1997–2001

	Indigenous		Non-Indigenous		Rate ratios	
	Males	Females	Males	Females	Males	Females
0–4	50	58	18	9	2.8	6.5
5–14	25	23	7	3	3.8	6.7
15–24	213	75	75	21	2.8	3.5
25–34	295	83	90	21	3.3	3.9
35–44	260	129	72	22	3.6	5.8
45–54	155	104	53	16	3.0	6.5
55–64	178	45	44	19	4.1	2.3
65–74	187	85	63	31	3.0	2.8
75+	156	71	64	3	2.4	2.2

Source: Derived from data provided by the AIHW National Mortality Database and ABS low series population projections

Notes: 1 Rates are per 100,000 population

2 Rate ratios are the Aboriginal and Torres Strait Islander rates divided by the same-sex non-Indigenous rates

Aboriginal and Torres Strait Islander people were hospitalised for injuries across Australia in 1999–2000 at around twice the rate of non-Indigenous people (see Table 26) (Lehoczky, Isaacs, Grayson, & Hargreaves, 2002).<sup>25</sup> Assault was the leading cause of hospitalisation for both Aboriginal and Torres Strait Islander males and females, followed by accidental falls and exposure to inanimate mechanical forces. Other important causes of hospitalisation were transport accidents (particularly for Aboriginal and Torres Strait Islander males), complications of medical and surgical care, and intentional self-harm. Hospitalisation rates from injury for Aboriginal and Torres Strait Islander people were higher than those for non-Indigenous people in nearly every age group, particularly among adults aged less than 75 years.

• Table 26 Aboriginal and Torres Strait Islander hospitalisation for selected causes of injury/poisoning: numbers, age-standardised rates and rate ratios, by sex: Australia 1999–2000

Cause of injury/poisoning	Males			Females		
	Number	Rate	Rate ratio	Number	Rate	Rate ratio
Assault	1,949	10.7	7.9	2,103	10.5	36.5
Accidental falls	1,453	7.9	1.4	1,018	6.4	1.1
Exposure to inanimate mechanical forces	1,187	5.6	1.3	614	2.7	2.0
Transport accidents	858	4.0	1.1	394	1.8	1.0
Complications of medical/surgical care	635	5.0	1.4	844	6.2	2.0
Intentional self-harm	394	2.1	2.3	466	2.3	1.8
All causes	8,817	47.5	1.9	7,193	38.9	2.3

Source: Lehoczky et al., 2002

At a community level, the first evidence of the great impact of injury emerged from the work of the National Injury Surveillance Unit between 1994 and 1997. Until recently, the *Study of injury in five Cape York communities* (Gladman, Hunter, McDermott, Merritt, & Tulip, 1997) was the most comprehensive analysis of injury in Aboriginal communities in Australia. The study, which had been prompted by the observation that injury accounted for 51% of the excess deaths in the 15 to 44 years age group in the Cape York communities between 1989 and 1994, involved: narrative case studies; an epidemiological audit of injury in a community; and focus group sessions and comparison of injury events in two communities, one with an alcohol canteen and one without.

The twelve-month case note audit undertaken in the community which had a canteen selling beer only found that the 683 injuries sustained comprised 24% of all initial consultations and 34% of evacuations (Gladman et al., 1997). Almost half of all people experienced at least one injury during the twelve-month period, with the average number of injuries being 2.1 per person. Overall, the most frequent injury sustained was one to the head, comprising 35% of injuries to females and 23% of those to males. The numbers and proportions of upper limb injuries were much higher for males than females. The numbers, but not proportions, of lower limb injuries were also higher for males than females. Around one-half of all injuries sustained had some association with alcohol consumption, partly reflecting the very high proportion (93%) of people aged 15 years or older who were regular drinkers. More than 90% of alcohol-related injuries occurred on Thursday, Friday or Saturday. Of the alcohol-related injuries, 33% were the result of family violence and 38% of other assaults.

Partly in response to the Cape York study, a number of other community-level studies have been undertaken in recent years. These include ones at Woorabinda in Queensland, and in the Mid North Coast and Shoalhaven areas of NSW (Canuto, Craig, McClure, Young, & Shannon, 2000; Heslop, 2002; Mid North Coast Aboriginal Health Partnership, 2001; Royal & Westley-Wise, 2001; Shannon et al., 2001a; Shannon et al., 2001b). Each of these reports confirmed the substantial impact of injury in the specific communities/regions, and raised the awareness of injury in these communities/regions.

### **3.3 Factors contributing to injury among Aboriginal and Torres Strait Islander people**

The development of injury prevention projects and programs depends on an understanding of the various factors contributing to specific injuries. Reflecting the great diversity of injury — and the diverse disciplinary and other characteristics of people involved in injury prevention — approaches investigating these factors range from the traditional epidemiological single risk factor approach to broad sociological methods.

Of course, our understanding of the factors contributing to health generally has broadened substantially in recent years, with health now acknowledged as depending on a complex interaction of socioeconomic, cultural, environmental and personal factors (biological and behavioural), and the nature and availability of health services (Australian Institute of Health and Welfare, 2000; World Health Organization, 2000). Socioeconomic factors, in particular, have been recognised as important ‘determinants’ of health (Marmot & Wilkinson, 1999).

---

<sup>25</sup> The true difference between Indigenous and non-Indigenous hospitalisation rates is higher than this – due to the widespread but variable under-identification of Indigenous people in the hospital in-patient collections.

Acceptance of the very broad range of factors contributing to health has been applied increasingly to the health of Aboriginal and Torres Strait Islander Australians (Australian Bureau of Statistics & Australian Institute of Health and Welfare, 2001; Australian Institute of Health and Welfare, 2002b), thus providing a more appropriate foundation on which to develop effective intervention strategies.

To be as effective as possible, injury prevention strategies need to address a wide variety of factors contributing to injury events. The approach proposed by a major recent review of violence in Aboriginal and Torres Strait Islander communities (Memmott, Stacy, Chambers, & Keys, 2001), recognises the importance of a broad framework for considering these ‘risk’ factors.<sup>26</sup> In line with the recent research on the social determinants of health, this review classified the factors contributing to the various forms of violence in Aboriginal and Torres Strait Islander communities as:

1. precipitating causes — one or more particular events that trigger a violent episode by a perpetrator;
2. situational factors — which could include alcohol abuse, other people encouraging one or both of the antagonists to act, conflicting social differences between the antagonists, etc.; and
3. underlying factors — the deep historical circumstances of Aboriginal and Torres Strait Islander people which make them vulnerable, leading to their enacting or becoming the victim of violent behaviour (Memmott et al., 2001).

While recognising that this classification may not be as soundly based as one would like, it was seen as a guide for remedial and preventive programs (Memmott et al., 2001). The current impact and consequences of underlying factors could be addressed ‘through the provision of land, housing, health services, education and employment, as well as processes of empowerment’.

Situational factors were seen as ‘best tackled at a local level by a community council, cooperative or other Indigenous agency’ (Memmott et al., 2001), through the provision of things like: shelters for women and children; sobering-up shelters; and properly facilitated alcohol awareness and consumption reduction programs. Precipitating factors were best addressed ‘at the individual or one-to-one level’ (Memmott et al., 2001). Counselling and other services for victims and perpetrators would need to be backed up with support from relatives and friends.

This broad approach to seeking causal factors is well established in the justice area, being a feature of the work of the Royal Commission into Aboriginal Deaths and Custody (Royal Commission into Aboriginal Deaths in Custody, 1991), and also in the area of self-inflicted injury (see, for example, (Hunter, 1991c; Hunter, Reser, Baird, & Reser, 2001; Radford et al., 1991; Radford et al., 1999; Tatz, 2001)). It is a feature also of an analysis of road injuries in South Australia (Brice, 2000), but does not appear to be as widely used in the more traditional injury prevention literature.

As with many other areas of epidemiology, injury epidemiology has started to realise that single-cause explanations of injury events are ‘incomplete and misleading’ (Christoffel & Gallagher, 1999), and that what is needed is a broader examination of the physical and social environment in which the injury occurred. This aspect has characterised much of the recent work examining self-harm among Aboriginal and Torres Strait Islander people, but has yet to permeate fully other areas of injury analysis.

---

<sup>26</sup> Despite current concerns with traditional risk-factor epidemiology, ‘risk factor’ is still the most commonly used term within the health sector.

Bearing this in mind, the understanding of contributing factors is weak for most areas of injury, including injury among Aboriginal and Torres Strait Islander people (Harrison et al., 2001). Information allowing for the consideration of risk factors and mechanisms of injury is relatively scarce, and varies across the specific topic areas considered.

Most studies that have sought to identify risk factors have failed to explore the interplay of risk factors (for example, young males and alcohol, risk-taking, and exposures to hazardous environments). In order to explore how these factors influence each other, more longitudinal, in-depth research is required. Such research, with greater collaboration between fields of study, should also shed light upon a point in the chain of events that can offer the greatest opportunity for intervention (Harrison et al., 2001).

Despite the issues surrounding the identification of factors contributing to injury among Aboriginal and Torres Strait Islander people, the available literature suggests an interrelationship of cultural, environmental and lifestyle variables as main causes for the high incidence of injury. The following factors, collectively or through a multiplicity of variables, appear from the literature to account for the higher incidence of injury:

- marginalisation and disruption to traditional values, kinship and culture;
- loss of self-esteem and purpose leading to alcohol abuse/interpersonal violence;
- exposure to hazardous environment(s);
- at-risk home environment;
- risks associated with living in rural, remote or isolated communities;
- dependence on road transport for long distances;
- alcohol and substance abuse;
- violence;
- social and familial dysfunction;
- increased falls risks in the young and the elderly;
- risk behaviour, isolation and self-harm;
- low socioeconomic status;
- unemployment, poverty and dependence;
- inadequate equity and intervention levels; and
- reduced or limited access to health, community and social support services.

Much remains unclear about injury among Aboriginal and Torres Strait Islander populations, but enough is known to indicate that this issue intersects with other health and social issues (Harrison et al., 2001). The differentials observed are similar to those seen in other Indigenous populations (such as the Navajo Indians in the United States), but are more marked — possibly due to the interaction of Aboriginal and Torres Strait Islander status and poverty in Australia. The proportion of Aboriginal and Torres Strait Islander people living in rural and remote areas and the risks associated with these environments and differences in activities associated with cultural norms intersects closely with Aboriginal and Torres Strait Islander injury, as does drug use, particularly the use of alcohol. The effects of alcohol on Aboriginal and Torres Strait Islander injury are so profound that it is often seen as the sole cause of the problem.

The following section is structured along the lines used by Harrison and colleagues (2001) in considering information sources for injury prevention among Aboriginal and Torres Strait Islander Australians.

#### *Alcohol and Injury*

Alcohol is widely accepted to be the key risk factor for many types of injury, including road injuries, falls, fire injuries, drowning, machine injuries, suicide, assault and child abuse (English et al., 1995; Steenkamp, Harrison, & Allsop, 2002). The actual contribution of alcohol use to the various types of injuries varies, but the best international and national data suggests that unsafe alcohol use is responsible for: 37% of road injuries sustained by males and for 18% of those sustained by females; 34% of fall injuries; 44% of fire injuries; 34% of drownings; 7% of machine injuries; 12% of suicide among males and 8% among females; 47% of assaults; and 16% of cases of child abuse (English et al., 1995).<sup>27</sup>

The likely theoretical contribution of alcohol to Aboriginal and Torres Strait Islander injury has not been quantified, but, in view of the higher proportions of harmful/hazardous alcohol use among Aboriginal and Torres Strait Islander people (Australian Bureau of Statistics, 1999; Australian Bureau of Statistics & Australian Institute of Health and Welfare, 1999; Commonwealth Department of Human Services and Health, 1996), these are likely to be conservative estimates of the actual contributions of unsafe alcohol use to injury.

Many reports have identified alcohol as a major contributor to Aboriginal and Torres Strait Islander injury (see for example, the reports of the Royal Commission into Aboriginal Deaths in Custody (Royal Commission into Aboriginal Deaths in Custody, 1991) and the recent Gordon inquiry into family violence and child abuse in Aboriginal communities in Western Australia (Gordon, Hallahan, & Henry, 2002)), but few studies have attempted to focus on the actual impact.

Overall, the reliability of information on alcohol involvement in injury is uncertain, being complicated by numerous factors. These factors include reliable and accurate measurement of alcohol in the system of the individual at the actual time of the injury, and the fact that the person injured due to the effects of alcohol may not be the person who actually consumed the alcohol (Harrison et al., 2001). Partly as a result of these problems, the major health-related collections in Australia, death registrations and the hospital in-patient collection, provide few insights into the role of alcohol in injury.

Despite the lack of comprehensive data, the impact of alcohol on Aboriginal and Torres Strait Islander injury has been recognised as substantial, and reducing this impact is seen as imperative to address the issue of injury prevention (Harrison et al., 2001).

#### *Volatile substance abuse*

Inhalation of volatile substances (that is, glues, liquid solvents, petrol, aerosols and fire extinguisher propellants) for mind-altering effects is relatively common among young people in general, especially those from lower socioeconomic backgrounds (possibly due to its relative cost) (Harrison et al., 2001). Petrol sniffing is a common form of volatile substance abuse among Aboriginal and Torres Strait Islander communities, particularly those in remote parts of the country (Harrison et al., 2001). It appears to present more problems than other volatile substances, but little is known about the extent and impact of the other substances.

---

<sup>27</sup> These proportions were estimated from a combination of the best epidemiological estimates of the greater risk of sustaining an injury among those people who had consumed unsafe levels of alcohol, and the population prevalence of unsafe alcohol consumption.

The short and long term effects of petrol sniffing may be profound and are not always restricted to the sniffer. The acute injuries/injury risk factors associated with petrol sniffing include aggression, violence, decreased morale, confusion, burns and (sometimes) sudden death (d'Abbs & Maclean, 2000).

Obtaining accurate data on petrol sniffing and the associated injuries, and evaluating interventions is difficult due to the 'semi-clandestine' nature of the activity, the fluctuating nature of patterns of use and its differential distribution among communities (d'Abbs & Maclean, 2000).

#### *Road injury*

Aboriginal and Torres Strait Islander Australians are over-represented in road injury mortality in all three Australian jurisdictions with adequate data — WA, SA and the NT (McFadden, McKie, & Mwesigye, 2000). In WA and SA, Aboriginal and Torres Strait Islander road deaths occur at nearly twice the rate of that of the non-Indigenous population (Harrison et al., 2001). In WA, Aboriginal and Torres Strait Islander people were responsible for 7% of road injury-related hospitalisation during 1988 to 1996 (and were 3% of the population at that time) (Cercarelli, 1999).

Road injury characteristics are notably different between Aboriginal and Torres Strait Islander and non-Indigenous people, with Aboriginal and Torres Strait Islander people being more likely to be involved in single vehicle crashes (Treacy, Jones, & Mansfield, 2002) and those involving pedestrians (Cercarelli, 1999). As well, relatively high proportions of crashes involving Aboriginal and Torres Strait Islander people have contributing factors (such as alcohol, over-loaded vehicles and non-use of seat belts) (Harrison et al., 2001). Crude death rates from motor vehicle crashes for Indigenous people in Australia are not dissimilar to those among First Nations populations in Canada, Maori in Aotearoa/New Zealand, and Native Americans in the USA (Brice, 2000).

A recent analysis of WA hospital in-patient data for the years 1971–1997 found that the rate of hospitalisation due to road injury for Aboriginal and Torres Strait Islander people (719.1 per 100 000 population per year) was almost twice as high as that for non-Indigenous people (363.4 per 100 000 population per year) (Cercarelli & Knuiman, 2002). Hospitalisation from road injury involving non-Indigenous people had decreased by 6.7% per three-year period since 1971, but hospitalisation for Aboriginal and Torres Strait Islander people had increased by 2.6% per three-year period. The increase was more pronounced for males, for people aged 0–14 years and over 45 years, and for people living in rural areas (Cercarelli & Knuiman, 2002).

Several factors are hypothesised to underlie the differentials observed in road injury between the Aboriginal and Torres Strait Islander and non-Indigenous populations. Certain risk factors are common to all persons living in remote or rural areas — greater exposure to long distances, higher speeds on unsurfaced roads, and less accessibility to emergency health services (Harrison et al., 2001). Around 70% of Aboriginal and Torres Strait Islander people live in rural and remote areas of Australia, so a greater proportion of the Aboriginal and Torres Strait Islander population than of the non-Indigenous population is exposed to these risks. Cercarelli and colleagues suggest also (Cercarelli, Ryan, Knuiman, & Donovan, 2000):

... differences in lifestyle and culture in Aboriginal and Torres Strait Islander persons may exacerbate existing risks by reducing the appropriateness of current safety education programs.

The analysis of road injuries among Aboriginal and Torres Strait Islander people will need to go deeper than the usual identification of proximate factors (that is, seat belt use and intoxication), including attention to why relevant factors (such as non-compliance with seat belts and speed limits, and driving while intoxicated) are prevalent among Aboriginal and Torres Strait Islander people (Harrison et al., 2001).

There is currently limited literature on Aboriginal and Torres Strait Islander-specific road safety interventions and their subsequent evaluation. One of the most widely promoted and discussed interventions has been a change in legislation in the NT and then WA — outlawing the practice of riding in an open load-space without an approved roll frame fitted to the vehicle (North Queensland Indigenous Injury Prevention Partnership, 2002). Following the introduction of legislation in the Northern Territory, the proportion of road injury deaths occurring to open load space passengers fell from 10% (in 1990–1993) to 2.1% (in 1994–1997) (Harrison et al., 2001). The legislation is not restricted to Aboriginal and Torres Strait Islander people, but it has had a greater positive impact on Aboriginal and Torres Strait Islander injury rates due to the greater preponderance of riding in open load spaces by Indigenous people (Cercarelli & Cooper, 2000). Statistics such as these demonstrate the potential of routine injury statistics to provide some evidence of the impact of interventions (see Section 4 of this Appendix for further information about road safety projects).

The limited literature demonstrates clearly that road safety issues involving Aboriginal and Torres Strait Islander people need to be addressed urgently by health and transport authorities, with particular attention to the predisposing social factors. As Brice (2000) notes, prevention is inextricably linked to questions of causality. In his 2000 review, he argues that to consider road injury in relative isolation is ‘misleading and inappropriate’. He attributes the consistent and large proportion of Aboriginal and Torres Strait Islander deaths from injury over the past two decades to ‘... significant social disturbance at the root of individual incidents’ (Brice, 2000). Brice considers that (2000):

... road trauma among Aboriginal and Torres Strait Islander people is as much a feature of class or social disadvantage as of culture or, for example, of popular notions of poor driving in sub-standard vehicles.

In his *National Road Safety Report*, Brice (2000) proposes eighteen recommendations on information availability and quality, potential action by government, community-based initiatives, collaboration between the government and community sectors, and research strategies.

#### *Injury due to interpersonal or family violence*

Despite the limitations of the available data, sufficient evidence is available to show that injury due to violence among Aboriginal and Torres Strait Islander people is an issue of serious concern (see Section 3.1 above). Almost all published comparative analyses have found that rates of violence are higher in the Aboriginal and Torres Strait Islander population than in the non-Indigenous population (Harrison et al., 2001).

Violence by Aboriginal and Torres Strait Islander people resulting in injury or death is more likely to be directed towards friends and family (that is, people known to the perpetrator) than to strangers (Harrison et al., 2001). For this reason, in addition to legal ramifications, the extent to which cases of interpersonal violence are revealed or recognised is uncertain. Obtaining accurate ICD-10 coding of incidents and assessing whether patterns of identification differ between Aboriginal and Torres Strait Islander and non-Indigenous people is equally uncertain. There is also some evidence

that Aboriginal and Torres Strait Islander males are less likely to seek treatment for injuries received as a result of violence than either Aboriginal and Torres Strait Islander females or non-Indigenous males.

Interventions aimed at reducing family violence among Aboriginal and Torres Strait Islander people are numerous, but a lack of formal evaluation and documentation has made reviewing and reaching definitive conclusions for future research and intervention difficult. In an attempt to address this issue, in 1998–1999, Memmott et al. (2001) were commissioned by the National Campaign against Violence and Crime (later re-named ‘National Crime Prevention’) in the Attorney-General’s Department Canberra to undertake a national review of the extent and nature of Aboriginal and Torres Strait Islander violence in Australia, and existing programs and strategies to reduce such violence. The report of the review noted that ‘... the literature tends to be top-heavy with theory and discussion, and lacks empirical evidence on violence’ (Memmott et al., 2001).

#### *Suicide and intentional self-harm*

Injury due to suicide and intentional self-harm began to receive greater attention in Australia in the late 1980s, initially in recognition of the increase in suicides among young people (particularly males). As part of the Royal Commission into Aboriginal Deaths in Custody, the high and increasing rates of suicide among Aboriginal and Torres Strait Islander people became apparent. Suicide and intentional self-harm subsequently became a prominent issue in Australia in the latter half of the 1990s, with particular attention directed to suicide among young Australian males (Indigenous and non-Indigenous).

Despite large scale strategies being implemented (for example, LIFE, NYSPS), the scope of the issue of suicide and intentional self-harm is still to be sharply defined or universally agreed. As noted by Harrison and colleagues (2001):

depending on the perspective adopted, deliberate self-destruction, recklessly dangerous behaviours, self-mutilation, etc. may be seen as separate or related phenomena. Similarly, connections are found between this ‘internally directed violence’ and ‘externally directed violence’ manifesting as assault, etc.

In light of evidence on risk factors for suicide, Aboriginal and Torres Strait Islander people have certain characteristics suggesting that an elevated suicide risk might be expected — including widespread experience of social disruption during childhood, poverty and high rates of incarceration (Australian Bureau of Statistics & Australian Institute of Health and Welfare, 1999; Hunter, 1999; Tatz, 2001).

An increasing body of literature is available on suicide and self-harm among Aboriginal and Torres Strait Islander people, a large portion of which has been commissioned by Commonwealth government agencies under the auspices of various strategies. Several independent authors have analysed Aboriginal and Torres Strait Islander suicide and related behaviours in particular communities or regions of Australia. One of the main contributors to this field of inquiry is Professor Ernest Hunter, whose thoughtful and thorough work has focused on various aspects, including aetiology. Hunter stresses the need for suicide and self-harm among Aboriginal and Torres Strait Islander people to be analysed within its broad social and historical context, but recognises the importance of local and acute situational factors (Hunter, 1990; Hunter, 1991a; Hunter, 1991b; Hunter, 1991c; Hunter, 1995; Hunter et al., 2001).



Similarly, a detailed analysis of self-harm and suicidal ideation among Aboriginal and Torres Strait Islander and non-Indigenous female single parents in Adelaide considered a variety of potential contributory factors, including finance, housing, upbringing, experience of abuse, and interaction with police (Radford et al., 1991; Radford et al., 1999). The study found that suicide attempts were less frequent among the Aboriginal and Torres Strait Islander women than among non-Indigenous women, and concluded that self-harm was related more to class than Aboriginal and Torres Strait Islander status (Radford et al., 1999).

A more recent contribution is that of Professor Colin Tatz, whose in-depth analysis of suicide among Aboriginal youth in NSW and the ACT and Maori youth in New Zealand led him to conclude that 'Aboriginal suicide is different', and that the difference needs 'to be stressed, recognised, absorbed, appreciated and acted upon, if any prevention or alleviation strategies are to be attempted' (Tatz, 2001). He argues that suicide and attempted suicide among Aboriginal youth in NSW and the ACT is one facet of a 'new violence', and that mental illness, 'in the strict pathological sense', is rarely a factor. Health professionals need 'to become holistically knowledgeable about the wide variety of Aboriginal societies' and 'to comprehend more than a history of oppression and the legacies of colonialism'.

Thus, the factors contributing to suicide and intentional self-harm among Aboriginal and Torres Strait Islander people cover virtually the full spectrum of factors summarised earlier in this section (3.3). The relative contributions of each of these factors appear to vary according to local circumstances, so intervention strategies will need to take account of these circumstances.

## **4 Government responses to injury among Aboriginal and Torres Strait Islander people**

### **4.1 National initiatives**

Injury is diverse, and so are the preventive policy responses to it. The pattern of injury policy activity is strongly influenced by Australia's federal structure. At a national level, and especially in the health sector, emphasis is on the coordination of Commonwealth, State and Territory activities and efforts. Examples are the National Health Priority Areas initiative (injury is one of six priority areas), and statistical description and monitoring, mainly through support for the Australian Institute of Health and Welfare (AIHW) National Injury Surveillance Unit.

In an attempt to provide a forum for leadership in injury prevention in Australia, the National Public Health Partnership Group established the Strategic Injury Prevention Partnership (SIPP) in August 2000 (National Public Health Partnership, 2000). SIPP, which supersedes a previous initiative, the National Injury Prevention Advisory Council, is responsible for implementing the *National Injury Prevention Plan: Priorities for 2001–2003* and for promoting a consistent, integrated approach to injury prevention (including monitoring and evaluation) across all areas of government. SIPP includes representatives from the health authorities in all jurisdictions, the Consumer Policy Division of Commonwealth Treasury, the Australian Institute of Health and Welfare and the Australian Injury Prevention Network.

A national statement on Aboriginal Injury and Safety Promotion was developed in 2000 at the National Injury Prevention Network conference in Canberra, where injury was also identified as a priority area for the National Public Health Partnership. The statement called for the development of a systematic approach to safety and injury prevention for Aboriginal and Torres Strait Islander people based on public health principles (Moller, 2002). The Australian Government Department of Health and Ageing is currently developing this approach, and it is expected that each State/Territory will develop complementary activities and policies.

The following material summarises some initiatives, reports, etc. of relevance to injury prevention among Aboriginal and Torres Strait Islander people.

### ***General injury initiatives***

*National Health Priority Areas (NHPA) — National Health Priority Areas Report on Injury Prevention and Control 1997*

(Commonwealth Department of Health and Family Services & Australian Institute of Health and Welfare, 1998)

As injuries remain a leading cause of death, illness and disability in Australia, particularly among Aboriginal and Torres Strait Islander people, injury prevention and control has been recognised by Health Ministers as a national health priority since 1986. The National Health Priority Areas report on Injury Prevention and Control 1997 updated the data and trends provided in the First Report on National Health Priority Areas. The report was a joint publication between the Commonwealth Department of Health and Family Services and the Australian Institute of Health and Welfare (AIHW) on behalf of the National Health Priority Committee. This Committee was chaired by the Commonwealth Chief Medical Officer with representation from all States and Territories, AIHW and the National Health and Medical Research Council.

*Directions in Injury Prevention Report 1: Research needs*

(National Injury Prevention Advisory Council, 1999a)

This report was the first publication of the National Injury Prevention Advisory Council (NIPAC) and the Department of Health and Aged Care. NIPAC had been established in 1997 to provide high level independent advice to the Department of Health and Aged Care and its Minister on ways to reduce the incidence and severity of injury. At the inaugural meeting of NIPAC it was decided that a thorough analysis of injury needs in research and development was required.

The report identifies the research base available and the next steps required to advance injury prevention activities. It focuses on three principal areas: major injury cause areas, special population groups of interest, and alcohol as a risk factor. Report 1 provides a brief overview on why injuries occur, incidence, what action is required and cost-effectiveness of interventions. It provides the basis for the second report *Directions in Injury Prevention Report 2: Injury prevention interventions — good buys for the next decade* (see below).

*Report 2: Prevention interventions — good buys for the next decade*

(National Injury Prevention Advisory Council, 1999b)

This report, based on the information contained in *Directions in Injury Prevention Report 1: Research Needs* (see above), sets out those areas which offer the best opportunities for investment in injury prevention.

*Paradigm shift. Injury: from problem to solution — new research directions*

(Strategic Research Development Committee of the National Health and Medical Research Council, 1999)

This report notes that the evidence base for injury prevention:

requires contributions from a wide range of disciplines and involves a wider range of research paradigms than have traditionally been accepted within the core health research paradigms.

It recommends that the NHMRC develop a five-year strategy for injury research, involving:

- available program of Australian injury research;
- definition of detailed priorities for injury research and the development of an appropriate mix of investigator-driven and commissioned research; and
- allocation of a research quota for injury research and a strategy for utilising this quota for high quality relevant research.

*National Injury Prevention Plan: Priorities for 2001–2003*

(Strategic Injury Prevention Partnership, 2001)

The *National Injury Prevention Plan: Priorities for 2001–2003* represents a broad framework for national activity in the areas of high priority for immediate attention where the health sector can and should take a leading role. It is tightly focused on a manageable number of priorities for immediate action. Among the priority areas identified are interpersonal violence, intentional injury, self-harm and firearms, and injury as a result of alcohol misuse. Aboriginal and Torres Strait Islander Australians are one of the six priority populations.

*National Aboriginal and Torres Strait Islander Health Strategy, Consultation Draft*<sup>28</sup>

(National Aboriginal and Torres Strait Islander Health Council, 2000)

This consultation draft was based upon the *1989 National Aboriginal Health Strategy* and the evaluation of that strategy in 1994. Injury is discussed in a broader context, with its effects on mortality and morbidity rates presented. A reduction in the impact of injury and poisoning is highlighted as one of five specific aims of the strategy.

#### ***Road safety initiatives***

The National Road Safety Strategy aims to dramatically reduce death and injury on Australian roads (Australian Transport Safety Bureau, 2001). This national strategy has been adopted by the Australian Transport Council, which comprises Commonwealth, State and Territory Ministers with transport responsibilities. In Australia's federal system of government, road safety strategy and policy measures are principally driven by the States, Territories and local government, which conduct their own programs. Accordingly, this strategy has been developed as a framework document, which recognises the individual governments will continue to develop and implement their own road safety strategies and programs. It is envisaged that all future road safety programs will be consistent with this strategy but reflect local imperatives.

#### ***Interpersonal violence***

The Commonwealth government has initiated two programs addressing interpersonal violence — the National Crime Prevention Program and Partnerships Against Domestic Violence.

---

<sup>28</sup> This document was superseded in June 2002 by the *National Strategic Framework for Aboriginal and Torres Strait Islander Health*, but a copy of this draft document was not available.

The National Crime Prevention Program, which was launched in 1997, aims ‘to identify and promote innovative ways of reducing and preventing crime and the fear of crime’ (Commonwealth Attorney-General’s Department, n.d.). In recognising that crime is a serious social issue affecting the physical, social, emotional and financial wellbeing of Aboriginal and Torres Strait Islander individuals and the community as a whole, the program has provided funds in three areas: community night patrols, domestic violence, and general violence in Aboriginal and Torres Strait Islander communities.

Across Australia, night patrols have been identified as a significant crime and injury prevention strategy within Aboriginal and Torres Strait Islander communities (Commonwealth Attorney-General’s Department, 2002). In 2002, the National Crime Prevention Program funded two night patrol projects, which incorporate many of the Commonwealth government’s crime and violence prevention goals.<sup>29</sup>

Partnerships Against Domestic Violence works with State and Territory governments and the community ‘to find better ways of preventing domestic and family violence’ (Partnerships Against Domestic Violence, 2002). Partnerships Against Domestic Violence, which was launched by the heads of government at the National Domestic Violence Summit, is coordinated by a Commonwealth, State and Territory task force with a secretariat located in the Commonwealth Office of the Status of Women. Partnerships Against Domestic Violence conducts a wide range of projects across Australia to stimulate new activities and enhance existing work, including working with Aboriginal and Torres Strait Islander communities.

As part of its National Indigenous Family Violence Grants Program, Partnerships Against Domestic Violence budgeted \$6 million over four years (1999–2003). In 2000, 30 Aboriginal and Torres Strait Islander organisations from across Australia were allocated \$2.2 million for 31 projects addressing family violence, and a further 37 projects were funded in 2001 (Partnerships Against Domestic Violence, 2001c).<sup>30</sup> Details of some of these projects are provided in Volume II, Appendix D.

#### *Initiatives addressing suicide and self-harm*

The Commonwealth Government’s National Youth Suicide Prevention Strategy, 1995–1999 (NYSPS) aimed to reduce rates of youth suicide and self-harming behaviours in Australian youth, and influence the way other programs, agencies and individuals deliver prevention programs to young people at risk (Commonwealth Department of Health and Aged Care, 2000c).

Of 70 projects funded under the NYSPS, the title or auspicing organisation of four indicates a focus on young Aboriginal and Torres Strait Islander people, and several others were located in or near substantial Aboriginal and Torres Strait Islander communities. Young Aboriginal and Torres Strait Islander people were declared the target group for the Here for Life program, the first national program in response to youth suicide, which began in 1995.

The strategy was evaluated at its conclusion in 1999 by the Australian Institute of Family Studies. The evaluation is published by the Institute in five separate reports — a main report and four supplementary technical reports (Mitchell, 2000a; Mitchell, 2000b; Mitchell, 2000c; Mitchell, 2000d; Mitchell, 2000e).

---

<sup>29</sup> See Section 4.2 of this Appendix, particularly the subsection related to the Northern Territory, for further information about night patrols.

<sup>30</sup> Details of the funded projects are available on the Partnerships Against Domestic Violence website <<http://www.padv.dpmc.gov.au/>>.

It was found that the strategy had resulted in enhancements to the capacity of service systems to prevent suicide among young people (Mitchell, 2000e):

The knowledge base about the complexity of causal factors and the effectiveness of various interventions has been expanded and information has been documented in forms that are accessible and user-friendly. Several promising primary prevention and early intervention programs have been developed or expanded, documented in manuals, and capacity to deliver these programs more widely has been built. Training in suicide prevention and a range of interventions has been provided to large numbers of professionals and training resources have been expanded and made more accessible.

No data were available to indicate whether or not the strategy had led to, or been associated with, significant outcomes at a population level — or with positive changes in individual or environmental risk and protective factors (Mitchell, 2000e). It was noted that the strategy represented only the earliest stage of a long-term reform process and, as such, changes in population health outcomes and impacts would not be expected to be observable for many years.

It was concluded that the strategy could not be considered to be a fully ‘comprehensive nationally coordinated approach’ to youth suicide prevention; rather, it was more accurately seen as a ‘phase of developmental research’ (Mitchell, 2000e). It was stated that if the goal of reducing rates of suicide and suicidal behaviour among young people is to be met, the strategy will need to be followed by the implementation of all the identified promising interventions across Australia. Nevertheless, a number of projects demonstrated positive outcomes for young people and significant impacts on target groups participating in trial programs, including Aboriginal and Torres Strait Islander youth.

Living is for Everyone (LIFE) is a framework for prevention of suicide and self-harm in Australia over the period 2001–2005 (Commonwealth Department of Health and Aged Care, 2000b). LIFE builds on the work of the NYSPPS and includes three companion documents: Areas for Action, Learnings about Suicide, and Building Partnerships.

The LIFE Program aims to: reduce suicides, suicidal thinking, suicidal behaviour, injury and self-harm; enhance resilience in individuals, families and communities; and increase support to those affected. In addition, the program hopes to extend and enhance community and scientific understanding of suicide and its prevention.

LIFE has declared partnerships with Aboriginal and Torres Strait Islander peoples to be one of its six ‘Action Areas’. While maintaining a focus on youth suicide, LIFE broadens the scope of activity to include prevention and intervention across the lifespan for Aboriginal and Torres Strait Islander and non-Indigenous people.

The CommunityLIFE Project is based on the LIFE framework, and aims to build community capacity for suicide prevention (Centre for Developmental Health TVW Telethon Institute for Child Health Research, 2002). This project has Aboriginal and Torres Strait Islander and non-Indigenous components.

Community-driven approaches are seen as particularly important for Aboriginal and Torres Strait Islander people, being recognised as an integral part of any successful intervention strategy. CommunityLIFE aims to make information about life promotion available and accessible, and to develop the mechanisms for providing support and practical assistance to Aboriginal and Torres Strait Islander communities.

Funding for the project is through the Australian Government Department of Health and Ageing. Overall responsibility for the project lies with the Centre for Developmental Health, Curtin University of Technology in WA, but management is via a consortium of representatives from around Australia (Sydney, Perth and Adelaide). The Aboriginal and Torres Strait Islander component of the project is overseen by NACCHO. Aboriginal and Torres Strait Islander elements will also be incorporated in the non-Indigenous (mainstream) project (Centre for Developmental Health TVW Telethon Institute for Child Health Research, 2002).

*Other relevant initiatives*<sup>31</sup>

The *Bringing them home* report, by the Human Rights and Equal Opportunity Commission, calls for: culturally-appropriate community-based and mainstream mental health services; the development of parenting programs; safeguards against the removal of children; diversion from custody programs and support for Aboriginal and Torres Strait Islander prisoners (National Inquiry into the Separation of Aboriginal and Torres Strait Islander Children from their Families Australia, 1997).

The Second National Mental Health Plan, developed to provide a national framework for future activity in mental health service reform, is a five-year (1998–2003) extension of the National Mental Health Plan (1992) (Commonwealth Department of Health and Aged Care, 2001b). It is envisaged that implementation of the second plan will contribute significantly to improved treatment, care and quality of life for Australians with mental illness, their families and the general community.

Though not specifically Aboriginal and Torres Strait Islander-focused, the plan does contain consultative mechanisms and links in the areas of Aboriginal and Torres Strait Islander mental health and suicide prevention.

The Stronger Families and Communities strategies provide funding for prevention and early intervention programs for families and communities, with particular benefits for those at risk of social, economic and geographic isolation (Commonwealth Department of Family and Community Services, 2002a; Commonwealth Department of Family and Community Services, 2002b).

There is an Aboriginal and Torres Strait Islander-specific component of the strategies, with a minimum of \$20 million available across Australia for projects involving Aboriginal and Torres Strait Islander communities.<sup>32</sup>

Initiatives funded by the program include: Strengthening Indigenous Communities Pilots run by Palngun Wurnangat Incorporated, which identifies priority community needs and issues to develop integrated community-based solutions; and the Albany Aboriginal Corporation, which has established community action groups in a range of locations as a mechanism for Aboriginal and Torres Strait Islander families to come together to develop community plans.

---

<sup>31</sup> This section overlaps, to some degree, with Volume II: Programs, Projects and Actions of this report.

<sup>32</sup> A meeting of Indigenous leaders and the Commonwealth Government in 2000 agreed that governments and Indigenous people should work together to develop and put in place programs aimed at supporting families and communities. It was agreed also that government activities in Indigenous communities should target the needs of children and young people, and empower Indigenous people to take responsibility within their families and communities for developing solutions to problems, particularly in the area of family violence.

## 4.2 State and Territory initiatives

Most injury-related regulation and enforcement, many prevention programs and some research is funded and undertaken at State/Territory level. National coordination produces some commonality, but there is considerable diversity in approaches and in the topics given priority.

Notable funding mechanisms are the Victorian Transport Accident Commission, which has allocated large sums for road injury research and prevention, and programs in several States based on the tobacco tax. Funding from the National Health and Medical Research Council is, in principle, available for injury research, but only a very small proportion has been allocated to projects on this topic.

State and Territory injury prevention initiatives implemented to date include the following.

### *New South Wales*

The Aboriginal Health and Medical Research Council of NSW has agreed in principle to the development of a NSW strategy for injury prevention in Aboriginal and Torres Strait Islander communities (Moller, 2002). The strategy is expected to be developed in line with the proposal to build a national plan for injury prevention in Aboriginal and Torres Strait Islander communities, occurring under the directorship of the Aboriginal and Torres Strait Islander Working Group of the National Public Health Partnership.

### *Shoalhaven Aboriginal Injury Surveillance Project*

(Royal & Westley-Wise, 2001)

This project attempted to document and describe the injury patterns and subsequent ‘risk factors’ of Aboriginal and Torres Strait Islander people living in the Shoalhaven, NSW. The data were assessed for usefulness and, through consultation with the Aboriginal and Torres Strait Islander community, opportunities to utilise the findings to plan injury prevention strategies were sought. A clearer picture of the issues facing the community emerged and key areas of preventive intervention were identified.

### *Pride, Respect and Responsibility: Mid North Coast Aboriginal Injury Surveillance Project Report*

(Mid North Coast Aboriginal Health Partnership, 2001)

This Aboriginal and Torres Strait Islander injury surveillance project describes injury patterns and risk factors, and identifies responses to enable positive change among Aboriginal and Torres Strait Islander people living in the Mid North Coast region of NSW.

The project utilised hospital emergency department data, hospital separation data, and qualitative methods (such as event narratives, semi-structured interviews and focus groups).

### *Aboriginal Action Plan (2001–2006)*

(Roads and Traffic Authority, 2001)

The Aboriginal Action Plan documents the NSW Roads and Traffic Authority’s priorities on Aboriginal and Torres Strait Islander issues over the period 2001 to 2005. The Aboriginal Action Plan utilises the Aboriginal Employment and Equity Plan 1998–2003 and its achievements as foundations and models for further work in the area of Aboriginal and Torres Strait Islander injury prevention on the roads of NSW.

## **Victoria**

### *Victorian Injury Prevention Program*

(Department of Human Services, 2002)

The Victorian Injury Prevention Program is working towards developing strategies at the State and national levels to reduce the incidence of injury in the Australian population.

The Victorian Injury Prevention Program is located within the Public Health Group, Rural and Regional Health and Aged Care Services Division of the Department of Human Services. The program engages in a diverse range of activities including the provision of policy advice, the development of strategies, funding of various programs and projects, research support, stakeholder liaison, monitoring and evaluation. Its state-wide injury prevention strategy, *Taking Injury Prevention Forward*, makes no reference, however, to injury among Aboriginal and Torres Strait Islander people.

## **Queensland**

### *Study of injury in Five Cape York Communities*

(Gladman et al., 1997)

This project, probably the first to undertake a detailed investigation of injury at a community level, was funded by the National Injury Surveillance Unit and the Commonwealth Department of Health and Family Services. A brief summary of its findings is provided in Section 3.2 of this Appendix, 'Impact of injury among Aboriginal and Torres Strait Islander people'.

### *The Health Outcomes Plan, Injury Prevention and Control 2000–2004*

Queensland Health is developing Health Outcomes Plans for each of the National Health Priority Areas, including injury. In parallel, it is developing strategic policy frameworks for population groups, with an initial focus on four groups — Aboriginal and Torres Strait Islander people being one of the four. The plans assemble the evidence base for strategies and aim to guide the Procurement Council in determining the best balance of services for the State.

Reducing the burden of injury in Queensland is a corporate priority, identified in Queensland Health's *Strategic Directions 2000–2010* and the accompanying strategic plan (Queensland Health, 1999). *The Health Outcomes Plan — Injury Prevention and Control 2000–2004: Background Paper* (Queensland Health, 2000) provides supporting evidence or a rationale for each strategy in the Health Outcomes Plan for Injury Prevention and Control (Queensland Health, 2001). The plan includes a comprehensive discussion of evidence-based strategies to reduce the incidence and impact of injury in Queensland, along with process, quality and outcome indicators.

### *The Aboriginal and Torres Strait Islander Women's Task Force on Violence*

(The Aboriginal and Torres Strait Islander Women's Task Force on Violence, 2000)

The Aboriginal and Torres Strait Islander Women's Task Force on Violence was established in December 1998. Fifty Aboriginal and Torres Strait Islander women, representing communities throughout Queensland, participated in the formulation of a report to share their stories and stimulate and guide action (The Aboriginal and Torres Strait Islander Women's Task Force on Violence, 2000). The Queensland Government responded to the report with a report analysing the Task Force findings and auditing current Queensland Government family violence initiatives (Queensland Government, 2000).



*Apunipima Family Violence Advocacy Project*  
(Apunipima Cape York Health Council, 2001)

The Apunipima Family Violence Advocacy Project was funded by the Aboriginal and Torres Strait Islander Commission for two-and-a-half years and achieved its outcome at the end of the 2000–01 financial year as scheduled. The main objective of the project was the development of a model to address family violence in Aboriginal and Torres Strait Islander communities across Australia. Other benefits were realised by the project, including the development of numerous resources and the conduct of workshops for the community. The project report, prepared by the Apunipima Cape York Health Council, contains recommendations to the government.

(See also Western Australian material, below, for further details on this project.)

*North Queensland Indigenous Injury Prevention Partnership*  
(North Queensland Indigenous Injury Prevention Partnership, 2002)

This partnership involves a group of researchers and health professionals from around Queensland, led by Professor Ernest Hunter (University of Queensland) and Professor Robyn McDermott (Tropical Public Health Unit and James Cook University). The partnership, funded by the National Health and Medical Research Council, aims to establish and implement best-practice approaches to the prevention and management of injury.

*Aboriginal and Torres Strait Islander Road Safety Remote Communities Project*  
(Powell, Odgaard, & Wright, 2001)

*The Aboriginal and Torres Strait Islander Road Safety Remote Communities Project* started in 1997 with funds provided for six years.

Numerous road safety activities are now occurring in remote Aboriginal and Torres Strait Islander communities of north Queensland, and some momentum appears to have been generated by the project (Powell et al., 2001):

‘there appears to be an increase in trust between Queensland Transport and the remote Indigenous communities of the Northern region with improved communication and the implementation of successful road safety initiatives’.

Outcomes of this project ‘... will influence future directions of road safety in Queensland’ (Powell et al., 2001).

### ***Western Australia***

*Family Violence Advocacy Project*  
(Partnerships Against Domestic Violence, 2001b)

Family Violence Advocacy Projects (Aboriginal and Torres Strait Islander Commission) have been established at the Bega Garnbirringu Health Services in Kalgoorlie (and at Apunipima Cape York Health Council in Queensland).

Project teams have assisted agencies to develop appropriate strategies to address family violence in Aboriginal and Torres Strait Islander communities. The projects have developed best practice models of service delivery that may be replicated in other areas of Australia. These models indicate the services needed in rural and remote communities, as well as the links required between services, to effectively address family violence.

*Model of Intervention at the Point of Violence*

(Partnerships Against Domestic Violence, 2001a)

Model of Intervention at the Point of Violence, Aboriginal Family Violence, has developed effective models for delivering family violence services to Aboriginal and Torres Strait Islander communities in Western Australia. These include roles for service providers, specific strategies for mainstream agencies and implementation strategies for different regions.

*Training for Service Delivery*

(Partnerships Against Domestic Violence, 2001b)

Training for Service Delivery has developed training for workers from domestic violence services, including: victim support, children's services, perpetrator programs, Aboriginal and Torres Strait Islander services, and men's crisis services.

*Development of Pilot Counselling Program for Mandated and Non-Mandated Aboriginal Men Responsible for Family Violence*

(Partnerships Against Domestic Violence, 2001a)

A model is being piloted for counselling/intervention for Aboriginal and Torres Strait Islander men involved in family violence. It will be trialled in Perth and the Pilbara, and aims to identify time-limited intervention strategies that are culturally appropriate and cost-effective in reducing violent behaviour.

*Drowning Prevention Program for Aboriginal Health Workers throughout Rural and Remote Western Australia*

(Lyford, 2001)

Aboriginal and Torres Strait Islander people, particularly children, have much higher rates of drowning than non-Indigenous people. In an attempt to combat the high risk of drowning among Aboriginal and Torres Strait Islander people, a project was developed and implemented in WA in 2000 (funded by the Rural Health Support, Education and Training program).

The aim of the project was (Lyford, 2001):

... to develop and implement a comprehensive training package for remote Aboriginal health workers with the ability to educate the community with appropriate health promotion and drowning prevention strategies.

Post-workshop (that is, training) questionnaires were administered, and results were positive. A video has also been produced to educate parents and carers on the prevention of drowning and injury around water (Lyford, 2001).

*The Way Ahead — Road Safety Directions for Aboriginal Road Users in Western Australia*  
(Road Safety Council Taskforce, 2000)

The Way Ahead — Road Safety Directions for Aboriginal Road Users in Western Australia complements the current general five-year strategy, Future Directions for Road Safety in Western Australia 2000–2005, which aims to improve safety for all Western Australians, including Aboriginal and Torres Strait Islander people. The Way Ahead strategy specifically addresses issues known to impact heavily on Aboriginal and Torres Strait Islander people, with the aim of reducing the over-representation of Aboriginal and Torres Strait Islander people in road crashes in WA.

### ***South Australia***

*Safe Living in Aboriginal Communities project*  
(Partnerships Against Domestic Violence, 2001d)

The Safe Living in Aboriginal Communities project aims to refine and test the effectiveness of the Family Well Being Counselling Training Course model. The South Australian Department of Education, Training and Employment and the Whyalla Aboriginal community developed the model, which provides a holistic approach to minimise family violence.

*WorkCover Corporations Access and Equity Aboriginal and Torres Strait Islander Focus Group Strategic Plan 1999–2001*  
(Barnett, 1999)

The WorkCover Corporation manages the Occupational Health, Safety, Rehabilitation and Compensation system in South Australia. The Access and Equity Program involves ensuring that the workplace health and safety, and injury management system addresses the needs of Aboriginal and Torres Strait Islanders.

This strategic plan is the outcome of a project undertaken by WorkCover Corporation's Access and Equity Aboriginal and Torres Strait Islander Focus Group. In 1998, the Access and Equity Program established the Aboriginal and Torres Strait Islander Focus Group as a consultative structure. Representatives from relevant community, peak and government organisations are members of the focus group. The focus group provides a way for the corporation and Aboriginal and Torres Strait Islander communities to communicate with each other and participate in the workplace health and safety, and injury management system to improve access to services and culturally-appropriate outcomes for Aboriginal and Torres Strait Islander people.

### ***Northern Territory***

*Living with Alcohol*  
(Stockwell et al., 2001)

Territory Health Services' response to injury has been to prioritise a major risk factor — alcohol — through programs such as Living with Alcohol. The program was introduced in April 1992, with funding obtained through a levy on liquor containing more than 3% alcohol by volume (Crundall et al., 2001). See Section 5.2 of this Appendix for further details of this program.

### *Night Patrols*

Julalikari Night Patrol (Mugford & Nelson, 1996)

In an effort to break the cycle of violence associated with alcohol consumption in Aboriginal and Torres Strait Islander communities in the Northern Territory, voluntary community-based patrols were implemented in 1989.

This particular patrol targets the Aboriginal and Torres Strait Islander community of Tennant Creek. After two years of the program, alcohol-related crime and associated injury had decreased significantly (among other positive outcomes).

Tangentyere Night Patrol (Mugford & Nelson, 1996)

Night patrols in Tangentyere, Alice Springs commenced in 1990 and the Remote Area Night Patrol was formed in 1995. Positive results were reported.

In 1996, there were approximately 12 outlying communities in the Northern Territory with their own night patrols, funded by Territory Health Services and the Living with Alcohol program (Mugford & Nelson, 1996).

### *Approved roll-over device legislation*

(Thompson, Dempsey, & Pearce, 2001)

In response to the high death and injury rates of passengers in open vehicles in the Northern Territory, legislation was enacted in 1994 to ‘... prohibit this form of travel unless the vehicle is fitted with an approved roll-over device and the driver drinks no alcohol’ (Thompson et al., 2001).

In the two years before the legislation took effect (Thompson et al., 2001):

... the Northern Territory Road Safety Council field officers and Motor Vehicle Registry staff worked with police and community councils in remote areas to promote the use of roll-over devices.

See Section 4.2 of this Appendix for further details.

### *Kick a Goal for Road Safety*

(Autosafe–Windscreens O’Brien, 1999)

Aboriginal community police officers throughout the Northern Territory have taken a football approach to tackle the over-representation of Aboriginal people in road injury. A NT Road Safety team was formed to develop strategies to target critical issues in Aboriginal road safety. The team used the slogan ‘Kick a goal for road safety’. The strategy was highly commended in the 1998 Windscreens O’Brien Autosafe Awards, and reported a decrease of 40% between 1998 and 1999 in road fatalities and serious injury among Aboriginal people in the Territory (Autosafe–Windscreens O’Brien, 1999).

*Atunypa Wiru Minyma Uwankaraku: Good Protection for All Women*  
(Mugford & Nelson, 1996)

This domestic violence program, overseen by the Ngaanyatjarra Pitjantjatjara Yankunytjatjara (NPY) Women's Council in the NT, aims to develop strategies and service models to assist Aboriginal women living in remote communities around the Northern Territory, South Australian and Western Australian borders. This ongoing program commenced in 1994 and has had positive effects on communication, awareness, responses, and reporting of incidents to police (Mugford & Nelson, 1996).

## **5 Community and other responses to injury among Aboriginal and Torres Strait Islander people**

### **5.1 Aboriginal and Torres Strait Islander injury prevention programs**

There has been a number of responses recently to the injury prevention challenge, and how best to combine available models and demonstrate their effectiveness. One of the most notable is a multi-modal approach developed by a Queensland Aboriginal and Torres Strait Islander community with the collaboration of the University of Queensland and Queensland Health (Shannon et al., 2001a). The project proposed an approach for injury prevention that effectively combines the community development model for improving wellbeing in Aboriginal and Torres Strait Islander communities with the epidemiological model of injury control. This particular program explored the wide range of issues involved in initiating and developing a community-owned, multi-modal program for the reduction of injury in Aboriginal and Torres Strait Islander communities (Shannon et al., 2001a).

Another important focus in the area of injury prevention is on the risks of road crashes and road-related injuries in Aboriginal and Torres Strait Islander communities. These risks have been addressed by awareness campaigns: examples are the Aboriginal Community Road Safety Project (Ella, 1992) and the introduction of new laws — for example, the Open Load Space Project (Cercarelli & Cooper, 2000). Major achievements of these interventions have been a decrease in road injuries and deaths as a result of riding in open load spaces of vehicles and positive changes in Aboriginal and Torres Strait Islander community attitudes, knowledge and understanding of road safety issues (North Queensland Indigenous Injury Prevention Partnership, 2002). Aboriginal and Torres Strait Islander communities have welcomed these projects and are keen for them to continue (Cercarelli & Cooper, 2000). Programs such as these (which have undergone an evaluation) give reason to be optimistic about the future of injury prevention initiatives in other areas.

See also Section 4 of this Appendix for examples of community-based programs (funded nationally).<sup>33</sup>

### **5.2 Alternative and multi-sector approaches to injury prevention programs**

#### ***Alcohol and injury***

With alcohol being a major contributing factor to many injuries in Aboriginal and Torres Strait Islander communities, a reduction in the incidence of alcohol-related injuries and offences is a frequently used performance indicator. A reduction in injury rates, hospitalisation and engagement with the criminal justice system were achievements/performance indicators of programs that aimed to reduce the impact of problems arising from self-harm and interpersonal violence in rural and

---

<sup>33</sup> As they received funding from the Commonwealth, the important community-based projects in the Cape York, Queensland (Gladman et al., 1997), and in the Mid North Coast and Shoalhaven areas of NSW (Heslop, 2002; Mid North Coast Aboriginal Health Partnership, 2001; Royal & Westley-Wise, 2001) are summarised in Section 4 of this Appendix.

remote WA — by the availability of sobering up shelters, for example (Bellottie & Boas, 2000). In the first year of operation of the sobering-up shelter in Wiluna (WA), there was a 33% reduction in alcohol-related injuries, a 90% reduction in arrests for damage offences, and a 67% reduction in arrests for assaults (Bellottie & Boas, 2000).

The restriction of trading hours for sale of ‘take away’ alcohol appears a useful strategy for reducing the negative effects of high alcohol consumption in small communities. Halls Creek in the Kimberley region of Western Australia implemented such a strategy and the results were evaluated. Consistent trends indicated a positive effect of restricted trading hours across a variety of health and social indicators, but concurrent programs that were running limited the conclusions (Douglas, 1998):

‘A decrease in alcohol consumption was observed for each of the two years following the intervention. Overall, incidence of crime declined. Alcohol-related presentations to the hospital and presentations resulting from domestic violence decreased relative to the equivalent quarterly period prior to the intervention. There were short-term fluctuations observed, particularly with domestic violence, where presentations (of lesser severity) became more frequent during several quarters. Emergency evacuations as a result of injury showed a marked decrease’.

There are, of course, interventions that are very difficult to measure quantitatively in the short term, but which can still be seen as successful. An example is the Woorabinda pub intervention, which has been reported to have had substantial positive social benefits for the community (Canuto et al., 2000). With the pub closed on Sundays, it is now becoming known as family day within the community.

A comprehensive review conducted in 2000 of alcohol misuse interventions concluded that a broad range of strategies has been employed but with few being evaluated (Gray, Saggars, Sputore, & Bourbon, 2000). This led to a call for ‘... more rigorous evaluation studies in cooperation with Aboriginal community organisations’ (Gray et al., 2000). Of those evaluated, the impact of most appeared limited. The limitations are hypothesised by the authors to be a product of poor resourcing and support. Supply reduction interventions, such as those mentioned above, were regarded as possibly the most effective intervention strategy to date.

A review of the effectiveness of alcohol restrictions in remote and regional Australia reported a ‘... modest but real impact on alcohol consumption and on indicators of alcohol related harm, especially violence’ (d’Abbs & Togni, 2001). Such interventions (among others) were reported also to have strong and widespread community support.

Evaluations conducted on the Northern Territory’s Living with Alcohol program also support the implementation of community-based alcohol-harm reduction initiatives. Findings included reductions in estimated alcohol-caused deaths from acute conditions (road deaths 34.5%, other 23.4%) and in road crash injuries requiring hospital treatment (28.3%) (Stockwell et al., 2001). In addition, there were substantial reductions in per capita alcohol consumption and self-reported hazardous and harmful consumption via surveys (Stockwell et al., 2001). These reductions were evident immediately from the outset of the introduction of the Living with Alcohol program and were largely sustained throughout the 4 years evaluated (Stockwell et al., 2001).

### *Substance abuse and injury*

Most injury prevention efforts aimed at substance abuse focus upon alcohol, but ‘other substances’ (volatile substances, kava, illicit drugs) are covered in this section.

The link between alcohol use and injury is relatively well documented, and subsequently relevant injury prevention programs and their outcomes/impact on injury can be discerned. Unfortunately, the same cannot be said of ‘other substances’ and Aboriginal and Torres Strait Islander injury. Some literature is available on prevention programs for the abuse of these substances, but the link with injury and the subsequent effect of interventions on injury is barely discernible in the literature.

#### *Volatile substances*

The inhalation of volatile substances by Aboriginal and Torres Strait Islander people (particularly petrol and youth) has been the focus of much prevention activity (Gray, Sputore, Stearne, Bourbon, & Stempel, 2002). The goals of such activity are health-based, and the injury-related effects of inhalation and of the interventions are rarely documented. Recognition of the potential for increased risk taking and subsequent injuries due to intoxication have been documented (Crundall et al., 2001), but no literature was located pertaining to interventions that note injury prevention as a goal/measure of success.

#### *Kava*

Kava was introduced to Yirrkala in the Northern Territory as a substitute for alcohol in an attempt to reduce alcohol-related violence (Gray et al., 2002). As with volatile substances, the general health-related consequences of kava use have been presented in the literature, but the injury consequences have not been presented.

#### *Illicit drugs*

The literature about illicit drug use among Aboriginal and Torres Strait Islander people is quite limited, and focuses mainly on its prevalence and patterns of use (Gray et al., 2002). Attention does not appear to have been directed to the relationship between illicit drug use and injury.

The major review of Aboriginal and Torres Strait Islander drug and alcohol projects commissioned by the Australian National Council on Drugs identified 13 intervention projects targeting cannabis and 12 targeting heroin and/or amphetamines (Gray et al., 2002). Many of the projects included interventions of relevance to the factors contributing to injury, but none had injury prevention as its primary focus.

### *Injury due to interpersonal or family violence*

A large number of violence programs throughout all States — that have or are being implemented, or were in planning for implementation during the 1990s (including community-based strategies) — are summarised in Chapters four and five of Memmott’s comprehensive report on *Violence in Indigenous Communities* (Memmott et al., 2001). Included are details of the Kowanyama Community Justice Group, which aimed to deal with juvenile perpetrators of violence in a culturally-sensitive and community-approved way. The program has been credited with a one-third reduction in the numbers of juveniles appearing before the courts over 3 years (Harrison et al., 2001).

See Section 4.2 of this Appendix for further family violence programs

### *Suicide and intentional self-harm*

The impact of colonisation includes a wide range of emotional, social and behavioural outcomes, including high suicide rates and mental health problems (Franks, 2001). Social and emotional wellbeing and injury prevention programs go ‘hand in hand’, as improvements in mental health are accompanied often with improvements in suicide rates, family violence, self-harm, etc.

Clusters of suicide in the Yarrabah (North Queensland) community during the early 1990s engendered a sense of crisis, which persisted for several years. A critical stage in reaction came with the community-based response of the Family Life Promotion Officer Program. This program achieved a shift from (Harrison et al., 2001):

simply attempting to identify individuals at risk and dealing with crises as they developed to focusing on a condition of risk impacting the community as a whole.

Though a formal documented evaluation has not been found in the literature, the program has achieved positive results including: community acceptance of suicide as an issue demanding attention; introduction and development of Life Promotion Officers; closure of the community canteen; suicide case numbers decreased; and a steep decline in the numbers of presentations of threatened or actual self-harm to the Life Promotion Officer at Yarrabah (Harrison et al., 2001).

Another successful program has been Family Wellbeing, which is a course designed by and for Aboriginal and Torres Strait Islander Australians to promote personal empowerment (Harrison et al., 2001). It was implemented in Alice Springs in 1998 as part of a response to the increased number of suicides and attempted suicides in Aboriginal and Torres Strait Islander communities. An evaluation of the program documented its development and implementation, and focused on qualitative assessments of skills, satisfaction and attitudes of course participants (Tsey & Every, 2000). The evaluators concluded that there had been an improvement of participants’ capacities in life skills and problem solving, and completion rates of the four stages of the wellbeing course gave a positive quantitative measurement of achievement (Tsey & Every, 2000).

Concern over the high rate of suicide among Aboriginal and Torres Strait Islander people on the south coast of NSW led to the development of a project aimed at preventing youth suicide in the Aboriginal and Torres Strait Islander communities of the Shoalhaven (Capp, Deane, & Lambert, 2001). Following extensive consultation with the Aboriginal and Torres Strait Islander community, a range of culturally-appropriate interventions was developed. The main focus was a series of community gatekeeper training workshops, which aimed to increase the potential of members of the community to identify and support people at risk of suicide and to facilitate their access to services. Evaluation of the workshops demonstrated an increase in participants’ knowledge about suicide, greater confidence in identification of people who are suicidal and high levels of intentions to provide help (Capp et al., 2001).

From these examples of successful programs, the opportunity for achievements in related areas to contribute to Aboriginal and Torres Strait Islander injury prevention is quite clear.

See Section 4 of this Appendix for further details of programs addressing this issue.



### 5.3 Assessment of prevention programs

Most injuries follow predictable patterns of occurrence and are thus largely preventable (National Injury Prevention Advisory Council, 1999a). Unfortunately, in most areas of injury prevention the greatest barrier to implementing intervention programs lies with lack of knowledge about effective interventions (National Injury Prevention Advisory Council, 1999a). This lack of knowledge is due, at least partly, to the fact that the full extent of the differentials in injury between Aboriginal and Torres Strait Islander and non-Indigenous people has only recently been recognised. In addition, the heterogeneity of lifestyles, lack of resources for programs and their evaluation, and limited methods of evaluating programs targeting small communities have limited the scope, quality and relevance of evidence (National Injury Prevention Advisory Council, 1999a).

Information on evaluating the performance of injury prevention programs is extremely patchy (Harrison et al., 2001):

‘This is particularly the case for assessments of efficacy. Where jurisdiction-wide programs have been instituted or where numerous interventions have targeted the same topic, there does appear to be a growing body of information. Community-level interventions are quite numerous, especially in the topic areas of alcohol and, more recently, violence ... most programs remain largely undocumented, and documented evaluations are rare. Formal documentation of community-level interventions aimed at issues other than alcohol misuse appears to be uncommon’.

Subsequently, there is a strong need for well-researched, action-orientated intervention development and evaluation research in partnership with Aboriginal and Torres Strait Islander people (National Injury Prevention Advisory Council, 1999a).

## 6 Addressing injury among other Indigenous people

### 6.1 Background: an international perspective

The United Nations estimates there are more than 300 million Indigenous people living in over 70 countries. Among them are the estimated 600,000 Indigenous peoples of New Zealand and Australia and 3.5 million native peoples of North America (including tribes in the United States, the First Nations of Canada, and the Inuit peoples of the Arctic) (Berger, 2002).

There are numerous commonalities among Indigenous peoples including (Berger, 2002):

... cultures extending for thousands of years; experiences of exploitation, attempts at forced assimilation, and large scale neglect of human rights, health problems, and social needs; deeply held spiritual beliefs and practices; and increasing efforts to obtain international recognition and protection for their peoples and cultures.

Equally as important as the commonalities is the enormous diversity within individual countries, because there can be profound differences in lifestyle within individual groups. To address the rising motor vehicle injury rate among Indigenous people in Western Australia, for example, we need to know much more about the varied lifestyles of both the urban and rural populations.

Intentional and unintentional injuries represent around 11% of the global mortality and 13% of all disability adjusted life years lost every year (Krug, Butchart, & Peden, 2001). Recognising the magnitude of the problem, the World Health Organization (WHO) has recently taken important steps to increase its injury prevention activities. In March 2000, a Department for Injuries and Violence Prevention was created.

For certain mechanisms of injury, Indigenous peoples often have dramatically higher injury rates compared with the non-Indigenous population in their countries. New Zealand, North America, Canada and Australia are known to have some of the highest rates of injuries among their Indigenous peoples (Johnson, Sullivan, & Grossman, 1999).

The 1995 age-adjusted motor vehicle related death rate for the US Navajos was more than five times that of the white population in the United States (Cercarelli, 1999). For Indigenous people in Western Australia, the road injury hospitalisation rate was nearly twice that of the non-Aboriginal population (Cercarelli, 1999). In Northern Saskatchewan, Canada, where two-thirds of the population is Native (Woodland Cree, Dene, and Métis), suicide and homicide rates among 15- to 24-year-olds were three to five times greater than the remainder of the provincial population (Feather, Irvine, & Belanger, 1993). In the United States, the rate of fire-related deaths in one Indian Health Service (IHS) area was six times greater than the national average (Kuklinski, Berger, & Weaver, 1996).<sup>34</sup> All of the above reports suggest that poverty is an important factor in the majority of reported injury statistics.

Indigenous peoples in Australia, New Zealand, and the United States each have a different heritage and culture, but they share common experiences in their history. They are 'minority cultures in affluent nations dispossessed of their country and marginalised' (Ring & Firman, 1998). Maori and Native Americans have made rapid gains in health and life expectancy over the past two decades, but Australian Indigenous mortality shows little or no evidence of these gains for any of the major causes of excess deaths (including injury) (Ring & Firman, 1998).

Death rates for injury and poisoning among Native Americans and Alaskan Natives were one-and-a-half times the Australian Indigenous rates in the early 1970s, but US rates have now fallen to below the current Australian level (Ring & Firman, 1998). The decline in death rates from injury and poisoning in Native Americans has been attributed to changes in transport accidents, changes in homicide and suicide rates (Ring & Firman, 1998). For Australian Indigenous people in WA and the NT, there appear to have been some relatively small recent falls in homicides and transport accident deaths, but there is some evidence that suicide rates are rising (Ring & Firman, 1998).

The role of alcohol misuse as a contributing factor to high rates of injury among Indigenous peoples throughout the world is a complicated yet pervasive one. Among Navajo victims of pedestrian and hypothermia deaths, alcohol intoxication has been reported as frequent and severe (Gallaher, Fleming, & Berger, 1992). A national survey in Australia of Aboriginal peoples and Torres Strait Islanders found that over half identified alcohol abuse as the main health problem in their community (Condon & Cunningham, 1997).

---

<sup>34</sup> The IHS, an agency within the Department of Health and Human Services, is responsible for providing Federal health services to American Indians and Alaska Natives. The provision of health services to members of federally-recognised tribes grew out of the special government-to-government relationship, established in 1787, between the Federal government and Indian tribes. The IHS is the principal federal health care provider and health advocate for Indian people currently providing health services to approximately 1.5 million American Indians and Alaska Natives who belong to more than 557 federally recognised tribes in 35 states, each with its own culture, geography, and socioeconomic circumstances.

Several of the challenges in conducting studies concerning Indigenous peoples world wide are illustrated by the articles of Phelan and colleagues (Phelan et al., 2002) , by Cercarelli and Knuiman (2002) and by Berger (2002). One challenge is obtaining reliable numerator data by Indigenous status (Berger, 2002). Also, changes in access to medical care can alter hospitalisation rates (Berger, 2002):

members of the Navajo Nation can be treated not only at United States IHS facilities, but private, self-pay, and governmental health insurance options allow many individuals access to health care facilities outside the IHS hospital discharge database.

Another difficulty seen throughout the literature is obtaining accurate denominator data (Berger, 2002):

The Census Bureau in the United States has acknowledged that minority populations, including Native Americans, are routinely under-counted. It has proposed statistical corrections to make more accurate estimates, but political forces have prevented any such adjustment.

## 6.2 New Zealand

Injury has been long recognised as a leading cause of mortality and morbidity among Maori people in New Zealand: ‘fatalities in the Maori population due to injury, both intentional and unintentional, are a major concern’ (Broughton, 1999).

In New Zealand, injury is the leading cause of death for those aged 1 to 34 years (Langley, 1998). In childhood, injury accounts for approximately 60% of all deaths, and by adolescence and young adulthood injury (including suicides) accounts for approximately 80% of deaths (Coggan, Patterson, Brewin, Hooper, & Robinson, 2000). In the period 1985–1994, injury deaths among those under one year old totalled 73.9 per 100 000 among Maori, more than double the figure for New Zealand as a whole (33.2). Injury represents 5% of deaths for Maori children (Langley, 1998).

Maori males are a particular risk group. The Public Health Commission document, *Our Future Our Health, Hauora Pakari, Koiora Roa; The State of Public Health in New Zealand* (Public Health Commission, 1993) noted that ‘males, particularly Maori, have the highest mortality and hospitalisation rates from unintentional injuries’. Between 1987 and 1991 almost three-quarters of the Maori deaths in the 15–24 years age group were males — more than twice the proportion for Maori females (Broughton, 1999). The extent of the differential was due to the high number of young men dying as a result of motor vehicle crashes and higher rates of suicide and homicide (Broughton, 1999).

The prevention of injury has been identified as a public health priority in New Zealand. In 1994, the New Zealand Public Health Commission called for expressions of interest in a community-based injury prevention pilot based on the World Health Organization (WHO) Safe Community model for injury prevention (Coggan et al., 2000). This model is a community-based, all-age, all-injury prevention program, which recognises that those most able to solve community injury problems are the people who live in that particular community (Lindqvist, Timpka, & Schelp, 1999).

The Public Health Commission considered it important that an evaluation of the resulting pilot project, the Waitakere Community Injury Prevention Project (WCIPP), be conducted. The WCIPP is the first comprehensive evaluation of a community-based injury prevention project to be conducted in New Zealand.

The evaluation revealed that the Maori coordinator built a strong network of support for the Maori project, and pivotal to the success of this project was the development of a Maori perspective on injury prevention which supported Maori protocol and encompassed a holistic view of health and wellbeing (Coggan et al., 2000). This particular component of the WCIPP was an excellent model of a diverse injury prevention project, aspects of which could be transferred to other Indigenous communities within and beyond New Zealand (Coggan et al., 2000).

The community injury prevention model applied in the WCIPP appears to be an effective strategy for injury prevention. The findings also suggest that the WHO Safe Communities model worked well under the umbrella of a local government authority and, thus, adds support to the placement of future community injury prevention projects within local government (Coggan et al., 2000).

As part of its strategic plan, the Injury Prevention Research Unit (IPRU) of New Zealand has developed a working relationship with Maori via the Ngai Tahu Maori Health Research Unit. The unit is a partnership between Te Runanga o Ngai Tahu and the Dunedin School of Medicine of the University of Otago. The unit collects, collates, interprets and publishes information, data and statistics on Maori health. This working relationship is central to the IPRU's objective of undertaking research, which it hopes will lead to a reduction in injuries to Maori. The relationship between Te Runanga o Ngai Tahu and the Dunedin School of Medicine of the University of Otago seeks to raise the profile of injury as an important issue for Maori, and jointly develops strategies to address the issue.

### **6.3 United States**

In the United States, American Indians and Alaska Natives (AIs/ANs) suffer from injury morbidity and mortality at higher rates than other races (Johnson et al., 1999). Research conducted by Wallace and colleagues identifies unintentional injury (of which motor vehicle-related injury was the greatest contributor) as the leading cause of death for American Indians and Alaskan Natives (Wallace, Sleet, & James, 1997). Together, unintentional injury (including injury due to motor vehicle crashes), homicide and suicide are the leading cause of death among males, and the second leading cause among both sexes combined (Wallace et al., 1997).

The severity and cost of injury hospitalisations to AIs/ANs have not been well described in the American literature. In many areas, where IHS hospitals care for most hospitalised patients, there is no billing for registered AIs/ANs and therefore no charges or costs are calculated (Johnson et al., 1999). Only those patients receiving care in contract health facilities outside of the IHS system (often the most severely injured) receive a bill (Johnson et al., 1999).

Beginning in 1982, the IHS Injury Prevention Program has assisted Indian communities with the development of injury prevention strategies (Robertson, 1986). In 1990 Congress began appropriating funds to the 12 IHS areas specifically for injury prevention programs and training (Johnson et al., 1999). Despite the huge burden of injury on the health of AIs/ANs, injury prevention constitutes a very small proportion of funds of the IHS budget (Johnson et al., 1999).

IHS injury prevention staff are involved in a wide variety of epidemiology, surveillance and injury prevention activities (Indian Health Service, 1996). They work closely with people from Indian tribes and the Alaska Native Corporations to develop community-based injury prevention programs (Indian Health Service, 1996). The IHS is expanding its injury prevention efforts beyond the original focus of motor vehicle injuries and is sharing its new directions (for example, in falls in the elderly, fire injuries, bike helmets and drowning) with tribal and urban health systems, and other organisations committed to supporting safe community initiatives for Indigenous people (Indian Health Service, 1996).

The majority of Native American reservations are located in rural areas, and Native Americans reside in relative poverty compared with US whites (Phelan et al., 2002). The rural environment and relative poverty that many Navajo children live in compared with other US children may place them at particular risk for motor vehicle related morbidity and mortality (Phelan et al., 2002).

In July 1988, the Navajo Nation enacted a primary enforcement safety belt use law and a child restraint law (Phelan et al., 2002). Early assessment of the efficacy of these occupant restraint laws revealed a dramatic effect on seat belt usage and hospitalisation rates for adult Navajos for the immediate three years after enforcement (Bill, Buonviri, & Bohan, 1992). The hospital discharge rates for Navajo children injured in motor vehicle crashes also decreased significantly, in association with the enactment and enforcement of a child occupant restraint law and seat belt law (Phelan et al., 2002).

The beneficial effects of child occupant restraint shown in Navajo children in this study may be replicable in other Native American tribes, as well as other Indigenous communities currently without child occupant restraint laws.

Effective injury prevention strategies, such as increasing occupant restraint use by passing tribal occupant restraint laws (or adopting the state law) combined with strict enforcement and road lighting projects to target pedestrian injuries are well documented in the literature. Unfortunately, this does not automatically transfer to practice. A 1995 survey of tribal traffic laws found that, of 174 tribes reporting, 63 still did not have a seat belt law and 56 did not have a child passenger restraint law (Wallace et al., 1997).

The literature available on American Indian and Alaska Native suicide and homicide indicates that violence is another particular threat to Indigenous populations. Relatively few prevention programs/resources exist, but the number has grown in recent years through federal and private foundation funding (for example, the Violence Prevention Programs funded by the IHS) (DeBruyn, Wilkins, Stetter-Burns, & Nelson, 1997).

There are an increasing number of promising programs being introduced to prevent Indigenous suicide — such as training school and community gatekeepers, educating the community, screening for suicide risk in schools and clinics, developing peer support projects, and restricting access to lethal means of suicide (Wallace et al., 1997).

The American Indian and Alaskan Native Community Suicide Prevention Center and Network of the Jicarilla Apache Tribe is a good example of a community-based program that has shown promising results in reducing suicides among youth and young adults (DeBruyn et al., 1997). The centre staff provide training and support to tribes who are interested in developing their own suicide prevention programs.

Another successful program has been the Phoenix Area Injury Prevention Program. This program has applied basic public health and epidemiological principles to injury control in American Indian communities (Dellapenna, 1999). Program components include injury surveillance, development of community-based coalitions to develop interventions, and consultation and training by technical experts in injury prevention (Dellapenna, 1999).

The passage of the *Indian Self-Determination and Education Assistance Act* in 1976 has led to the current trend for tribes taking responsibility for operating their own health care organisations (Kunitz, 1996). In order for this idea to be effective, tribal leaders will need to be informed of the injury epidemiology in their community, as well as effective available strategies for primary prevention and control (Johnson et al., 1999).

Successfully preventing injuries among people living in Native American communities appears to require a comprehensive, community-based approach, involving many partners and tailored to specific local settings. Injury prevention programs in tribal communities require special attention to the sovereignty of tribal governments and the unique cultural aspects of health care and communication. Successful programs in motor vehicle occupant safety, drowning prevention and fire safety — developed by the IHS and tribal governments — have adhered to these requirements.

#### **6.4 Canada**

The Canadian Constitution recognises three Aboriginal groups, Indians (First Nations), Inuit and Métis peoples, with each group being distinct in its heritage (First Nations and Inuit Health Branch, 2001). Languages, as well as cultural and spiritual practices, are unique to each group as well as within each group. As three separate peoples, values and culture are distinct from those of other Canadians. It is a historic lack of understanding, respect and support for these differences that has directly contributed to the marginalisation of Canada's Indigenous people. Today, a majority of Indigenous Canadians remain affected by poor socioeconomic conditions and, as such, are at disproportionate risk of injury.

The injury patterns of Canada's Aboriginal population are similar to those of the Canadian population as a whole, but rates are higher: rates of injury death are 3 to 6 times higher than the Canadian average (First Nations and Inuit Health Branch, 2001). Injury is responsible for approximately one-quarter of all deaths and over half the Potential Years of Life Lost in First Nations people (First Nations and Inuit Health Branch, 2001). For the Indigenous population of Canada, injuries currently remain the leading cause of death in all age groups from 1 to 64 years (Towner, 1999).

Aboriginal people are at a higher risk of being victims of motor vehicle accidents, drowning and fire than the Canadian population in general. Suicide is the most common cause of fatal injury, particularly among Indian youth. Motor vehicle accidents rank second, followed by homicides and drowning (Kuran, 2002).

According to the report of the Royal Commission on Aboriginal Peoples, the suicide rate among Aboriginals of all age groups is three times higher than that of non-Aboriginal people (Royal Commission on Aboriginal Peoples, 1996). Suicide is five to six times more common for Aboriginal youth than for non-Aboriginal youth, and males are responsible for 78% of all suicides (Royal Commission on Aboriginal Peoples, 1996). Among Inuit people in Canada, Greenland and Alaska, there has been a disturbing rise in suicide over the last three decades, with young single males accounting for the largest number of suicides (Health Canada Expert Working Group, 1994).

Motor vehicle accidents account for approximately 40% of unintentional injuries among Aboriginal people and are another area of focus for injury prevention in Canada. Aboriginal people are about four times more likely to die in a motor vehicle accident than non-Aboriginal people (Balmforth, 1998).

As also identified among Australian, New Zealand and American Indigenous peoples, the lack of seatbelt wearing is a problem in many communities — many Canadian Aboriginal people live in rural areas and enforcement rates are low for seatbelt wearing infractions on reserves (Balmforth, 1998). Alcohol also plays a major role in motor vehicle accidents in Canada. The National Survey on Drinking and Driving reported that more than 80% of the drivers had been drinking in fatal crashes that involved young Aboriginal males (Household Surveys Health and Welfare Canada, 1988).

Drowning accounts for the highest number of unintentional injury deaths among all children in Canada (Kuran, 2002). Drowning is the third most common cause of death among all Aboriginal people and, in some northern communities, the number of boating-related drownings exceeds the number of motor vehicle fatalities (Kuran, 2002).

Through partnerships and consultations with First Nations and Inuit peoples, Health Canada (the Canadian equivalent of the Australian Government Department of Health and Ageing) is currently working towards having Canada's Aboriginal peoples administer their own health programs and resources services (Advisory Committee on Population Health, 1999). Many First Nations and Inuit communities interested in assuming control over their own health services have negotiated transfer agreements with Health Canada.

In 1998–1999, Health Canada's First Nations and Inuit Health Branch commissioned an environmental scan, 'to gain insight into the current reality of injuries and injury-related activities among Canada's First Nations and Inuit population' (First Nations and Inuit Health Branch, 1999). The project identified that resources, attention and programming were inadequate to deal with the current levels of Indigenous injury.

In response to the environmental scan, the First Nations and Inuit Health Branch organised a focus group meeting from which the National First Nations and Inuit Injury Prevention Working Group (NFNIIPWG) was formed. The working group, which held its inaugural meeting in February 2000, supports mobilisation and action on injury among First Nations and Inuit at the national, provincial/territorial, regional and community levels (National First Nations and Inuit Injury Prevention Working Group, 2000).

Though the problem of injury has no boundaries and affects all Aboriginal people in Canada, there are historically-influenced, jurisdictional boundaries which influence legal, political and governing structures and agreements. These structures and agreements continue to challenge how Aboriginal people work together. In recognition of these barriers, the NFNIIPWG decided to concentrate and coordinate injury prevention efforts with a focus on First Nations and Inuit and support linkages and the sharing of lessons with all Aboriginal people (National First Nations and Inuit Injury Prevention Working Group, 2000).

To date, many injury prevention programs in Canada have focused on increasing awareness about the injury problem among Aboriginal people, developing culturally-appropriate resources and basic injury prevention skills among community-based practitioners. First Nations and Inuit Health Programs, First Nations and Inuit Health Branch, Health Canada, have supported the majority of programs, in whole or in part.

Listed below is a partial list of injury prevention programs, which have contributed to building momentum among First Nations and Inuit people across Canada (National First Nations and Inuit Injury Prevention Working Group, 2000):

- 1993–1994 (national training initiative) — three-day injury prevention workshop designed for Aboriginal practitioners and delivered across Canada — the purpose of the training was to increase awareness about the injury problem while offering practical community development tools;
- 1995 (practical reference document) *Injury prevention in First Nations populations* — this reference document was based on a 1993 study, which examined and critiqued the literature related to injury prevention projects within native communities;
- 1995 (practical reference guide) *Injury prevention: a guide for Aboriginal communities* — the guide was developed to ‘walk’ users through steps in the development and implementation of successful injury prevention programs at the community level;
- 1994–1995–1996 (injury surveillance project) Surveillance tool for Aboriginal communities — the overall goal of the project was to develop a surveillance tool that would be user-friendly, practical and appropriate for use by Aboriginal communities — the tool was designed so that communities could independently collect and analyse injury data specific to their community;
- 1996 (first national conference) First National Aboriginal Injury Prevention Conference — this was the first national injury prevention conference organised by Aboriginal practitioners, in partnership with the Alberta Injury Prevention Centre, (now known as the Alberta Centre for Injury Control and Research, ACICR) — the conference was designed to promote information sharing, networking, and learning through the presentation of success stories;
- 1999 (second national conference) Continuing the journey to safe Aboriginal communities — the focus of the second national conference, supported by the ACICR, was practical hands-on skills development workshops that provided a ten-step framework for participants to apply to any injury problem; and
- 1999 (electronic knowledge map, pilot project) *Aboriginal injury surveillance and prevention knowledge map* — the pilot project is focused on developing and testing the viability of an electronic information dissemination vehicle for injury.

Injury rates remain high, but they have improved over time: death rates decreased by 37% over the 1989–1993 period (First Nations and Inuit Health Branch, 2001). Most of this improvement was due to declines in unintentional injuries (such as drowning and motor vehicle accidents) as opposed to intentional injuries (such as suicide and homicide), which are perceived as a major problem in many communities.

The overall momentum for injury prevention among Aboriginal people has been growing in Canada, with government and non-government sectors recognising the need for a coordinated approach to support any programs undertaken. The current impact of injury prevention efforts in Canada is starting to emerge in the form of community-based and provincial/territorial level initiatives, but the impact is not uniform across First Nations and Inuit people, and much work is still needed.



## 6.5 Global Indigenous injury prevention

Traditional wisdom and the public health model have much to offer in addressing high rates of injury among Indigenous peoples (Berger, 1999):

The vision of health as encompassing mind, body, and spirit — operating not just at the level of the individual, but also involving family, community, and society — is one that all of us might benefit by embracing.

The adoption of an international perspective to Indigenous injury prevention appears to be a sensible approach based upon the similarities uncovered in this literature review. Culturally-appropriate interventions implemented internationally need to be tailored to specific local settings and problems to reduce injury mortality among the global Indigenous population.

## 7 Lessons from the literature

### 7.1 The need for a holistic approach

The great diversity of injury — including as it does simple unintentional injuries, violence (both self-directed and interpersonal) and road injuries — and the complexity, yet similarity, of the factors contributing to injury among Indigenous people mean that a coordinated, holistic approach is needed.

Recognising the fact that injury is such an important contributor to the overall health burden experienced by Indigenous people — and the great costs to the health sector of treating injuries to Indigenous people — it is important that the health sector takes a leadership role in the development of a coordinated, holistic approach.<sup>35</sup> As part of the health sector's leadership role, it may be that advice from the key Aboriginal and Torres Strait Islander advisory group, ATSIIPAC, needs a more direct conduit to the AHMC and AHMAC.

### 7.2 The role of the Aboriginal and Torres Strait Islander community

It is widely acknowledged that the Aboriginal and Torres Strait Islander community must occupy a central role in all strategies and initiatives addressing any aspect of Aboriginal and Torres Strait Islander health, including injury.<sup>36</sup> The importance of this role — at all levels, national, regional and local — is reflected in a number of recent developments, including the development of Agreements on Aboriginal and Torres Strait Islander Health (Framework Agreements), which facilitate joint planning between governments and Aboriginal and Torres Strait Islander organisations. The Framework Agreements — between the Commonwealth government, State and Territory governments, ATSIC (or the Torres Strait Regional Authority in the Torres Strait Agreement) and the NACCHO State or Territory affiliate body — commit signatories to four key areas:

- increasing the level of resources allocated to reflect the level of need;
- joint planning;

---

<sup>35</sup> As noted by Christoffel and Gallagher (1999), it may be that the health sector cannot 'claim the mantle' of primary responsibility and expertise in areas like crime prevention and road safety, but it is hard to see the relevant government ministries initiating the holistic approach required.

<sup>36</sup> It should be noted that, to date, injury and safety have rarely been included as a coherent issue. This reflects largely the fact that there is a dearth of people — among mainstream and Indigenous organisations and communities — sufficiently aware of safety and injury issues.

- improving access to both mainstream and Aboriginal and Torres Strait Islander specific health and health-related services; and
- improving data collection and evaluation.

The Framework Agreements also established a number of formal structures and processes to enable action to be undertaken at State/Territory and national levels. These include the National Aboriginal and Torres Strait Islander Health Council and planning forums (health forums) in each State and Territory.

The Framework Agreements have been acknowledged by NACCHO as enabling: improved intersectoral communication and collaboration in several States and Territories; joint Aboriginal and Torres Strait Islander health regional plans; and better resources for NACCHO and most of its State/Territory affiliates (Commonwealth Department of Health and Aged Care, 2000a). On the other hand, NACCHO noted also that:

- the national and State/Territory forums are frequently presented with policy and program decisions (rather than their being active participants in the decisions);
- the Aboriginal community-controlled sector is not an equal partner; and
- the agreements had not led to adequate, needs-based resources.

The important roles of the NATSIHC, established initially in 1996 and restructured in 1999, are to advise the Commonwealth Health Minister on Aboriginal and Torres Strait Islander health policy and planning, and to monitor the national implementation of the Framework Agreements (Australian National Audit Office, 1998). The NATSIHC includes representatives from each of the Framework Agreement partners (the Commonwealth, States and Territories, ATSIC, the Torres Strait Regional Authority and NACCHO) and from the National Health and Medical Research Council (ex-officio), the Congress of Aboriginal and Torres Strait Islander Nurses, and the Australian Indigenous Doctors Association. The NATSIHC also has as members, appointed by the Minister in their own right, an expert on Aboriginal and Torres Strait Islander substance use issues and two other experts on Aboriginal and Torres Strait Islander health.

In terms of national activities, NACCHO, as the national peak Aboriginal health body, also has an important role independent of its membership of the NATSIHC. Having a membership of around 100 Aboriginal community-controlled health services throughout Australia (operating in urban, rural and remote areas), NACCHO also (NACCHO, 2002):

- promotes, increases, develops, and expands the provision of medical and health services through local Aboriginal community-controlled primary health care services;
- liaises with governments, departments, and organisations within both the Aboriginal and non-Aboriginal community on matters relating to the wellbeing and health of Aboriginal communities;
- represents and advocates for Aboriginal communities in matters relating to health services, health research, health programs, etc;
- assists member organisations to provide Aboriginal people with medical services and other health services; and
- assesses the health needs of Aboriginal communities (through research, data analysis, surveys, etc), and taking steps to meet these needs.

The NACCHO affiliates serve similar roles at State/Territory level.

The important role of these national and regional bodies in the development and consideration of broad injury prevention strategies and programs is complemented at community level by local Aboriginal and Torres Strait Islander bodies, such as local councils (see, for example, Blagg, Ray, Murray, & Macarthy, 2000; Chantrill, 1997; Hunter et al., 2001; McClure, Shannon, Young, & Craig, 2001; Memmott et al., 2001).

Of course, reflecting the various sectors with an interest in various aspects of injury, the Aboriginal and Torres Strait Islander involvement at national and regional level will need to be wider than just health-oriented bodies. For a start, ATSIC has confirmed recently the importance it attaches to addressing family violence among Aboriginal and Torres Strait Islander people (Aboriginal and Torres Strait Islander Commission, 2003). It is beyond the scope of this review to canvass all relevant bodies, but organisations like the Secretariat of the National Aboriginal and Islander Child Care (SNAICC) (Secretariat of the National Aboriginal and Islander Child Care, 1996) and the Aboriginal legal services would appear to have clear roles.

As well as the vital role that Aboriginal and Torres Strait Islander organisations and bodies have in the development of injury prevention policies and strategies at all levels — national, regional and local — it is important also that they are involved in the crucial advocacy function in the implementation of these policies and strategies (Christoffel & Gallagher, 1999).

### **7.3 The multiple ‘causes’ of Aboriginal and Torres Strait Islander injury**

Another important lesson from the literature is that the consideration and development of injury prevention strategies needs to go far beyond the causes identified by traditional ‘risk factor’ epidemiology (see, for example, Brice, 2000; Hunter et al., 2001; McClure et al., 2001; Memmott et al., 2001; and Tatz, 2001). Risk-factor epidemiology may well have played a crucial role in the initial work in the prevention of road injury, but even in that area it is seen now as insufficient by itself (Brice, 2000; Christoffel & Gallagher, 1999; Waller, 1994).

The ecological model proposed in the *World report on violence and health* provides one way of conceptualising the types of factors that need to be considered in the development of injury prevention strategies (Krug et al., 2002). This model involves four levels (Krug et al., 2002):

1. individual — biological and personal history factors that may contribute to a person being a victim or perpetrator of violence — as well as biological characteristics, relevant factors may include things like low educational attainment, history of aggression and/or abuse, and substance use;
2. proximal social relationships — those with family members, peers and intimate partners;
3. community — the immediate context in which social relationships are embedded — such as schools, workplaces and neighbourhoods; and
4. societal — social, cultural, educational, health and economic factors that influence levels and outcomes of violence.

There are, of course, other ways of conceptualising the types of factors contributing to injury, including that outlined in Section 3.3 of this Appendix in relation also to violence.<sup>37</sup> Regardless of which classification is used, however, it is important that the scope is wide enough to ensure that the analysis of ‘causes’ will reveal most of the factors that will need to be taken into account in the development of preventive strategies.

It is important also, that attention is directed — not necessarily in the same analysis — to the various ways in which preventive interventions can be made. Most attention is directed to primary prevention — approaches that aim to prevent injury before it occurs — but secondary and tertiary prevention interventions address different temporal aspects of injury events (Krug et al., 2002). Secondary interventions include things like first aid, pre-hospital care and trauma services, and tertiary interventions include approaches that focus on the long-term care (such as rehabilitation) of injured people.

#### **7.4 The knowledge base for injury prevention**

As noted in Section 3.1 of this Appendix, there are problems in terms of assessing the impact of injury among Aboriginal and Torres Strait Islander people, partly because of the inadequate identification of Aboriginal and Torres Strait Islander status in the deaths registration systems and in the hospital in-patient collections (Harrison et al., 2001). These problems with the numerator (the number of injury events) are accompanied by some uncertainty about Aboriginal and Torres Strait Islander population figures (the denominator), at least for specific population sub-groups (such as young males) and for regional and local populations (Harrison et al., 2001). As with other areas of Aboriginal and Torres Strait Islander health, there is a clear need to improve these basic statistics, which would enable better surveillance of the overall impact of injury on Aboriginal and Torres Strait Islander people.

These routine data sources need to be complemented with information about samples of cases, or in particular settings (Harrison et al., 2001). Such an approach was used for the analysis of deaths in South Australia from road injury (Brice, 2000), and should be facilitated with the further development of the National Coroners’ Information System (Monash University National Centre for Coronial Information, 2003).

Of course, both mortality and hospitalisation data reflect only serious injury, and there is a need also for information requiring only ‘ambulatory’ treatment (such as in Aboriginal community-controlled health services, general practice clinics, emergency departments and the like) (Harrison et al., 2001). It may be possible to extend the coverage of the Service Active Reporting (SAR) scheme, operated by NACCHO and OATSIH, to collect better information about attendances for injury at Aboriginal community-controlled health services. Alternatively, consideration may need to be given to developing a BEACH-type survey for at Aboriginal community-controlled health services (Harrison et al., 2001; Wood & Thomson, 1987).

---

<sup>37</sup> Much of the literature related to non-intentional injury emphasises also the need to look beyond the proximal causes (see, for example, Brice, 2000 (in relation to road injuries) and McClure et al, 2001 (injury in the community). The models proposed for classifying factors contributing to violence may need some adjustment to apply fully to non-intentional injury, but the general approach is consistent with the ideas being expressed in the literature examining that part of the injury spectrum.

The separate collection of information from hospital emergency departments and Aboriginal community-controlled health services should enable analysis of the various factors associated with injury among Aboriginal and Torres Strait Islander people, but there will still be a need for considerable expansion of special research studies as part of the proposed 'viable program of Australian injury research' (Strategic Research Development Committee of the National Health and Medical Research Council, 1999). Reflecting the great diversity in injury, and the need for both explanatory and evaluation research, this program would require (Strategic Research Development Committee of the National Health and Medical Research Council, 1999):

contributions from a wide range of disciplines and involves a wider range of research paradigms than have traditionally been accepted within the core health research paradigms. Intervention strategies also require structures within the health system that differ from those required to provide clinical services.

Effective injury prevention requires also the sharing of knowledge about local injury programs and projects (Harrison et al., 2001). As noted above, the documentation of programs and projects addressing injury needs to go far beyond the literature easily accessible from the routine searches, as much of it exists in the so-called 'grey literature'. Addressing the need to share information about local injury programs and projects, Harrison and colleagues (2001) noted that the Australian Indigenous Health *InfoNet* could 'facilitate identification and documentation of these types of activity', and also be a means of conveying 'information effectively to particular audiences, particularly including information users in Indigenous communities'. The spread of 'good practice' for injury prevention in Aboriginal and Torres Strait Islander communities is also within the potential of the *HealthInfoNet*.

As well as sharing information about local injury programs and projects, Aboriginal and Torres Strait Islander safety promotion and injury prevention would benefit by better access to the general evidence base relating to injury prevention. Such a component could be included as a part of a comprehensive knowledge base for Aboriginal and Torres Strait Islander safety promotion and injury prevention.

An extensive literature is developing around knowledge management and 'communities of practice' (CoP) (see, for example, McDermott, 1999; Tomoye, 2002; Wenger, McDermott, & Snyder, 2002; Wenger & Snyder, 2000). Much of this has been in the business sector, but the lessons are applicable to the health sector, including the field of safety promotion and injury prevention.<sup>38</sup>

### **7.5 Funding for injury prevention**

Probably reflecting its somewhat belated recognition as a health priority area — and its intersectoral nature — funding has always been a problem for injury prevention in Australia (Commonwealth Department of Health and Family Services & Australian Institute of Health and Welfare, 1998; Strategic Research Development Committee of the National Health and Medical Research Council, 1999), but also in the United States (Christoffel & Gallagher, 1999). In view of the prominence of injury as a cause of death and hospitalisation (and its direct health care costs) for Aboriginal and Torres Strait Islander and non-Indigenous people, preventive strategies clearly justify greater funding levels.

---

<sup>38</sup> As well as its work on 'good practice', the *HealthInfoNet* has also developed, for the Intergovernmental Committee on Injecting Drug Use and Blood-borne Viruses among Indigenous People, a prototype for a CoP in that area. It is possible that a similar approach could be used for an Indigenous safety promotion and injury prevention CoP.

Apart from overall funding levels, another problem, at least for injury prevention among Aboriginal and Torres Strait Islander people, is the short-term nature of some of the funding. The area of family violence is a clear example. The welcome infusion by the Commonwealth Government of around \$6m over four years has enabled development around the country of some promising projects addressing Aboriginal and Torres Strait Islander family violence (Partnerships Against Domestic Violence, 2002). But these are really demonstration projects, as ‘the next step is to embed them into a sustainable mainstream model of service delivery, to bring about sustainable reform across the wider service system’ (Partnerships Against Domestic Violence, 2002). The situation with regard to Aboriginal and Torres Strait Islander projects supported by the National Crime Prevention is less clear, but this too appears to be short-term funding (Commonwealth Attorney-General’s Department, n.d.).

What is needed for effective, sustainable injury prevention programs — not projects — for Aboriginal and Torres Strait Islander people is guaranteed, adequate, long-term funding.

## 7.6 Workforce implications

The need for a trained and competent workforce has been identified as a requirement for full implementation of the strategies and actions suggested in the National Injury Prevention Plan (Human Capital Alliance, 2002).

For implementation of the four public health-type injuries identified as priorities by the plan,<sup>39</sup> the injury prevention workforce was seen as being divided broadly between direct and indirect workers (Human Capital Alliance, 2002). Direct workers, who are involved in injury policy, research and practice, include academic specialists, program coordinators, and certain types of health practitioners and risk managers. Indirect workers include building surveyors, civil engineers, general practitioners, nurses and fitness leaders.

The general competencies required of direct injury prevention workers were seen as similar to those required to address any major public health issue, but with the need for specialist in-depth knowledge and experience about injury prevention strategies. There appeared, however, to be ‘a lack of accredited training courses that are specifically aimed at injury prevention and that bring all the aspects of injury control processes together’ (Human Capital Alliance, 2002).

The need for a trained and competent workforce will be required also for implementation of a National Aboriginal and Torres Strait Islander Injury Prevention Plan. If the plan is as holistic as the literature suggests it should be, the workforce will need to be broader than that required for implementation of the four public health-type injuries identified as priorities by the National Injury Prevention Plan. It is clearly a matter which will need close consideration, as neither the *Aboriginal and Torres Strait Islander health workforce, national strategic framework* (Standing Committee on Aboriginal and Torres Strait Islander Health, 2002), nor *Training re-visions: a national review of Aboriginal and Torres Strait Islander Health Worker training* (Curtin Indigenous Research Centre, 2003) directs any real attention to this aspect of the Aboriginal and Torres Strait Islander workforce.

---

<sup>39</sup> The four priorities are: falls among older people; falls among children; drowning and near-drowning among children and adults; and poisoning among children.

## **7.7 Administrative and reporting arrangements**

In view of the breadth of injury, and the various jurisdictional responsibilities (see Section 2.2 of this Appendix), consideration may need to be given to the administrative and reporting arrangements for development and implementation of a coordinated, holistic National Aboriginal and Torres Strait Islander Injury Prevention Plan.

Its development and implementation should be overseen by an ATSIIPAC, but the composition of this group may need to be broadened to take account of the many relevant areas outside the direct responsibility of the health sector. This would require representation from the Aboriginal and Torres Strait Islander affairs, justice, transportation, labour and, probably, education sectors.

With such a broadening of representation, ATSIIPAC's reporting too should be more general. Consideration would also need to be given to what level, and which body, ATSIIPAC should report.

Reflecting the leadership role that the health sector should play in the development and implementation of a coordinated, holistic National Aboriginal and Torres Strait Islander Injury Prevention Plan, the Population Health Division of the Australian Government Department of Health and Ageing appears the appropriate area for the provision of secretariat support for ATSIIPAC.