

## Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 29,577 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 January and 31 March 2004 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 5,006 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 January to 31 March 2004 (Tables 4 and 5).

**Table 1. Reporting of notifiable diseases by jurisdiction**

Disease	Data received from:	Disease	Data received from:
<b>Bloodborne diseases</b>		<b>Vaccine preventable diseases</b>	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions except NT	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
Hepatitis (NEC)	All jurisdictions except WA	Pertussis	All jurisdictions
<b>Gastrointestinal diseases</b>		Pneumococcal disease	All jurisdictions
Botulism	All jurisdictions	Poliomyelitis	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Rubella	All jurisdictions
Cryptosporidiosis	All jurisdictions	Tetanus	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	<b>Vectorborne diseases</b>	
Hepatitis A	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Hepatitis E	All jurisdictions	Flavivirus infection (NEC)	All jurisdictions
Listeriosis	All jurisdictions	Dengue	All jurisdictions
Salmonellosis	All jurisdictions	Japanese encephalitis	All jurisdictions
Shigellosis	All jurisdictions	Kunjin	All jurisdictions except ACT*
SLTEC, VTEC	All jurisdictions	Malaria	All jurisdictions
Typhoid	All jurisdictions	Murray Valley encephalitis	All jurisdictions except ACT*
<b>Quarantinable diseases</b>		Ross River virus infection	All jurisdictions
Cholera	All jurisdictions	<b>Zoonoses</b>	
Plague	All jurisdictions	Anthrax	All jurisdictions
Rabies	All jurisdictions	Australian bat lyssavirus	All jurisdictions
Smallpox	All jurisdictions except ACT, NSW, Qld, SA	Brucellosis	All jurisdictions
Tularemia	All jurisdictions except ACT, NSW, NT, Qld, SA	Leptospirosis	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Ornithosis	All jurisdictions
Yellow fever	All jurisdictions	Other lyssaviruses (NEC)	All jurisdictions
<b>Sexually transmissible infections</b>		Q fever	All jurisdictions
Chlamydial infection	All jurisdictions	<b>Other bacterial infections</b>	
Donovanosis	All jurisdictions	Creutzfeldt-Jakob disease	All jurisdictions except, ACT, NSW, NT, Qld, SA
Gonococcal infection	All jurisdictions	Legionellosis	All jurisdictions
Syphilis (unspecified)	All jurisdictions	Leprosy	All jurisdictions
Syphilis < 2 years duration	All jurisdictions except NSW, Qld, SA, Tas, Vic	Meningococcal infection	All jurisdictions
Syphilis > 2 years duration	All jurisdictions except ACT, NT	Tuberculosis	All jurisdictions
Syphilis - congenital	All jurisdictions except ACT, NT		

\* In the Australian Capital Territory, Murray Valley encephalitis virus and Kunjin are combined under Murray Valley encephalitis.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2004, by date of notification\*

Disease	State or territory								Total 1st quarter 2004 <sup>1</sup>	Total 4th quarter 2003	Total 1st quarter 2003	Last 5 years mean 1st quarter	Year to date 2004	Last 5 years YTD mean	Ratio <sup>†</sup>
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
<b>Bloodborne diseases</b>															
Hepatitis B (incident)	0	12	2	15	1	2	23	10	65	65	93	76	65	92	0.7
Hepatitis B (unspecified)	15	605	NN	212	60	23	391	114	1,420	1,464	1,628	1,654	1,420	1,738	0.8
Hepatitis C (incident)	1	6	NN	NN	15	2	14	29	67	87	124	72	67	130	0.5
Hepatitis C (unspecified)	63	1,711	64	782	153	70	766	272	3,881	3,887	3,866	4,525	3,881	4,627	0.8
Hepatitis D	0	4	0	0	0	0	0	0	4	6	6	4	4	5	0.9
Hepatitis (NEC)	0	0	0	0	0	0	0	0	0	18	16	0	0	3	0.0
<b>Gastrointestinal diseases</b>															
Botulism	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Campylobacteriosis <sup>2</sup>	96	NN	63	1,118	450	171	1,777	568	4,243	3,890	4,490	4,735	4,243	3,624	1.2
Cryptosporidiosis <sup>†</sup>	5	150	42	188	13	0	54	51	503	189	520	581	503	1,050	0.5
Haemolytic uraemic syndrome	0	2	0	0	0	0	1	0	3	6	5	3	3	5	0.6
Hepatitis A	0	48	5	4	6	1	18	21	103	96	118	112	103	227	0.5
Hepatitis E	0	4	0	1	0	0	6	0	11	1	2	11	11	2	5.0
Listeriosis	0	6	1	3	0	1	2	3	16	17	20	20	16	19	0.8
Salmonellosis	27	773	120	1,143	143	41	302	191	2,740	1,602	2,761	3,105	2,740	2,640	1.0
Shigellosis	0	27	26	17	31	1	13	36	151	83	153	175	151	155	1.0
SLTEC, VTEC <sup>3</sup>	0	0	0	5	4	0	3	0	12	9	19	14	12	18	0.7
Typhoid	0	13	0	4	1	0	6	3	27	12	19	33	27	26	1.1
<b>Quarantinable diseases</b>															
Cholera	0	0	0	0	0	0	0	1	1	0	0	1	1	1	1.3
Plague	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Rabies	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0	0	NA	NA
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0	0	NA	NA
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2004, by date of notification,\*  
continued

Disease	State or territory							Total 1st quarter 2004 <sup>1</sup>	Total 4th quarter 2003	Total 1st quarter 2003	Last 5 years mean 1st quarter	Year to date 2004	Last 5 years YTD mean	Ratio <sup>†</sup>
	ACT	NSW	NT	Qld	SA	Tas	Vic							
<b>Sexually transmissible diseases</b>														
Chlamydia (NEC)	162	2,496	371	2,152	539	136	1,976	1,054	7,323	7,343	9,955	8,886	5,176	1.7
Donovanosis	0	0	1	1	0	0	0	0	1	7	2	2	7	0.3
Gonococcal infection <sup>4</sup>	9	353	372	267	65	4	308	315	1,450	1,768	1,879	1,693	1,590	1.1
Syphilis (unspecified)	6	0	64	0	3	5	0	59	183	234	145	137	400	0.3
Syphilis < two years duration	0	57	0	29	0	0	16	0	62	97	106	102	NA	NA
Syphilis > two years duration	0	279	0	41	0	0	67	0	313	207	417	387	NA	NA
Syphilis - congenital	0	0	0	0	0	0	0	0	2	2	0	0	2	0.0
<b>Vaccine preventable disease</b>														
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
<i>Haemophilus influenzae</i> type b	0	1	1	0	1	2	0	0	4	2	5	5	6	0.9
Influenza (laboratory confirmed) <sup>‡</sup>	0	46	1	22	10	0	16	10	256	98	117	105	90	1.2
Measles	0	6	0	0	1	0	4	0	17	22	12	11	45	0.2
Mumps	2	15	0	1	0	0	2	4	27	21	26	24	30	0.8
Pertussis	43	468	1	156	42	13	208	72	1,736	911	1,088	1,003	1,177	0.9
Pneumococcal disease (invasive) <sup>‡</sup>	9	100	17	60	40	2	70	17	526	299	376	315	260	1.2
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Rubella	0	5	0	1	0	0	0	0	2	36	7	6	56	0.1
Rubella - congenital	0	0	0	0	0	0	0	0	1	0	0	0	0	0.0
Tetanus	0	0	0	1	0	0	0	0	0	2	1	1	2	0.6
<b>Vectorborne diseases</b>														
Barmah Forest virus infection	0	96	5	192	0	0	3	22	158	279	377	318	266	1.2
Dengue	3	9	10	204	3	1	2	1	203	346	246	233	139	1.7
Flavivirus infection NEC	0	4	1	54	0	0	4	0	27	20	77	63	24	2.7
Japanese encephalitis <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Kunjin virus <sup>‡</sup>	0	0	0	6	0	0	0	0	2	12	6	6	3	2.0
Malaria	5	20	5	56	2	3	14	5	138	181	129	110	213	0.5
Murray Valley encephalitis <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0	2	0.0
Ross River virus infection	2	235	182	1,007	19	13	50	844	658	584	2,881	2,352	1,433	1.6

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2004, by date of notification,\*  
continued

Disease	State or territory								Total 1st quarter 2004 <sup>†</sup>	Total 4th quarter 2003	Total 1st quarter 2003	Last 5 years mean 1st quarter	Year to date 2004	Last 5 years YTD mean	Ratio <sup>†</sup>
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
<b>Zoonoses</b>															
Anthrax <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Australian bat lyssavirus <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Brucellosis	0	0	0	3	0	0	1	0	0	4	6	6	4	7	0.6
Leptospirosis	0	10	0	54	0	0	0	0	22	47	67	67	64	76	0.8
Other lyssavirus (NEC) <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
Ornithosis	0	9	0	0	2	0	0	49	67	28	62	62	60	25	2.4
Q fever	1	46	2	41	3	0	3	1	107	208	101	101	97	174	0.6
<b>Other bacterial infections</b>															
Creutzfeldt-Jakob disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0	NA
Legionellosis	0	22	0	9	9	1	20	15	93	86	87	87	76	80	1.0
Leprosy	0	1	0	1	0	0	0	0	0	2	2	2	2	1	1.4
Meningococcal infection	5	28	4	20	4	2	21	5	142	88	107	107	89	106	0.8
Tuberculosis	3	56	6	19	18	1	64	10	227	218	186	186	177	265	0.7
<b>Total</b>	457	7,723	1,366	7,889	1,638	495	6,274	3,735	29,577	25,181	26,992	33,591	29,577	26,074	1.1

1. Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

2. Not reported for New South Wales because it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

3. Infections with shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

4. Northern Territory, Queensland, South Australia, Victoria and Western Australia: includes gonococcal neonatal ophthalmia.

\* Date of notification = a composite of three dates: (i) the true onset date from a clinician, if available, (ii) the date the laboratory test was ordered, or (iii) the date reported to the public health unit.

† Ratio = ratio of current quarter total to the mean of last 5 years.

‡ Notifiable from January 2001 only. Ratio and mean calculations are based the last two years.

NN Not notifiable

NEC Not elsewhere classified.

NA Not calculated as only notifiable for under 5 years.

**Table 3. Notification rates of diseases by state or territory, 1 January to 31 March 2004.  
(Rate per 100,000 population)**

Disease <sup>1</sup>	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Bloodborne diseases</b>									
Hepatitis B (incident)	0.0	0.7	4.0	1.6	0.3	1.7	1.9	2.0	1.3
Hepatitis B (unspecified) <sup>†,‡</sup>	18.6	36.2	NN	22.3	15.7	19.3	31.9	23.4	28.9
Hepatitis C (incident)	1.2	0.4	NN	NN	3.9	1.7	1.1	5.9	1.7
Hepatitis C (unspecified)	78.1	102.4	129.1	82.4	40.1	58.7	62.5	55.7	78.1
Hepatitis D	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Hepatitis (NEC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Gastrointestinal diseases</b>									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis <sup>2</sup>	118.9	NN	127.0	117.8	117.8	143.4	144.9	116.4	128.8
Cryptosporidiosis	6.2	9.0	84.7	19.8	3.4	0.0	4.4	10.4	10.1
Haemolytic uraemic syndrome	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Hepatitis A	0.0	2.9	10.1	0.4	1.6	0.8	1.5	4.3	2.1
Hepatitis E	0.0	0.2	0.0	0.1	0.0	0.0	0.5	0.0	0.2
Listeriosis	0.0	0.4	2.0	0.3	0.0	0.8	0.2	0.6	0.3
Salmonellosis	33.5	46.2	242.0	120.4	37.4	34.4	24.6	39.1	55.2
Shigellosis	0.0	1.6	52.4	1.8	8.1	0.8	1.1	7.4	3.0
SLTEC, VTEC <sup>3</sup>	0.0	0.0	0.0	0.5	1.0	0.0	0.2	0.0	0.2
Typhoid	0.0	0.8	0.0	0.4	0.3	0.0	0.5	1.0	0.6
<b>Quarantinable diseases</b>									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Sexually transmissible diseases</b>									
Chlamydial infection	200.7	149.3	748.2	226.7	141.2	114.0	161.1	216.0	178.9
Donovanosis	0.0	0.0	2.0	0.1	0.0	0.0	0.0	0.0	0.0
Gonococcal infection <sup>4</sup>	11.2	21.1	750.2	28.1	17.0	3.4	25.1	64.5	34.1
Syphilis (unspecified)	7.4	0.0	129.1	0.0	0.8	4.2	0.0	12.1	2.8
Syphilis < 2 years duration	0.0	3.4	0.0	3.1	0.0	0.0	1.3	0.0	2.1
Syphilis > 2 years duration	0.0	16.7	0.0	4.3	0.0	0.0	5.5	0.0	7.8
Syphilis - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**Table 3. Notification rates of diseases by state or territory, 1 January to 31 March 2004.**  
(Rate per 100,000 population), *continued*

Disease <sup>1</sup>	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Vaccine preventable diseases</b>									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.1	2.0	0.0	0.3	1.7	0.0	0.0	0.1
Influenza (laboratory confirmed)	0.0	2.8	2.0	2.3	2.6	0.0	1.3	2.0	2.1
Measles	0.0	0.4	0.0	0.0	0.3	0.0	0.3	0.0	0.2
Mumps	2.5	0.9	0.0	0.1	0.0	0.0	0.2	0.8	0.5
Pertussis	53.3	28.0	2.0	16.4	11.0	10.9	17.0	14.8	20.2
Pneumococcal disease	11.2	6.0	34.3	6.3	10.5	1.7	5.7	3.5	6.3
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.1
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
<b>Vectorborne diseases</b>									
Barmah Forest virus infection	0.0	5.7	10.1	20.2	0.0	0.0	0.2	4.5	6.4
Dengue	3.7	0.5	20.2	21.5	0.8	0.8	0.2	0.2	4.7
Flavivirus infection NEC	0.0	0.2	2.0	5.7	0.0	0.0	0.3	0.0	1.3
Japanese encephalitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.1
Malaria	6.2	1.2	10.1	5.9	0.5	2.5	1.1	1.0	2.2
Murray Valley encephalitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	2.5	14.1	367.0	106.1	5.0	10.9	4.1	172.9	47.4
<b>Zoonoses</b>									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.1
Leptospirosis	0.0	0.6	0.0	5.7	0.0	0.0	0.0	0.0	1.3
Other lyssavirus (NEC)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	0.5	0.0	0.0	0.5	0.0	4.0	0.0	1.2
Q fever	1.2	2.8	4.0	4.3	0.8	0.0	0.2	0.2	2.0
<b>Other bacterial infections</b>									
Creutzfeldt-Jakob disease	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Legionellosis	0.0	1.3	0.0	0.9	2.4	0.8	1.6	3.1	1.5
Leprosy	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Meningococcal infection	6.2	1.7	8.1	2.1	1.0	1.7	1.7	1.0	1.8
Tuberculosis	3.7	3.3	12.1	2.0	4.7	0.8	5.2	2.0	3.6

1. Rates are subject to retrospective revision.

2. Not reported for New South Wales because it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

3. Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

4. Northern Territory, Queensland, South Australia, Victoria and Western Australia: includes gonococcal neonatal ophthalmia.

NN Not Notifiable.

NEC Not Elsewhere Classified.

**Table 4. Virology and serology laboratory reports by state or territory<sup>1</sup> for the reporting period 1 January to 31 March 2004, and total reports for the year<sup>2</sup>**

	State or territory								This period 2004	This period 2003	Year to date 2004 <sup>3</sup>	Year to date 2003
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Measles, mumps, rubella</b>												
Measles virus	0	0	0	3	2	0	2	0	7	14	7	14
Mumps virus	0	0	0	1	0	0	1	0	2	5	2	5
Rubella virus	0	0	0	4	0	0	2	0	6	8	6	8
<b>Hepatitis virus</b>												
Hepatitis A virus	0	3	1	2	3	0	1	0	10	17	10	17
Hepatitis D virus	0	1	0	2	0	0	0	0	3	6	3	6
Hepatitis E virus	0	0	0	0	0	0	5	0	5		5	
<b>Arboviruses</b>												
Ross River virus	0	11	10	383	14	3	8	2	431	212	431	212
Barmah Forest virus	0	7	1	73	1	0	2	0	84	77	84	77
Flavivirus (unspecified)	0	1	5	36	0	0	6	1	49	39	49	39
<b>Adenoviruses</b>												
Adenovirus not typed/pending	0	35	1	21	76	0	30	0	163	213	163	213
<b>Herpesviruses</b>												
Cytomegalovirus	1	72	1	39	58	3	27	0	201	271	201	271
Varicella-zoster virus	0	46	3	267	106	1	15	1	439	419	439	419
Epstein-Barr virus	0	25	26	265	233	1	8	69	627	458	627	458
<b>Other DNA viruses</b>												
Poxvirus group not typed	0	0	0	0	0	1	0	0	1	1	1	1
Parvovirus	0	3	0	30	5	2	21	0	61	50	61	50
<b>Picornavirus family</b>												
Coxsackievirus A16	0	1	0	0	1	0	0	0	2	2	2	2
Echovirus type 11	0	1	0	0	0	0	0	0	1	1	1	1
Echovirus type 18	0	1	0	0	0	0	0	0	1		1	
Poliovirus type 1 (uncharacterised)	0	2	0	0	0	0	0	0	2	9	2	9
Poliovirus type 2 (uncharacterised)	0	1	0	0	0	0	0	0	1	1	1	1
Rhinovirus (all types)	0	57	0	0	9	0	1	0	67	124	67	124
Enterovirus type 71 (BCR)	0	2	0	0	0	0	0	0	2		2	
Enterovirus not typed/pending	0	5	0	7	3	0	16	0	31	44	31	44
Picornavirus not typed	0	0	0	0	0	2	0	0	2	2	2	2
<b>Ortho/paramyxoviruses</b>												
Influenza A virus	0	3	0	6	24	0	5	0	38	103	38	103
Influenza B virus	0	0	0	0	12	0	0	0	12	27	12	27
Parainfluenza virus type 1	0	24	0	2	4	0	5	0	35	16	35	16
Parainfluenza virus type 2	0	0	0	0	2	0	0	0	2	19	2	19
Parainfluenza virus type 3	0	24	0	1	56	0	7	0	88	111	88	111
Respiratory syncytial virus	0	103	1	54	10	2	12	0	182	142	182	142

**Table 4. Virology and serology laboratory reports by state or territory<sup>1</sup> for the reporting period 1 January to 31 March 2004, and total reports for the year,<sup>2</sup> *continued***

	State or territory								This period 2004	This period 2003	Year to date 2004 <sup>3</sup>	Year to date 2003
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Other RNA viruses</b>												
HTLV-1	0	0	0	0	2	0	0	0	2	4	2	4
Rotavirus	0	6	0	0	45	2	22	0	75	59	75	59
Norwalk agent	0	0	0	0	0	0	66	0	66	28	66	28
<b>Other</b>												
<i>Chlamydia trachomatis</i> - A-K	0	1	0	0	0	0	0	0	1	–	1	–
<i>Chlamydia trachomatis</i> - L1-L3	0	0	0	0	0	0	1	0	1	–	1	–
<i>Chlamydia trachomatis</i> - not typed	7	143	5	589	381	9	9	1	1,144	1,231	1,144	1,231
<i>Chlamydia pneumoniae</i>	0	0	0	0	0	0	2	0	2	4	2	4
<i>Chlamydia psittaci</i>	1	0	0	2	2	0	54	0	59	17	59	17
<i>Mycoplasma pneumoniae</i>	0	49	8	139	89	1	63	6	355	201	355	201
<i>Mycoplasma hominis</i>	0	1	0	0	0	0	0	0	1	4	1	4
<i>Coxiella burnetii</i> (Q fever)	0	3	1	13	29	0	2	0	48	56	48	56
<i>Streptococcus</i> group A	0	1	0	82	0	0	42	0	125	145	125	145
<i>Yersinia enterocolitica</i>	0	1	0	0	0	0	0	0	1	2	1	2
<i>Brucella abortus</i>	0	0	0	0	1	0	2	0	3	1	3	1
<i>Bordetella pertussis</i>	4	12	0	18	33	0	88	0	155	139	155	139
<i>Legionella pneumophila</i>	0	0	0	0	4	0	16	0	20	43	20	43
<i>Legionella longbeachae</i>	0	1	0	0	6	1	8	0	16	10	16	10
<i>Legionella</i> species	0	0	0	0	0	0	4	0	4	3	4	3
<i>Cryptococcus</i> species	0	0	0	3	10	0	0	0	13	3	13	3
<i>Leptospira</i> species	0	0	0	12	1	0	0	0	13	6	13	6
<i>Treponema pallidum</i>	0	44	0	173	106	0	2	0	325	372	325	372
<i>Entamoeba histolytica</i>	0	0	0	0	0	1	3	0	4	3	4	3
<i>Toxoplasma gondii</i>	0	4	0	4	2	2	2	0	14	14	14	14
<i>Echinococcus granulosus</i>	0	0	0	0	4	0	0	0	4	5	4	5
<b>Total</b>	<b>13</b>	<b>694</b>	<b>63</b>	<b>2,231</b>	<b>1,334</b>	<b>31</b>	<b>560</b>	<b>80</b>	<b>5,006</b>	<b>4,741</b>	<b>5,006</b>	<b>4,741</b>

1. State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.
  2. From January 2000 data presented are for reports with report dates in the current period. Previously reports included all data received in that period.
  3. Totals comprise data from all laboratories. Cumulative figures are subject to retrospective revision, so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.
- No data received this period



**Table 5. Virology and serology reports by laboratories for the reporting period 1 January to 31 March 2004\***

State or territory	Laboratory	January 2004	February 2004	March 2004	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	40	36	121	197
	New Children's Hospital, Westmead	45	56	52	153
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	14	21	30	65
	South West Area Pathology Service, Liverpool	61	72	92	225
Queensland	Queensland Medical Laboratory, West End	482	996	857	2,335
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	431	427	473	1,331
Tasmania	Northern Tasmanian Pathology Service, Launceston	7	5	7	19
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	11	18	4	33
	Royal Children's Hospital, Melbourne	90	95	78	263
	Victorian Infectious Diseases Reference Laboratory, Fairfield	79	104	94	277
Western Australia	PathCentre Virology, Perth	–	–	–	–
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	15	50	43	108
<b>Total</b>		<b>1,275</b>	<b>1,880</b>	<b>1,851</b>	<b>5,006</b>

\* The complete list of laboratories reporting for the 12 months, January to December 2004, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– Nil reports